

CONTENTS

CHAPTER 1. THERMAL RADIATION	1
1-1 Introduction	1
1-2 Definitions and symbols	1
1-3 Equilibrium energy density of radiation in an enclosure	4
1-4 Kirchhoff's law and Planck's equation	5
1-5 The Stefan-Boltzmann law and the thermodynamic functions for the radiation field	7
1-6 Blackbody radiation laws	8
1-7 Nonblack radiators	10
1-8 Basic laws for distributed radiators	12
CHAPTER 2. EINSTEIN COEFFICIENTS AND INTENSITIES	17
2-1 Einstein coefficients and integrated absorption	17
2-2 Oscillator strengths.	21
2-3 Lifetimes of excited states	21
2-4 Representative numerical values	22
CHAPTER 3. SPECTRAL LINE PROFILES	26
3-1 Natural line broadening	26
3-2 Collision broadening	28
3-3 Doppler broadening	29
3-4 Spectral absorption coefficients for lines with dispersion contour or Doppler broadening	29
3-5 Spectral absorption coefficients for lines with combined Doppler, collision, and natural line broadening	32
3-6 The first-order Stark effect for hydrogen atoms	33
CHAPTER 4. RADIATION FROM ISOLATED SPECTRAL LINES	38
4-1 Introduction	38
4-2 Lines with pure Doppler broadening	38
4-3 Lines with pure natural line and collision broadening	42
4-4 Lines with combined Doppler and resonance contour	45
4-5 The curves of growth and nomograms for the evaluation of line radiancies	55
4-6 Representative calculations of line profiles and radiancies	58
CHAPTER 5. MEASUREMENT OF TRANSMISSIVITY AND ABSORPTIVITY FOR ISOLATED SPECTRAL LINES	61
5-1 Introduction	61
5-2 Integrated transmissivity from absorption experiments	61

5-3	Fractional transmissivity from absorption experiments	62
5-4	Integrated absorptivity from absorption experiments	63
5-5	Integrated absorptivity (or emissivity) from emission experiments	63
5-6	Distortion of spectral line profiles	65
5-7	Instrumental losses associated with lack of experimental sensitivity	69
CHAPTER 6. EXPERIMENTAL DETERMINATIONS OF ABSOLUTE INTENSITIES FOR GASES.		72
6-1	Introduction	72
6-2	Extrapolation to zero optical path length	72
6-3	Use of the curves of growth	73
6-4	Pressure broadening	73
6-5	Single- and multiple-path absorption measurements for isolated spectral lines	75
6-6	Optical dispersion measurements for the determination of absolute infrared intensities	77
6-7	Miscellaneous procedures	78
6-8	Consistency tests for measured line intensities	78
6-9	Measurements for entire infrared vibration-rotation bands of CO.	79
6-10	Measurements for the ultraviolet γ -bands of NO	99
6-11	The effect of pressure on integrated intensities of active and inactive infrared vibration-rotation bands	103
6-12	Measurements for rotational lines of OH	104
6-13	Measurements for atomic lines	112
CHAPTER 7. THEORETICAL CALCULATIONS OF ABSOLUTE AND RELATIVE INTENSITIES FOR ATOMIC AND MOLECULAR SPECTRAL LINES		115
7-1	Time-dependent wave equation	115
7-2	Hamiltonian operator for an electromagnetic radiation field	116
7-3	Einstein coefficients and matrix elements	119
7-4	Magnetic dipole and electric quadrupole radiation.	123
7-5	Matrix elements, selection rules, and intensities for diatomic molecules	124
7-6	Matrix elements, selection rules, and infrared intensities for polyatomic molecules (CO ₂ and H ₂ O)	151
7-7	Empirically determined collision cross sections and f -numbers for free-bound transitions	162
7-8	Theoretical expressions for free-free and bound-free absorption coefficients	166
7-9	Absorption and emission of radiation by hydrogen atoms, ions, and molecules	168
7-10	Polyelectronic atoms	173

CHAPTER 8. EXPERIMENTAL MEASUREMENTS OF DISPERSION HALF- WIDTHS IN INFRARED VIBRATION-ROTATION SPECTRA . . .	177
8-1 Introduction	177
8-2 Lower limits; equally spaced and equally intense spectral lines. Elsasser's theory	178
8-3 Experimental results for the fundamental of CO	184
8-4 Experimental results for the first overtone of CO	192
8-5 Apparent optical collision diameters for collisions between CO and H ₂ , He, A, or CO	197
8-6 Numerical calculations of average rotational half-widths for real vibration-rotation bands	198
8-7 Analytical expressions for the computation of dispersion half- widths for real vibration-rotation bands	204
CHAPTER 9. DIRECT LINE-WIDTH MEASUREMENTS IN INFRARED VIBRATION-ROTATION BANDS	216
9-1 Introduction	216
9-2 Interpretation of experimental data	216
9-3 Experimental results	218
9-4 Alternative procedures for the determination of the product of integrated intensity and line width	221
9-5 Refined measurements and calculations	222
CHAPTER 10. OPTICAL DISPERSION	225
10-1 Theoretical foundations	225
10-2 Orientation polarization	226
10-3 Atomic and electronic polarization	227
10-4 Historical survey	229
10-5 Experimental procedures for the determination of optical disper- sion in the infrared	230
10-6 The refracting prism	230
10-7 The method of total reflection	232
10-8 Interferometric measurements	235
10-9 Christiansen filters	235
10-10 Reflection methods	236
10-11 Experimental results obtained in infrared dispersion measure- ments on gases	237
CHAPTER 11. THEORETICAL CALCULATION OF EQUILIBRIUM INFRARED GAS EMISSIVITIES AT MODERATE TEMPERATURES . . .	242
11-1 Introduction	242
11-2 Diatomic molecules with overlapping rotational lines	247
11-3 The concepts of effective bandwidth and limiting emissivities	251
11-4 Theoretical estimates for effective bandwidths, limiting emis- sivities, and average absorption coefficients	255

11-5	Calculations for selected diatomic molecules	262
11-6	Approximate analytic expressions for effective bandwidths and emissivities at elevated pressures	264
11-7	Improved representation for the spectral absorption coefficient	267
11-8	Calculations for just-overlapping spectral lines	275
11-9	Diatomic molecules with nonoverlapping rotational lines (dispersion contour)	280
11-10	Numerical calculations for CO at 300°K	280
11-11	Analytical representations for diatomic molecules at 300°K	288
11-12	Analytical representations for diatomic molecules at arbitrary temperatures	294
11-13	Calculations for CO ₂ with overlapping rotational lines	308
11-14	Semiempirical correlation of infrared emissivities for heated water vapor.	316
11-15	The Mayer-Goody statistical model of a disordered absorption band	317
11-16	Mean emissivities	319
11-17	The engineering emissivity for water vapor	320
11-18	Outline of emissivity calculations for water vapor using the statistical model	321
11-19	Critique of correlation of water emissivities.	327
11-20	Correlation of water emissivity data in terms of a just-overlapping line model and effective bandwidths	327
11-21	Band emissivities for molecules with dispersion lines using a locally statistical model	334
CHAPTER 12. THEORETICAL CALCULATIONS OF ISOTHERMAL GAS ABSORPTIVITIES FOR BLACKBODY RADIATION; LIMITS OF VALIDITY OF EFFECTIVE BANDWIDTH ESTIMATES		359
12-1	Relation between isothermal absorptivities and isothermal gas emissivities	359
12-2	Limits of validity of the effective bandwidth approximation	370
CHAPTER 13. THE MATHEMATICAL FORMULATION OF RADIATIVE TRANSFER PROBLEMS FOR NONUNIFORM GASES IN TERMS OF DERIVATIVES OF HEMISPHERICAL EMISSIVITIES		380
13-1	Formulation of radiative transfer problems in terms of derivatives of local emissivities	380
13-2	Basic transfer equations for uniform gases	383
13-3	Radiative transfer calculations for vibration-rotation bands with constant average absorption coefficients	385
13-4	Radiative transfer problems for continuum radiation produced by free-free transitions.	388
13-5	A numerical example	389

CHAPTER 14. THE EMISSIVITY OF HEATED AIR	393
14-1 Introduction	393
14-2 Stagnation-point heat transfer	393
14-3 Constituents of heated air that contribute to the total radiant- heat transfer	395
14-4 Emissivity calculations for the β - and γ -bands of NO	396
14-5 A simplified treatment for preliminary estimates	398
14-6 Calculations using relations applicable for band systems with randomly distributed vibration-rotation bands containing ran- domly distributed spectral lines	399
14-7 Numerical emissivity calculations for NO according to Kivel, Mayer, and Bethe	429
14-8 Concluding remarks on emissivity calculations for the β - and γ -bands of NO	433
14-9 Infrared emissivity calculations for NO at very high temperatures	434
14-10 Emissivity calculations for other constituents of hot air	437
14-11 Emissivity calculations for very thin layers of heated molecular systems in air	437
14-12 Emissivity calculations for very thin layers of air constituents producing free-bound and free-free transitions	441
14-13 Conclusions	443
CHAPTER 15. EMISSIVITY ESTIMATES FOR HYDROGEN ATOMS	446
15-1 Introduction	446
15-2 The spectral absorption coefficients for continuum and for line radiation	446
15-3 Emissivity calculations	449
CHAPTER 16. OPTICAL TECHNIQUES FOR THE DETERMINATION OF FLAME TEMPERATURES.	455
16-1 Introduction	455
16-2 Brightness temperatures	457
16-3 The two-color technique	457
16-4 The reversal technique.	460
16-5 Modification of the line-reversal and two-color techniques	464
16-6 The two-path method	465
16-7 The compensated hot-wire method	467
16-8 Temperature measurements on nonisothermal combustion flames	468
CHAPTER 17. POPULATION TEMPERATURES AND TRANSLATIONAL TEMPERATURES FOR FREE RADICALS IN FLAMES	475
17-1 Principles of measurement for the quantitative determination of relative integrated intensities	475

17-2	Definitions of population temperatures and of translational temperatures	479
17-3	Quantitative studies of apparent rotational temperatures of OH derived from peak and total emission and absorption data for spectral lines with Doppler contour	482
17-4	The effect of self-absorption on apparent population temperatures in emission experiments	483
17-5	The effect of self-absorption on apparent population temperatures in absorption experiments	487
17-6	The effect of self-absorption on the use of isointensity methods .	490
17-7	Errors in conventional procedures for bimodal distributions of OH in the absence of self-absorption	493
17-8	Apparent temperatures for two adjacent isothermal regions . .	496
17-9	Inferential evidence in the evaluation of apparent rotational temperatures of OH	498
17-10	Effect of spectral line shape on apparent rotational temperatures of OH	498
17-11	Two-path experiments for isothermal systems	502
17-12	Two-path emission experiments for two adjacent isothermal regions (spectral lines with Doppler contour, peak radiances) .	505
17-13	Absorption experiment for two adjacent isothermal regions (spectral lines with Doppler contour, peak radiances)	506
17-14	Two-path experiments for two adjacent isothermal regions (spectral lines with combined Doppler and collision broadening, peak radiances)	507
17-15	Peak absorption experiments for two adjacent isothermal regions (spectral lines with combined Doppler and collision broadening) .	509
17-16	Total radiances for emission of radiation from flames consisting of two adjacent isothermal regions (spectral lines with Doppler contour)	509
17-17	Experimental determination of rotational temperatures and concentrations of OH in self-absorbed flames from emission spectra .	510
17-18	Theoretical calculations on two-path to single-path intensity ratios	512
17-19	Experimental technique	513
17-20	Emission spectra of $\text{H}_2\text{-C}_2\text{H}_2\text{-O}_2$ flames	517
17-21	Emission spectra of $\text{C}_2\text{H}_2\text{-O}_2\text{-A}$ flames	520
17-22	Quantitative interpretation of experimental results	521
17-23	Nonequilibrium rotational and vibrational temperatures for OH .	529
CHAPTER 18. MASS ABSORPTION COEFFICIENT OF POWDER GASES AND THE EFFECT OF RADIATION ON THE BURNING RATE OF SOLID PROPELLANTS		532
18-1	Mass absorption coefficient of powder gases	532
18-2	Average temperature rise in a cigarette-burning powder grain, caused by the absorption of radiant energy	533

18-3	Approximate method for the calculation of progressiveness of pressure-time curves	536
18-4	Calculation of the mass absorption coefficient by a trial and error procedure	539
18-5	Temperature rise in a cylindrical powder grain burning from one end only, caused by the absorption of radiant energy.	543
18-6	Effect of radiation on the rate of burning of perforated powder grains	545
18-7	Calculation of the temperature rise of perforated powder grains.	546
18-8	Approximate methods for the calculation of the effect of radiation on linear burning rates.	548
18-9	Comparison of theory and experiment	551
18-10	Average temperature rise of perforated powder grains.	554
18-11	Qualitative experimental verification of the change in burning rate of rocket powders with radiation path length	556
CHAPTER 19. APPROXIMATE ESTIMATES OF RADIANT-HEAT TRANSFER AND TEMPERATURE CHANGES FOR PROPELLANTS IN LIQUID-FUEL ROCKET MOTORS		562
19-1	Receivers moving along the axis of a right circular cylindrical chamber	562
19-2	Receivers moving along the axis of the cylinder at uniform velocity	564
19-3	An approximate estimate for the maximum temperature rise of a small volume element resulting from the absorption of radiant energy	566
APPENDIX. EVALUATION OF BAND EMISSIVITIES		570
AUTHOR INDEX		575
SUBJECT INDEX		583