

## CONTENTS

WILLIAM HERSCHEL	<i>frontispiece</i>
LIST OF SYMBOLS	xvii
<b>I. INFRA-RED RADIATION</b>	
1.1. The infra-red spectrum	1
1.2. Detection of infra-red radiation	8
1.2.1. Thermal detectors	8
1.2.2. Photo-detectors	11
1.3. Uses of infra-red radiation	17
<b>II. EMISSION AND ABSORPTION OF RADIATION</b>	
2.1. Black-body radiation	22
2.2. Radiation laws	24
2.2.1. Kirchhoff's law	24
2.2.2. Stefan's law	24
2.2.3. Lambert's cosine law	26
2.3. Variation of emitted power with temperature and wavelength	26
2.3.1. Effect of dispersion	36
2.4. Numbers of quanta in black-body radiation	36
2.5. Absorption of radiation	39
2.6. Conditions for black-body radiation	46
2.7. Thermal impedance	49
2.7.1. Thermal resistance due to radiation	51
2.7.2. Thermal impedance due to conduction	52
<b>III. THERMAL DETECTORS OF INFRA-RED RADIATION</b>	
3.1. Thermal detectors	57
3.2. The radiation thermocouple	57
3.2.1. Elementary theory of the radiation thermocouple	61
3.2.2. Use of alternating flux	65
3.2.3. Thermo-electric materials	70
3.2.4. Optimum dimensions	72
3.2.5. Bi-metallic thermocouples	74
3.2.6. Thermocouples using semiconducting materials	76
3.2.7. Blackening the receiver	80
3.2.8. Use of thermocouples at low temperatures	82

## CONTENTS

<b>3.3. The bolometer</b>	<b>82</b>
<b>3.3.1. Elementary theory of the bolometer</b>	<b>84</b>
<b>3.3.2. Temperature distribution along bolometer element</b>	<b>93</b>
<b>3.3.3. Metal strip bolometers</b>	<b>97</b>
<b>3.3.4. Semiconducting bolometers</b>	<b>98</b>
<b>3.4. Low-temperature bolometers</b>	<b>100</b>
<b>3.5. Carbon-flake and single-crystal germanium bolometers</b>	<b>102</b>
<b>3.6. The Golay cell</b>	<b>104</b>
<b>3.7. Other thermal detectors</b>	<b>106</b>
<b>3.8. Thermal image convertors</b>	<b>107</b>
 <b>IV. PHOTO-DETECTORS OF INFRA-RED RADIATION</b>	
<b>4.1. Photo-detectors</b>	<b>109</b>
<b>4.2. Photo-emissive detectors</b>	<b>110</b>
<b>4.2.1. Modern photo-cathodes</b>	<b>112</b>
<b>4.2.2. Vacuum photo-emissive cells</b>	<b>114</b>
<b>4.2.3. Dark current</b>	<b>116</b>
<b>4.2.4. Gas-filled photo-emissive cells</b>	<b>117</b>
<b>4.2.5. The photo-multiplier</b>	<b>117</b>
<b>4.3. Elementary theory of operation of photo-emissive detectors</b>	<b>122</b>
<b>4.4. Use of photo-emissive cells as infra-red detectors</b>	<b>123</b>
<b>4.5. Infra-red image convertors</b>	<b>124</b>
<b>4.6. Photo-conductive and photo-voltaic effects</b>	<b>126</b>
<b>4.7. Physics of the photo-conductive process</b>	<b>128</b>
<b>4.7.1. Intrinsic and impurity semiconductors</b>	<b>128</b>
<b>4.7.2. Primary and secondary photo-effects</b>	<b>130</b>
<b>4.7.3. Elementary theory of photo-conductivity</b>	<b>131</b>
<b>4.7.4. Mechanism of photo-conduction in thin layers of PbS, PbSe, PbTe</b>	<b>134</b>
<b>4.8. Elementary theory of operation of photo-conductive detectors</b>	<b>135</b>
<b>4.9. Lead sulphide detectors</b>	<b>137</b>
<b>4.9.1. Lead sulphide photo-conductive detectors</b>	<b>138</b>
<b>4.9.2. Construction of lead sulphide photo-conductive detectors</b>	<b>139</b>
<b>4.9.3. Properties of lead sulphide photo-conductive detectors</b>	<b>141</b>
<b>4.9.4. Preparation of PbS detectors</b>	<b>146</b>
<b>4.9.5. Photo-voltaic PbS detectors</b>	<b>146</b>
<b>4.10. Lead telluride detectors</b>	<b>146</b>
<b>4.10.1. Properties of PbTe photo-conductive detectors</b>	<b>148</b>
<b>4.10.2. Method of preparation of PbTe photo-conductive layers</b>	<b>150</b>

	CONTENTS	xi
4.11. Lead selenide detectors	150	
4.12. Indium antimonide detectors	154	
4.12.1. InSb photo-conductive detectors	156	
4.12.2. InSb photo-voltaic detectors	157	
4.13. Photo-voltaic detectors using other materials	159	
4.14. Intrinsic detectors using other materials	159	
4.15. Extrinsic photo-conductive detectors	160	
4.15.1. Gold-doped Ge detectors	163	
4.15.2. Mercury-doped Ge detectors	165	
4.15.3. Copper-doped Ge detectors	165	
4.15.4. Zinc-doped Ge detectors	166	
4.15.5. Antimony and boron-doped Ge detectors	166	
4.16. InSb detectors for the very-far infra-red	168	
4.16.1. The ‘electron-bolometer’ effect	170	
4.16.2. Practical form of InSb detector using superconducting magnet	172	
4.16.3. Tunable InSb detector	173	
4.17. Use of detectors	174	
<b>V. LIMITATIONS TO THE ACCURACY OF MEASUREMENT SET BY RANDOM FLUCTUATIONS</b>		
5.1. Fundamental limitations to sensitivity	175	
5.2. Mechanical fluctuations—the Brownian movement	177	
5.3. Johnson noise	181	
5.3.1. Nyquist’s formula	182	
5.3.2. Resistances at different temperatures	187	
5.4. Shot noise	189	
5.5. Current noise	196	
5.5.1. Dependence of current noise on dimensions of resistor	201	
5.6. Flicker noise	203	
5.7. Generation-recombination noise	206	
5.8. Other sources of electrical noise	210	
5.9. Thermal fluctuations	211	
5.10. Fluctuations in a stream of radiation	214	
5.11. Minimum detectable power	220	
<b>VI. FLUCTUATIONS IN AMPLIFIERS AND INDICATING INSTRUMENTS</b>		
6.1. Fluctuations in indicating instruments	223	
6.2. The galvanometer	223	
6.2.1. The oscillating galvanometer	232	
6.3. Linear thermionic amplifiers	233	

## CONTENTS

6.4. Equivalent bandwidth of any linear system	237
6.4.1. Equivalent bandwidth of a galvanometer	238
6.5. The galvanometer amplifier	239
6.6. Effect of rectification on bandwidth	240
6.7. Reduction of effective bandwidth after rectification	243
6.7.1. Use of smoothing condenser	246
6.8. Relationship between time-constant, bandwidth, and observation time	247
<b>VII. THE ULTIMATE SENSITIVITY OF INFRARED DETECTORS</b>	
7.1. The thermocouple	251
7.1.1. Dependence of minimum detectable power on area of receiver	255
7.1.2. Use of thermocouple at low temperatures	256
7.1.3. Use of several thermocouples in series to form a thermopile	256
7.1.4. Use of thermocouples at high frequencies	256
7.1.5. Use of thermocouple with galvanometer	257
7.2. The bolometer	258
7.2.1. Low frequency or d.c. operation	260
7.2.2. High frequency operation	264
7.2.3. Comparison of performance of actual bolometers with theory	267
7.2.4. Effect of non-uniform temperature distribution on minimum detectable power	269
7.2.5. Effect of current noise on minimum detectable power	270
7.2.6. Operation of bolometers at low temperatures	273
7.2.7. The superconducting bolometer	275
7.2.8. Carbon-flake and single-crystal germanium bolometers	278
.3. The pneumatic detector	280
7.4. Comparison of thermal detectors	284
7.5. Photo-electric detectors	285
7.5.1. Minimum detectable monochromatic power for photo-emissive detector	288
7.5.2. Minimum detectable power from black-body source for photo-emissive detector	295
7.5.3. Practical limitations for photo-emissive detectors	297
7.6. Photo-conductive detectors	300
7.6.1. Minimum detectable monochromatic power for photo-conductive detector	301
7.6.2. Minimum detectable power from black-body source for photo-conductive detector	309

CONTENTS	xiii
7.6.3. Practical limits to ultimate sensitivity of photo-conductive detectors	309
7.6.4. Performance of some modern photo-conductive detectors	313
7.6.5. Effect of time-constant on minimum detectable power for photo-conductive detectors	322
7.6.6. Effective area—immersion optics	323
7.7. Comparison between radio and thermal receivers	323
 VIII. SOURCES OF INFRA-RED RADIATION	
8.1. Infra-red sources	326
8.2. Colour temperature and brightness temperature	330
8.3. Some practical infra-red sources	331
8.3.1. The globar	331
8.3.2. The Nernst glower	332
8.3.3. The carbon arc	333
8.3.4. The carbon rod	334
8.3.5. The tungsten filament	335
8.4. Emission from excited gases and vapours	337
8.4.1. The mercury arc	337
8.5. Luminescent materials	338
8.6. Sources of far infra-red radiation	339
8.7. Optical masers (lasers) as infra-red sources	340
8.8. Calibration of infra-red detectors	344
 IX. INFRA-RED OPTICAL MATERIALS	
9.1. Requirements of infra-red optical materials	347
9.2. Prism materials	348
9.2.1. Common glasses	348
9.2.2. Quartz	349
9.2.3. Rock salt	351
9.2.4. Potassium bromide	352
9.2.5. Lithium fluoride	354
9.2.6. Calcium fluoride (fluorite)	356
9.2.7. Silver chloride	357
9.2.8. Caesium bromide	357
9.2.9. Caesium iodide	359
9.2.10. Older prism materials	360
9.3. Mixed crystals as prism materials	360
9.3.1. Thallium-bromo-iodide (KRS-5)	360
9.3.2. Thallium-bromo-chloride (KRS-6)	361
9.4. Choice of prism material for infra-red spectroscopy	364

<b>9.5. Infra-red window materials</b>	<b>365</b>
9.5.1. Glass	366
9.5.2. Sapphire ( $\text{Al}_2\text{O}_3$ )	368
9.5.3. Periklase ( $\text{MgO}$ )	368
9.5.4. New fluoride crystals	368
9.5.5. Diamond	369
9.5.6. Selenium	370
9.5.7. Arsenic trisulphide glass	370
9.5.8. Plastics	371
<b>9.6. Optical properties of semiconductors</b>	<b>372</b>
9.6.1. Germanium	373
9.6.2. Silicon	374
9.6.3. Group III-V semiconductors	375
<b>9.7. Irtran materials</b>	<b>376</b>
<b>9.8. Optical materials for the far infra-red</b>	<b>378</b>
<b>9.9. Bibliography of optical materials for the infra-red</b>	<b>378</b>
 <b>X. OPTICAL COMPONENTS FOR THE INFRA-RED</b>	
<b>10.1. Comparison of optical components for the infra-red and visible spectrum</b>	<b>380</b>
<b>10.2. Mirrors</b>	<b>380</b>
<b>10.3. Prisms</b>	<b>381</b>
<b>10.4. Filters</b>	<b>382</b>
10.4.1. Classification of filters	382
10.4.2. Principles of filter design	383
10.4.3. Filters depending on selective absorption	383
10.4.4. Filters depending on selective refraction	388
10.4.5. Filters depending on selective reflection	389
10.4.6. Filters depending on scattering	392
10.4.7. Reflection type interference filters	399
10.4.8. Transmission type interference filters	400
10.4.9. Dielectric interference filters	403
10.4.10. Frustrated wave reflection filters	404
10.4.11. Filters depending on polarization	406
<b>10.5. Diffraction gratings</b>	<b>407</b>
<b>10.6. Reflection and transmission filter gratings</b>	<b>411</b>
<b>10.7. Polarizers</b>	<b>413</b>
 <b>XI. INFRA-RED SPECTROMETERS</b>	
<b>11.1. Infra-red spectroscopy</b>	<b>416</b>
<b>11.2. Infra-red monochromators</b>	<b>418</b>
11.2.1. The Littrow single-prism spectrometer	419
11.2.2. The Leiss double monochromator	421
11.2.3. The Walsh monochromator	423

CONTENTS	xv
<b>11.3. Double-beam recording spectrometers</b>	<b>425</b>
11.3.1. The optical-null system	427
11.3.2. The Hornig slit illuminator	428
11.3.3. The Halford-Savitzky direct ratio recording system	430
11.3.4. Perkin-Elmer Model 13 spectrometer	431
11.3.5. Other methods	432
11.3.6. Comparison of double-beam systems	432
<b>11.4. Rapid-scanning spectrometers</b>	<b>433</b>
<b>11.5. Grating spectrographs</b>	<b>436</b>
11.5.1. The Pfund-Hardy grating spectrograph	437
11.5.2. The Czerny-Turner grating spectrometer	438
11.5.3. The Ebert spectrometer	439
11.5.4. Double-beam and double-pass grating spectrometers	441
11.5.5. Limits of resolution	441
<b>11.6. Fourier transform spectroscopy</b>	<b>443</b>
<b>11.7. Spectroscopy in the very-far infra-red</b>	<b>448</b>
11.7.1. Spectrometers for the very-far infra-red	451
<b>11.8. Commercial infra-red spectrometers</b>	<b>455</b>
<b>11.9. Infra-red microspectroscopy</b>	<b>456</b>
 <b>XII. AMPLIFIERS FOR USE WITH INFRA-RED DETECTORS</b>	
<b>12.1. Importance of careful amplifier design</b>	<b>458</b>
<b>12.2. General design considerations</b>	<b>459</b>
<b>12.3. Direct current amplifiers</b>	<b>459</b>
12.4. Low-frequency alternating current amplifiers for use with thermocouples and low-impedance detectors	460
12.4.1. The principle of twin-T or parallel-T networks	461
12.4.2. Practical low-frequency amplifiers for use with thermocouples	464
12.5. Alternating current amplifiers for use with photo-conductive detectors	465
12.5.1. The homodyne amplifier	466
12.6. Special problems of amplifiers for use with a very low impedance source	469
12.7. Transistor amplifiers	470
 <b>XIII. ATMOSPHERIC TRANSMISSION OF INFRA-RED RADIATION</b>	
<b>13.1. Properties of the atmosphere</b>	<b>471</b>
<b>13.2. Early work on atmospheric transmission</b>	<b>472</b>

13.3. Modern work on atmospheric transmission	474
13.4. Measurements of absolute transmission	478
13.5. High-altitude observations of the solar spectrum	482
13.6. Attenuation of principal atmospheric constituents	484
13.7. Attenuation due to the atmospheric aerosol	484
13.8. Observation of the earth from outside the atmosphere	488
<b>AUTHOR INDEX</b>	<b>491</b>
<b>SUBJECT INDEX</b>	<b>499</b>

PLATE I faces p. 472