

Contents

Foreword	ix
Present Addresses of Contributors	xiii
Introduction <i>S Stenholm</i>	1
Interaction of Laser Radiation with Free Atoms <i>S Feneuille</i>	61
1. Introduction	63
1.1 Structure of the review	64
2. Theoretical models for resonant phenomena	64
2.1 Parameters characterizing an optical resonance	65
2.2 Interaction of a two-level atom with a classical field	66
2.3 Interaction of a two-level atom with a quantum field	68
2.4 The Bloch–Siegert shift	71
2.5 Spontaneous emission and other relaxation processes	72
2.6 Steady-state and transient solutions of the Bloch equations including decay constants	74
2.7 Rate equations	76
2.8 Real systems	77
2.9 Concluding remarks	80
3. Response of an atomic system to resonant laser excitation	80
3.1 Atomic beams transversely illuminated	80
3.2 Vapours	88
3.3 Transient effects	93
4. Propagation effects	95
4.1 Incoherent saturation effects on the propagation of pulses	95
4.2 The quantum-mechanical ‘area theorem’	96
4.3 Self-induced transparency	97
5. Multiphoton processes	101
5.1 Doppler-free multiphoton excitation	101
5.2 Resonant multiphoton ionization	103
6. Concluding remarks	105
Acknowledgments	105
References	105
Addendum	109

Optical Bistability and Related Devices <i>E Abraham and S D Smith</i>	111
1. Introduction	113
1.1 Aim of this review	113
1.2 Historical remarks and general discussion	113
1.3 Organisation of the review	115
2. Basic theory	115
3. Theory of optical bistability for atomic systems	119
3.1 Maxwell–Bloch equations	120
3.2 Steady state	123
3.3 The mean field approximation	125
3.4 Time-dependent phenomena	129
3.5 Phase transition analogy	134
3.6 Quantum-mechanical approach	137
4. Theory of alternative approaches to bistable systems	144
5. Non-linear refraction of semiconductors	146
5.1 Non-linearity in InSb	146
5.2 Non-linearity in GaAs	153
6. Experiments on intrinsic optically bistable systems	154
6.1 Free atoms and molecules	155
6.2 Kerr media	159
6.3 Solids: semiconductors and ruby	160
6.4 Non-linear interface and other geometries	164
7. Experiments on hybrid devices	166
8. Switching times and energies	173
9. Summary and conclusions	176
Additional reading	176
References	178
Addendum	182
Non-classical Effects in the Statistical Properties of Light <i>R Loudon</i>	185
1. Introduction	187
2. Classical degree of second-order coherence	188
3. Quantum degree of second-order coherence	193
4. Non-classical single-beam statistics	198
4.1 Radiation by a single driven atom: special case	198
4.2 Radiation by a single driven atom: general case	201
4.3 Radiation by a distribution of atoms	204
4.4 Non-linear optical processes	208
5. Non-classical double-beam coincidence statistics	211
5.1 Two-photon cascade emission	211
5.2 Non-linear optical processes	215
6. Conclusions	216
Acknowledgments	217

Appendix. Solutions of the optical Bloch equations	217
References	220
Bell's Theorem: Experimental Tests and Implications	223
<i>J F Clauser and A Shimony</i>	
1. Introduction	225
2. The Einstein–Podolsky–Rosen argument	227
3. Bell's theorem	228
3.1 Deterministic local hidden-variables theories and Bell (1965)	229
3.2 Foreword to the non-idealised case	231
3.3 Generalisation of the locality concept	233
3.4 Bell's 1971 proof	234
3.5 The proof by Clauser and Horne	236
3.6 Symmetry considerations	238
3.7 The proof by Wigner, Belinfante and Holt	239
3.8 Stapp's proof	240
3.9 Other versions of Bell's theorem	242
4. Considerations regarding a general experimental test	242
4.1 Requirements for a general experimental test	243
4.2 Three important experimental cases	244
5. Cascade-photon experiments	245
5.1 Predictions by local realistic theories	246
5.2 Quantum-mechanical predictions for a $J=0-1-0$ two-photon correlation	248
5.3 Description of experiments	250
5.4 Are the auxiliary assumptions for cascade-photon experiments necessary and reasonable?	254
6. Positronium annihilation and proton–proton scattering experiments	256
6.1 Historical background	256
6.2 The experiment by Kasday, Ullman and Wu	257
6.3 The experiments by Faraci <i>et al</i> , Wilson <i>et al</i> and Bruno <i>et al</i>	259
6.4 Proton–proton scattering experiment by Laméhi-Rachti and Mittag	259
7. Evaluation of the experimental results and prospects for future experiments	260
7.1 Two problems	260
7.2 Experiments without auxiliary assumptions about detector efficiencies	261
7.3 Preventing communication between the analysers	262
7.4 Conclusion	263
Appendix 1. Criticism of EPR argument by Bohr, Furry and Schrödinger	263
Appendix 2. Hidden-variables theories	264
Acknowledgments	268
References	268
Addendum	270