

<i>Preface</i>		xi
Part A	Fusion	
1	Overview of Laser Fusion	1
	<i>Keith Boyer</i>	
	A review of the importance of laser induced fusion in terms of world energy requirements. General description of the process, experimental results, and prospects for the future.	
2	Laser-Induced Fusion	13
	<i>Keith A. Brueckner</i>	
	Estimates of energy production compression by shocks, quasi-adiabatic compressions of spheres and shells, and problems of implosion physics.	
3	Target Compression and Neutron Generation	175
	<i>Roy R. Johnson</i>	
	Preliminary experiments at KMS Fusion show encouraging results: fuel compressed X20, and 10^7 neutrons produced per laser pulse.	
4	Review of Diagnostics for Laser-Pellet Interaction Experiments	191
	<i>D.M. Woodall, B. Yaakobi, M.J. Lubin</i>	
	A review of laser fusion diagnostics at The University of Rochester.	
5	Laser Fusion--Diagnostics and Experiments	251
	<i>Gene H. McCall</i>	
	Diagnostic techniques used at Los Alamos to study laser-produced plasmas.	
Part B	Lasers for Laser Induced Fusion	
6	Review of High Energy Visible and UV Lasers	277
	<i>R.M. Hill, D.L. Huestis, C.K. Rhodes</i>	
	Those areas of atomic and molecular physics which will have the greatest impact on the development of high energy lasers.	

- 7 High Power Iodine Lasers for Fusion Applications 311
Rolf W.F. Grosse
 The critical laser parameter in fusion applications is peak power, not energy. The iodine laser combines advantages of both gas and solid laser media without their drawbacks.
- 8 From Maxwell to Optical Resonators 369
William H. Louisell
 A new look at unstable resonator theory, including the effect of the laser medium.
- Part C X-Rays
- 9 Theory of a Short Wavelength Swept-Gain Amplifier 487
R. Bonifacio, F. Hopf, P. Meystre, M. Scully
 Laser amplifier theory reinvestigated to include fast upper state lifetimes. Small signal growth of a pulse substantially altered; superradiance plays important role in laser signal behavior.
- 10 Soft X-Ray Lasers Pumped by Photoionization 557
Michel A. Duguay
 Photoionization to selectively populate inner-shell vacancy states. Calculations and preliminary experiments.
- 11 Soft X-Ray Amplification in a Laser-Produced Plasma: A Review and Prognosis 581
J.M. Forsyth, T.C. Bristow, B. Yaakobi, A. Hauer
 A discussion of the prospects for soft X-ray amplification in a laser-produced plasma.
- 12 Optical Frequency Conversion in Metal Vapors 631
David M. Bloom
 Third harmonic generation in alkali vapors. 9.26 μ m radiation upconverted to 0.33 μ m with 58% quantum efficiency.

Reprints included in this volume are reproduced with the permission of the copyright owners:

Selected by David M. Bloom

- 1 Resonantly two-photon pumped** 650
- frequency converter**

S. E. Harris and D. M. Bloom

Applied Physics Letters **24**, 229(1974)

- 2 Infrared up-conversion with resonantly
two-photon pumped metal vapors 652

D. M. Bloom, James T. Yardley, J. F. Young,
and S. E. Harris

Applied Physics Letters 24, 427 (1974)

- Index 655