
Contents

| | |
|---------|----|
| Preface | xi |
|---------|----|

| | | |
|---------------|---|----|
| PART I | Introduction to Applied Superconductivity and Macroscopic Theory | |
| 1 | Introduction | |
| 1.1 | Applications of superconductors and their limitations | 3 |
| 1.2 | Hysteresis loss in a superconductor | 4 |
| 1.3 | Multifilament conductors, stability and eddy current loss | 6 |
| 1.4 | Flux jumps and training | 9 |
| 1.5 | Frequency range of interest | 10 |
| 1.6 | Units | 10 |
| | References | 11 |
| 2 | Survey of Type-II Superconductivity | |
| 2.1 | Type-I and type-II superconductors | 12 |
| 2.2 | Vortex magnetization | 15 |
| 2.3 | Flux penetration and bulk current density in a hard superconductor | 16 |
| 2.4 | Flux pinning and critical current density | 19 |
| | References | 20 |
| 3 | Macroscopic Description of Type-II Superconductors | |
| 3.1 | The macroscopic equations | 22 |
| 3.2 | Magnetization and magnetic field | 24 |
| 3.3 | The London approximation and critical-current models | 25 |
| 3.4 | Magnetic moment | 27 |

| | | |
|-----|--|----|
| 3.5 | The electric field at a discontinuity in current density | 27 |
| 3.6 | Power loss | 28 |
| 3.7 | Loss in terms of the magnetic moment and flux density | 30 |
| 3.8 | The case of a very long wire | 32 |
| 3.9 | Microscopic description of the loss | 34 |
| | References | 35 |

PART II Hysteresis in Bulk Superconductors

| | | |
|-----|---|----|
| 4 | Instantaneous Loss in a Sheet in the London–Bean Approximation | |
| 4.1 | Introduction | 39 |
| 4.2 | Solution of Maxwell equations | 39 |
| 4.3 | Electric field near the surface | 41 |
| 4.4 | Field penetration into a flux-free sheet due to establishment of a transport current and transverse applied field | 42 |
| 4.5 | Instantaneous power loss | 43 |
| 4.6 | Partial penetration for a cyclic state | 45 |
| 4.7 | Complete penetration | 47 |
| 4.8 | Field profiles | 48 |
| 4.9 | Summary of loss formulas in practical units | 49 |
| 5 | Cyclical Hysteresis in a Sheet | |
| 5.1 | Loss per cycle for no transport current | 51 |
| 5.2 | Effect of a DC transport current | 53 |
| 5.3 | Alternating current loss with no applied field | 54 |
| 5.4 | Combined alternating current and transverse field | 54 |
| 5.5 | Loss due to a field applied normal to a strip | 55 |
| 5.6 | Effect of a constant bias field | 55 |
| 5.7 | Improved loss expressions | 56 |
| 5.8 | Summary of the loss formulas in practical units | 58 |
| | References | 61 |
| 6 | Hysteresis Loss in Circular Wires in London–Bean Approximation | |
| 6.1 | Introduction | 62 |

| | | |
|------|--|----|
| 6.2 | Transverse field loss for weak partial penetration | 63 |
| 6.3 | Loss for full penetration | 66 |
| 6.4 | Approximations for the transverse field loss over the complete range of field | 67 |
| 6.5 | Longitudinal field loss | 68 |
| 6.6 | Alternating current loss | 70 |
| 6.7 | Dynamic resistance for full penetration | 73 |
| 6.8 | Cyclic loss for a combined alternating transverse field and transport current | 77 |
| 6.9 | Transverse field loss in hollow and concentric cylinders | 81 |
| 6.10 | Loss for a large transverse rotating field | 83 |
| 6.11 | Loss for a field having both transverse and longitudinal components and the problem of critical-current anisotropy | 84 |
| 6.12 | Summary of loss formulas in practical units | 84 |
| | References | 88 |

PART III Multifilament Superconductors

| | | |
|-----|---|-----|
| 7 | Theory of Filamentary Superconductors | |
| 7.1 | Introduction | 91 |
| 7.2 | The anisotropic continuum model | 92 |
| 7.3 | Symmetry of the continuum | 95 |
| 7.4 | Constitutive equations | 96 |
| 7.5 | The applied field | 97 |
| 7.6 | The local field applied to a filament | 98 |
| 7.7 | Values for the permeability | 100 |
| 7.8 | Conductivity for a single component matrix | 101 |
| 7.9 | Expressions for the loss in a composite conductor | 103 |
| 8 | Transverse Field Loss in Multifilament Conductors | |
| 8.1 | Introduction | 106 |
| 8.2 | Loss for a slowly changing magnetic field | 107 |
| 8.3 | The boundary layer | 109 |

| | | |
|---------------|--|-----|
| 8.4 | Frequency dependence of the loss and shielding below the frequency for skin effect | 111 |
| 8.5 | Frequency dependence in the skin-effect range | 113 |
| 8.6 | Critical frequencies and relaxation times | 114 |
| 8.7 | Loss in the saturated region and general loss expression for frequencies below the skin-effect range | 116 |
| 8.8 | Effect of permeability in weak fields | 119 |
| 8.9 | Loss for periodic ramped or pulsed fields | 121 |
| 8.10 | Effect of a DC transport current | 123 |
| 8.11 | Rectangular multifilament conductor | 124 |
| 8.12 | Effect of a sheath | 124 |
| 8.13 | Comparison of the hysteresis in a twisted composite with that of a solid superconductor | 126 |
| 8.14 | Loss in a solenoid | 127 |
| 8.15 | Summary of frequency and field dependence of the loss in practical units | 128 |
| | References | 130 |
| 9 | Longitudinal Field Loss, Transport Current Loss and Other Topics | |
| 9.1 | Behavior of multifilament wire in a longitudinal field | 132 |
| 9.2 | Longitudinal field loss for $\sqrt{2}R_0/\delta \leq 1$ | 134 |
| 9.3 | Loss due to alternating transport current in a multifilament conductor | 138 |
| 9.4 | Large cables and braids | 139 |
| 9.5 | <i>In situ</i> materials and fine filaments | 140 |
| 9.6 | Effects of surface roughness, trapped flux and DC longitudinal fields | 141 |
| 9.7 | Summary of loss expressions for multifilament conductors | 142 |
| | References | 142 |
| Appendix A | Units | 144 |
| Appendix B | Magnetization of Localized Currents | 145 |
| Appendix C | Calculation of σ_1 | 148 |
| Appendix D | Conductivity and Critical Current Density Data | 152 |
| Subject Index | | 155 |