

Contents

I: METALLURGY

Chapter 1. Equilibrium and Nonequilibrium Phases

1.1	Equilibrium Phases	3
1.1.1	Electron/Atom Ratio Systematics	3
1.1.2	Electronic Structure and Phase Stability	4
1.2	β -Titanium Alloys	5
1.3	α -Titanium Alloys	7
1.4	Binary Titanium-Transition-Metal Alloys	9
1.4.1	Further Classification Schemes for Titanium-Alloy Phases	9
1.4.2	The Ti-Cr System	10
1.4.3	The Ti-Nb System	12
1.5	Multicomponent Titanium-Transition-Metal Alloys	15
1.5.1	Titanium-Base Multicomponent Alloys in General	15
1.5.2	The Ti-Zr-Nb System	15
1.6	Nonequilibrium Phases	21
1.6.1	The Martensitic and Athermal ω -Phases in Quenched Titanium-Transition-Metal Alloys	21
1.6.2	The Quenching Process	22
1.6.3	Stability Limit of the β -Phase in Titanium-Transition-Metal Alloys	25
1.7	Formation and Structures of the Martensitic Phases	31
1.7.1	Morphology of Martensites	32
1.7.2	Structure of the Martensites	36
1.7.3	Crystallographic, Thermodynamic, and Acoustic Aspects of the Martensitic Transformation	37
(a)	Crystallography	37
(b)	Thermodynamics and Acoustics	37

1.8 Occurrence and Structure of the Quenched ω -Phase	38
1.9 Summary—The Occurrence of the Martensitic and ω -Phases in Quenched Titanium-Niobium Alloys	46

Chapter 2. Aging and Deformation

2.1 The Aging of Quenched β -Titanium Alloys	49
2.2 The Athermal and Isothermal ω -Phases	50
2.2.1 Athermal ω -Phase	50
2.2.2 Isothermal ω -Phase	50
2.3 β -Phase Separation	54
2.3.1 Occurrence of the Reaction	54
2.3.2 Ti-Cr	56
2.3.3 Ti-Mo	56
2.3.4 Ti-Nb	57
2.3.5 Thermodynamics of the Phase-Separation Reaction	57
2.4 α -Phase Precipitation from β -Titanium Alloys	58
2.4.1 Direct Precipitation	58
2.4.2 Precipitation from the β' + β -Phase	59
2.4.3 Precipitation from the ω + β -Phase	59
2.5 Down-Quenching and Up-Quenching— ω -Reversion	60
2.6 Effects of Third Element Additions on Precipitation in Quenched-and-Aged Titanium-Transition-Metal Alloys	60
2.6.1 The Ternary ω + β -Phase Regime	61
2.6.2 The Ternary β' + β -Phase Regime	61
2.7 β -Phase Immiscibility	62
2.8 Effects of Cold Deformation on the Microstructures of Quenched β -Titanium Alloys	66
2.8.1 Low- and High-Level Deformation Microstructures	66
2.8.2 Further Studies of Cold Rolling	67
2.8.3 Swaging	68
2.8.4 Flattening	68
2.8.5 Wire Drawing	70
2.8.6 Summary	72
2.9 Influence of Stress, Strain, and Interstitial-Element Additions on the Transformation Kinetics of Quenched β -Titanium Alloys	73
2.10 Influence of Stress on the Transformation	75
2.11 Influence of Heavy Plastic Deformation	75
2.11.1 Influence of Heavy Deformation on the Kinetics of Precipitation	76
(a) Decomposition of $Ti_{10}-Zr_{40}-Nb_{50}$	76
(b) Decomposition of $Ti_{33}-Zr_{30}-Ta_7-Nb_{30}$	77

2.11.2	Influence of Aging on the Fibrous Cell Structure	78
(a)	Dislocation Motion	78
(b)	Cell Growth	79
2.12	The Influence of Interstitial-Element Additions	80
2.13	Summary—The Occurrence of Isothermal ω - and Equilibrium α -Phases in Deformed and/or Aged Titanium-Niobium Alloys	84
2.13.1	The Isothermal ω -Phase	84
2.13.2	The Equilibrium α -Phase	85

Chapter 3. Mechanical Properties

PART 1. HARDNESS

3.1	The Hardness Test	87
3.2	Hardness of Quenched Titanium-Transition-Metal Alloys	88
3.3	Hardness of Aged Titanium-Niobium Alloys	89
3.4	Influence of Third-Element Additions on the Hardnesses of Unalloyed Titanium and Titanium-Niobium Alloys	90
3.5	Hardness of Ternary and Quaternary Transition-Metal Alloys	93
3.5.1	Composition Dependence	93
3.5.2	Aging Studies	94
3.6	Theoretical Relationships Between Hardness and Strength	94
3.6.1	Hill's Theory	95
3.6.2	Marsh's Theory	95
3.6.3	Relationship Between the Models	95
3.7	Application of the Marsh formula to the Determination of the Yield Strength of a Wire	96
3.7.1	Newton-Raphson Solution of the Simplified Marsh Equation	97
3.7.2	Trial-and-Error Solution of the Simplified Marsh Equation	97
3.7.3	Graphical Solution of the Marsh Equation	97
3.7.4	Applications to Ti-Nb	97
3.8	Normal and Anomalous Tensile Properties of Superconductors	98
3.8.1	The "Normal" Static Tensile Properties	99
3.8.2	The "Anomalous" Static Tensile Properties	99

PART 2. ANOMALOUS MECHANICAL PROPERTIES

3.9	Anomalous Tensile and Related Properties	100
3.9.1	Serrated Yielding	100
(a)	The General Phenomenon	100
(b)	Serrated Yielding in Ti-Nb	100
3.9.2	Thermoelasticity	105

3.9.3	Pseudoelasticity	106
(a)	The General Phenomenon	106
(b)	Pseudoelasticity in Ti-Nb	106
3.9.4	The Shape-Memory Effect	107
(a)	The Shape-Memory Phenomenon in General	107
(b)	The Shape-Memory Effect in Ti-Nb	108
3.9.5	The Bauschinger Effect	108
(a)	The Bauschinger Effect in General	108
(b)	The Bauschinger Effect in Cu/Ti-Nb Composites	110
3.10	Acoustic Emission from Copper and Titanium-Niobium . .	110
3.11	Mechanical Fatigue of Composite Conductors	112
3.12	Thermomechanical Heating	113
3.12.1	Strain Heating Due to Serrated Yielding	113
3.12.2	Strain Heating in a Cu/Ti-Nb Composite	117

PART 3. NORMAL MECHANICAL PROPERTIES OF TITANIUM-NIOBIUM ALLOYS AND COMPOSITE CONDUCTORS

3.13	Young's Modulus of Titanium-Niobium Superconductors	121
3.14	Hardness and Modulus of Titanium-Niobium Superconductors	124
3.15	Hardness, Modulus, and Yield Strength in Titanium-Niobium Superconductors	127
3.15.1	The Hill and Marsh Relationships Applied to Ti-Nb Alloys	127
3.15.2	Case Studies of Ti-Nb(30, 39, and 50 at.%)	128
3.16	Tensile Strengths of Titanium-Alloy Superconductors	129
3.17	Tensile Properties of Titanium-Niobium Technical Superconducting Alloys	133
3.17.1	The Fracture of Ti-50Nb and Ti-55Nb	144
3.17.2	Influence of the Thermomechanical Processing on the Fracture of Ti-50Nb	146
(a)	Large Inhomogeneously Distributed α -Phase Particles	146
(b)	Finely Dispersed α -Phase Precipitates	147
3.18	Strengths of Titanium-Niobium-Base Multicomponent Alloys	147
3.18.1	Ternary Alloys	147
3.18.2	Quaternary Alloys	152
3.19	Modulus and Strength of Composite Superconductors	152
3.19.1	Relationships Between the Mechanical Properties of the Components	152
3.19.2	Tensile Data	157
3.19.3	Influence of Heat Treatment, Cold Work, and Cu/SC Ratio on the Tensile Strength	157

3.20 Determination of the Tensile Properties of Composites	158
3.20.1 The Mixture Rule for Modulus and Strength Estimation	160
(a) The Mixture Rule for Modulus	162
(b) The Mixture Rule for Strength	162
3.20.2 Young's Modulus	162
3.20.3 Tensile Strength	164
3.21 Strengthening Principles in Alloys and Composite Conductors	166
3.22 Strengthening of Alloys	166
3.22.1 Duplex Aging	166
3.22.2 Cold Working and α -Phase Precipitation	167
3.23 Strengthening of Composite Conductors	168
3.23.1 Mechanical Properties of the Cu Matrix	168
3.23.2 Electrical Resistivity of the Cu Matrix	169
3.23.3 Properties of Stainless Steel Reinforcement	171
3.23.4 Concluding Note on Composite Strengthening	171
3.24 Workability of Titanium-Alloy Superconductors	171
3.24.1 Principles of Workability	171
3.24.2 Influence of Temperature on the Workability of Ti-Nb Alloys	172
3.24.3 Influence of Solute Additions on the Workability of Ti-Nb Alloys	174

II: PHYSICS

Chapter 4. Dynamic Elastic Modulus

4.1 Determination of Dynamic Moduli	179
4.1.1 Definitions and Interrelationships	179
4.1.2 Terminology	181
4.1.3 Long-Wavelength Measurement Techniques	181
4.2 Ultrasonic (MHz) Methods in Elastic Modulus Measurement	184
4.2.1 Cubic Monocrystals	184
(a) Basic Theory	184
(b) The Significance of C' for Transition-Metal Alloys	185
4.2.2 The Isotropic Solid	186
4.2.3 The Anisotropic Solid	187
4.3 Calculation of Polycrystalline Elastic Moduli from the Monocrystalline Compliance Moduli and Stiffness Moduli (i.e., the Elastic Constants)	188
4.3.1 The VRH Approximation	188
4.3.2 The VRHG Approximation—The Debye Temperature	190

4.4	The Elastic Moduli of Titanium-Transition-Metal Alloys	191
4.5	Systematic Variation of Elastic Moduli with Composition and Microstructure in Titanium-Transition-Metal Alloys	194
4.5.1	The β -Isomorphous Alloys Ti-V, Ti-Nb, and Ti-Mo	194
4.5.2	The β -Eutectoid Alloys: Ti-Cr, Ti-Mn, Ti-Fe, Ti-Co, and Ti-Ni	197
4.6	The Dynamic Modulus of Titanium-Niobium	198
4.7	The Dynamic Moduli of Composite Superconductors	201

Chapter 5. Electrical Resistivity

5.1	Electrical Resistivity of Titanium-Alloy Superconductors	205
5.2	Resistometrically Monitored Transformation and Aging	215
5.3	The Resistivity of Alloys—Composition Dependence	217
5.3.1	Simple Models of Alloy Resistivity	217
5.3.2	Residual Resistivities of Binary Transition-Metal Alloys	218
5.3.3	Relative Scattering Strengths of Simple-Metal and Transition-Metal Solutes in Ti	219
5.4	The Resistivity of Alloys—Temperature Dependence	220
5.4.1	Dilute Alloys at Low Temperatures	220
5.4.2	Ti-Alloy Resistivity at Moderate-to-High Temperatures	222
5.4.3	Ti-Alloy Resistivity at Moderate to Low Temperatures—Gross Features	223
5.5	Anomalous Resistivity Concentration Dependence and Temperature Dependence in Titanium-Base Alloys	228
5.5.1	Anomalous Concentration Dependence	228
5.5.2	Negative Temperature Dependence	231
(a)	Ti-V	232
(b)	Ti-Nb	232
(c)	Ti-Cr	233
(d)	Ti-Mo	233
(e)	Ti-Fe	233
5.6	Three Case Studies of Negative $d\rho/dT$	234
5.6.1	Negative $d\rho/dT$ in Ti-V and Ti-Mo	234
5.6.2	Negative $d\rho/dT$ in Ti-Cr	235
5.7	Mechanisms of Anomalous Resistivity Temperature Dependence	236
5.7.1	Impurity-Scattering Mechanisms	236
5.7.2	Ideal- (i.e., Phonon-) Scattering Mechanisms	236
5.7.3	Anomalous $d\rho/dT$ in Strong-Scattering Disordered Binary Alloys	237
5.8	Magnetoresistivity in Normal Metals	239

Chapter 6. Thermal Conductivity

6.1	Thermal Conductivity in Insulators and Normal Metals	241
6.2	Insulators	243
6.2.1	Intrinsic Lattice Conductivity	243
6.2.2	Influence of Impurities	244
6.2.3	Influence of Grain Boundaries and Lattice Disorder	245
6.3	Conductors	246
6.3.1	Relative Magnitudes of Insulator and Conductor Conductivity	247
6.3.2	The Electronic Component	249
(a)	Thermal Resistivity due to Electron-Impurity Scattering, W_{es}	250
(b)	Thermal Resistivity due to Electron-Phonon Scattering, W_{eg}	250
(c)	Summary	250
6.3.3	The Lattice Component—Thermal Conductivity under Phonon-Electron and Phonon-Impurity Scattering	251
6.4	Thermal Conductivity of Alloys	252
6.4.1	Influence of Solute Concentration	252
6.4.2	Separation of the Electronic and Lattice Components	253
6.5	Thermal Conductivity Data	254
6.6	Thermal Conductivity in a Magnetic Field	255
6.7	Superconductors	256
6.7.1	The Electronic Thermal Conductivity of Superconductors, K_e^s	256
6.7.2	The Phonon Thermal Conductivity of Superconductors, K_g^s	258
6.8	The Mixed State	261
6.8.1	General Conclusion	262
6.9	Transition-Metal-Alloy Superconductors	263
6.9.1	Normal-State Electronic Resistivity	265
6.9.2	Normal-State Lattice Resistivity	265
6.9.3	Superconducting State	265
6.10	Thermal Transport in Titanium-Niobium Alloys	266
6.10.1	Thermal Conductivity of Ti-Nb	266
6.10.2	Thermal Diffusivity of Ti-Nb	270
6.11	Thermal Resistance of Superconductor/Normal Interfaces	271
6.11.1	Occurrence of the Thermal-Boundary Effect—Kapitza Resistance	271
6.11.2	Kapitza Resistance of the Cu/Ti-Nb Interface	272
6.11.3	Temperature Drop at the Cu/Ti-Nb Interface in a Composite Conductor—A Simple Model Calculation	273

Chapter 7. Magnetic Susceptibility

7.1	Introduction	275
7.1.1	Magnetic Susceptibilities of Solids	275
(a)	Quantities and Units Employed	275
(b)	Classes of Magnetic Behavior	275
7.1.2	The Role of Magnetic Susceptibility in Ti-Alloy Physics	277
7.2	Components of the Total Magnetic Susceptibility of Transition Metals and Their Alloys	279
7.3	Pauli Paramagnetic Susceptibility	280
7.3.1	Many-Body Effects in Pauli Paramagnetism	280
7.3.2	Many-Body Effects in Electronic Specific Heat	281
7.3.3	Calorimetrically Determined χ_p	283
7.4	Landau Diamagnetism	284
7.5	Ion-Core Diamagnetism	285
7.6	Orbital Paramagnetism	285
7.7	Magnetic Susceptibilities of Some Pure Transition Elements	286
7.8	Susceptibility Composition Dependences in Binary Transition-Metal Alloys	286
7.8.1	Total Magnetic Susceptibility	286
7.8.2	Pauli Paramagnetism	287
7.8.3	Orbital Paramagnetism	287
7.9	Susceptibility Temperature Dependences of Pure Transition Elements	288
7.10	Curie-Weiss Paramagnetism in Titanium-Transition-Metal Alloys	291
7.10.1	Dilute Alloys	291
7.10.2	Concentrated Ti-Mn Alloys	292
7.11	Susceptibility Temperature Dependence in Concentrated Titanium-Base Alloys—Case Studies of Ti-Al, Ti-V, and Ti-Mo	294
7.11.1	β -Phase Alloys	294
7.11.2	α -Phase Alloys	299
7.12	Concentration, Microstructure, and Temperature Dependences of Magnetic Susceptibility—A Case Study of Titanium-Vanadium	297
7.12.1	Concentration and Microstructure Dependence	297
7.12.2	Anomalous Temperature Dependence	298
7.13	Magnetic Susceptibility as a Function of Microstructure in Titanium-Base Alloys	299
7.13.1	Quenched Ti-TM Alloys	299
7.13.2	Magnetic Susceptibility of ω -Phase	301

7.14 Magnetic Studies of Precipitation and Aging in Titanium-Transition-Metal Alloys	303
7.14.1 The Aging Process in the $\omega + \beta$ -Field	303
7.14.2 Properties of a "Saturation-Aged" $\omega + \beta$ -Phase Ti-TM Alloy	305

Chapter 8. Low-Temperature Specific Heat

8.1 Low-Temperature Specific Heat of Solids	307
8.1.1 Specific Heat of Insulators	307
(a) Quantities and Units Employed	307
(b) Temperature Dependence of the Lattice Specific Heat	308
8.1.2 Low-Temperature Specific Heat of Metals	308
8.1.3 Interrelationships Between γ and θ_D	310
8.2 Composition and Microstructure Dependence of Low-Temperature Specific Heat in Titanium-Transition-Metal Alloys	311
8.2.1 General Description	311
8.2.2 Low-Temperature Specific Heats of Ti-V, Ti-Mo, and Ti-Fe	312
8.2.3 Normal-State Low-Temperature Specific Heat of Ti-Nb	313
8.3 Low-Temperature Specific Heats of Superconductors	316
8.3.1 Experimental Observations	316
8.3.2 Lattice Specific Heat in the Normal and Superconducting States	317
8.4 The Superconductive Electronic Specific Heat	318
8.4.1 The Gorter-Casimir Two-Fluid Relationships	318
8.4.2 The Exponential Form	319
8.4.3 The Full BCS Electronic Specific Heat	320
8.4.4 The Electronic Specific Heat at T_c —Height of the Specific Heat Jump, ΔC	320
8.5 The Electron-Phonon Coupling Strength	321
8.5.1 Coupling Strength and the Temperature-Ratio T_c/θ_D	321
8.5.2 Coupling Strength and the Deviation Function, $D(t)$	324
8.6 Relative Height of the Specific Heat Jump at T_c as a Function of Coupling Strength	326
8.6.1 Jump Height in Terms of the Deviation Function	326
8.6.2 Jump Height in Terms of T_c/θ_D	327
8.7 Empirical Determination of the Electron-Phonon Coupling Constant—A Case Study of Ti-Mo Alloys	329
8.7.1 Electron-Phonon Enhancement of the Density-of-States—Theoretical	329

8.7.2	Electron-Phonon Effects—Semiempirical	329
(a)	BCS Theory	329
(b)	McMillan Theory	330
8.7.3	Electron-Phonon Effects—Empirical Method for an Alloy Series	330

Chapter 9. Low-Temperature Thermal Expansion

9.1	Thermal Expansion of Insulators and Metals	335
9.1.1	Harmonicity and Anharmonicity in Thermal Expansion	335
9.1.2	Development of the Subject	338
9.1.3	The Electronic, Magnetic, and Other Contributions to Low-Temperature Thermal Expansion	339
9.1.4	Literature Sources—Plan of the Chapter	340
9.2	Thermal Expansion of Insulators	341
9.2.1	Thermodynamics of the Debye Isotropic Continuum . .	341
(a)	Internal Energy Formulation of the Expansion Equation	341
(b)	Entropy Formulation of the Grüneisen Relation . .	343
9.2.2	Lattice-Dynamical Approach	344
(a)	Cubic Crystals	344
(b)	Noncubic Crystals	346
9.3	Thermal Expansion of Metals	347
9.3.1	The Electronic Expansion Coefficient	347
(a)	The Heat-Capacity Analogy	347
(b)	Entropy Formulation of the Electronic Expansion Coefficient	349
9.3.2	The Free-Electron Expansion Coefficient	350
9.3.3	Relative Linear Expansion at Low Temperatures . . .	350
9.3.4	Further Calculations of the Electronic Thermal Expansion Coefficient—Departures from the Free Electron Model	351
9.4	Thermal Expansion of Magnetic Solids	351
9.5	Thermal Dilatometry	353
9.5.1	Introduction	353
9.5.2	Interference Methods	354
(a)	Light Waves	354
(b)	X-Rays	354
9.5.3	Resonance Methods	355
(a)	Radio Waves	355
(b)	Light Waves	356
9.5.4	Push-Rod, Optical-Lever, SQUID, and Capacitive Techniques	356

(a) Push-Rod Dilatometry	356
(b) Optical Lever Methods	357
(c) SQUID Technology	358
(d) The Three-Terminal Capacitance Method	358
9.5.5 Standards and Calibration Techniques	360
9.6 Thermal Expansions of Selected Metals and Alloys	361
9.6.1 Thermal Expansion of Cu	361
9.6.2 Thermal Expansion of Al	361
9.6.3 Thermal Expansion of Ti	361
9.6.4 Thermal Expansions of Some Selected Technical Alloys	363
9.6.5 Estimation of Thermal Expansion (Contraction) Curves	363
(a) Thermal Contractions of Metals and Alloys Based on Their Room-Temperature Thermal Expansion Coefficients	363
(b) Empirical Relationship Between the Melting Point and the Room-Temperature Thermal Expansion Coefficient	366
9.7 Thermal Expansion of Superconductors	367
9.7.1 Thermal Expansion Through the Superconducting Transi- tion	367
9.7.2 Phenomenological Thermodynamic Relationships	369
9.7.3 Thermal Expansion At and Below T_c	370
(a) Modified Weak-Coupling Approach	370
(b) Strong-Coupling Approach	372
(c) Prognosis for Ti-Nb	373
9.7.4 Normal-State Thermal Expansions of Ti-Nb and Ti-Zr-Nb	373
9.8 Thermal Expansion of Metallic and Nonmetallic Composites	375
9.8.1 Parallel Strips	375
9.8.2 Isotropic Solid-State Dispersion	376
9.8.3 Granular Compacts	377
9.8.4 Fiber-Reinforced Composites	377
(a) The Longitudinal Thermal Expansion	377
(b) Transverse Thermal Expansion	379
(c) Thermal Expansion Data for Some Superconducting Magnet Composites	379

III: THE SUPERCONDUCTING TRANSITION

Chapter 10. Calorimetric Studies of the Superconducting Transition and the Mixed State

10.1 The Calorimetrically Determined Transition Temperature	383
---	-----

10.2	Calorimetric Studies of T_c as a Function of Composition-Related Microstructure—General Descriptions	384
10.2.1	T_c in the Martensitic Alloys	385
10.2.2	T_c in the $\omega + \beta$ -Phase Alloys	385
10.2.3	T_c and Other Properties of ω -Ti-Mo	386
10.3	Calorimetrically Determined Superconducting Transitions in Quenched Low-Concentration α'' -Phase Ti-TM Alloys	387
10.3.1	Typical Results	388
10.3.2	Atypical Results—Ti-Mn	389
10.3.3	Distributed Calorimetric Transitions	390
	(a) An Early Analysis of Superconducting Transition Rounding	390
	(b) Later Examples of Calorimetric Transition Rounding in General	392
10.4	Transition Temperatures of Unstable bcc Alloys—A Case Study of Titanium-Molybdenum	393
10.4.1	The T_c of bcc-Ti	393
10.4.2	The T_c of Dilute bcc Ti-Mo Alloys	394
10.5	Influence of Aging on the Transition Temperatures of Titanium-Transition Metal Alloys	397
10.5.1	Magnetic Susceptibility and Electronic Specific Heat	398
10.5.2	The Transition Temperature	399
10.5.3	Verification of the Properties of β -Ti-Mo(10.3 at.%)	401
10.6	Low-Temperature Specific-Heat in the Mixed State	401
10.6.1	The Electronic Specific Heat	401
10.6.2	Height of the Specific Heat Jump	403
10.7	Influence of Deformation Itself, and Deformation- or Solute-Induced Phase Transformations on the Superconducting Transition	404
10.7.1	Deformation of Pure Elements	404
10.7.2	Deformation-Induced Transformation in Ti-TM Alloys	406
	(a) Deformation Martensite	406
	(b) Deformation Twins	406
10.7.3	Solute-Induced Transformation in Ti-TM Alloys	406
10.8	Analysis of the Rounded Zero-Field Calorimetric Superconducting Transition	408
10.8.1	The Transition Temperature Distribution Function	408
10.8.2	Outline of a Two-Component Model	411
10.8.3	Application of the Two-Component Model	412
10.9	Rounded Calorimetric Transitions into the Mixed State	414
10.9.1	General Principles	414
10.9.2	Deformation Structure and the Mixed State	416
10.9.3	Calorimetric Studies of κ_{GL} Modulation	417

Chapter 11. The Superconductive Proximity Effect

11.1	Introduction	419
11.1.1	Terminology	419
11.1.2	Coherence Length and Literature Survey	420
11.1.3	Measuring Techniques	430
11.1.4	Influence of the Underlayer on T_{sn}	431
11.2	Selection of Couples	431
11.3	Experimental Materials and Techniques	433
11.4	Theoretical Considerations—Cooper's Model	434
11.5	The Theory of de Gennes	435
11.5.1	Thick Films in Which $D_{n,s} \gg \xi_{n,s}$	435
11.5.2	Thin Superconductive Film on a Massive Normal Under-layer	436
11.5.3	Thin Films—The Cooper Limit ($D \ll \xi$)	436
11.6	The Theory of de Gennes and Werthamer	437
11.6.1	Formulations of the Theory	437
11.6.2	Proximity Effect Against Normal Metals	439
11.6.3	Proximity Effect Against Magnetic Metals	439
11.7	The Evolution of Proximity-Effect Research	440
(a)	Supercurrent Tunnelling	441
(b)	Proximity Effect in Modulated Structures	441
(c)	Low-Temperature Specific Heat in the Study of Proximity Effect	441
11.8	Low-Temperature Specific Heats of Proximity Effect Couples	442
11.8.1	Theory of the Specific Heat and Its Discontinuity at T_c	442
11.8.2	Experimental Studies of Specific Heat in the Proximity Effect Regime	443
11.9	Proximity Effects in $\omega + \beta$ -Phase Transition-Metal Alloys—A Case Study of Ti-Mo(10.3 at.%)	444
11.9.1	Experimental Results—General	444
11.9.2	Experimental Results—Ti-Mo(10.3 at.%)	445
11.9.3	Data Analysis—Ti-Mo(10.3 at.%) Aged 880 h/350°C	447
(a)	Procedures	447
(b)	Proximity Effect	449
11.9.4	Conclusion	451

Chapter 12. The Superconducting Transition Temperature

12.1	The BCS Weak-Coupling Result	453
12.2	Strong-Coupling Theory	454
12.3	The Cardinal Determiner of the Transition Temperature	457

12.4	Transition Temperature Systematics in Crystalline and Amorphous Transition-Metal Alloys	459
12.4.1	Transition Temperatures of bcc Transition-Metal Alloys	459
12.4.2	Superconductivity in Crystalline and Amorphous Transition-Metal Alloys	461
12.5	Transition Temperatures of Titanium–Niobium-Base Alloy Superconductors—Some Experimental Results	463
12.5.1	Transition Temperature of Ti–Nb	463
12.5.2	Simple Metal Additions to Ti–Nb	466
	(a) Transition Temperatures of Ti–Nb–Cu Alloys	466
	(b) Transition Temperatures of Ti–Nb–Ge Alloys	466
12.5.3	Substitutes for Titanium in Ti–Nb Alloys	467
	(a) Transition Temperatures of Ti–Zr–Nb Alloys	467
	(b) Transition Temperatures of Ti–Hf–Nb Alloys	468
12.5.4	Substitutes for Niobium in Ti–Nb Alloys	468
	(a) Transition Temperatures of Ti–Nb–V Alloys	468
	(b) Transition Temperatures of Ti–Nb–Ta Alloys	468
12.5.5	Substitutes for both Ti and Nb in Ti–Nb Alloys	469

IV: THE MIXED STATE

Chapter 13. Magnetic Properties of Superconductors

13.1	Development of the Classical Models	473
13.2	Type-I and Type-II Superconductors	480
13.3	The London Penetration Depth, λ_L	481
13.4	Extension of London Theory	482
13.4.1	The Coherence Length, ξ	482
13.4.2	The Penetration Depth, λ	484
13.5	Parameters of the Ginzburg–Landau (G–L) Theory	485
13.5.1	Penetration Depths and Coherence Lengths	485
	(a) The Penetration Depths	485
	(b) The Coherence Lengths	486
13.5.2	The Ginzburg–Landau Parameters, κ_{GL}	486
13.5.3	Clean and Dirty Limits of κ_{GL} in Type-II Superconductors	488
13.6	The Thermodynamic Critical Field, H_c	489
13.6.1	Thermodynamic Relationships	489
13.6.2	The BCS “Thermodynamic” Critical Field	492
13.7	The Lower Critical Field, H_{c1} —Onset of the Mixed State	493
13.8	The Upper Critical Field, H_{c2} —Onset of the Normal State	494
13.8.1	Microscopy Theory	494
13.8.2	Thermodynamic Relationships	495
13.9	The Surface Sheath Critical Field, H_{c3}	495

Chapter 14. The Mixed State

14.1 Temperature Dependences of the Critical Fields	499
14.1.1 Early Experimental Studies of $H_{c1}(T)$	500
14.1.2 Early Semiempirical Studies of $H_{c2}(T)$	500
14.2 Foundations of the Ginzburg-Landau-Abrikosov-Gor'kov (GLAG) Theory of the Mixed State	502
14.2.1 The Ginzburg-Landau Parameter and Its Response to Alloying	502
14.2.2 Structure of the Flux Lattice	504
14.3 Durtiness and Irreversibility in Type-II Superconductors	506
14.3.1 The Ginzburg-Landau-Gor'kov Impurity Parameter, ξ_0/l	506
14.3.2 Irreversible Alloy Superconductors	506
14.4 The Full Ginzburg-Landau-Gor'kov-Bardeen-Cooper-Schrieffer Relationships	507
14.5 Evolution of Nonparamagnetic Post-GLAG Theories of the Upper Critical Field Temperature Dependences	507
14.5.1 Symbols for the Upper Critical Fields	507
14.5.2 Development of the Maki Dirty-Limit Equations	510
14.5.3 Magnetic and Calorimetric Determinations of $\kappa_1(t)$	513
14.5.4 Magnetic and Calorimetric Determinations of $\kappa_2(t)$	514
14.5.5 Final Developments in Nonparamagnetic Mixed-State Theory	514
14.6 Evaluation of the Nonparamagnetic Upper Critical Field	517
14.6.1 Evaluation of H_{c2} in Terms of Normal-State Properties	517
14.6.2 Evaluation of H_{c2} in Terms of Superconductive-State Properties	518
(a) First Approach	518
(b) Second Approach	518
(c) Third Approach	518
(d) Fourth Approach	518
14.7 Evaluation of the Thermodynamic Critical Field	519
14.7.1 H_{c0} in Terms of Measurable Parameters	519
14.7.2 A Case Study with Ti-Nb	519
14.8 Evaluation of the Maki Lower Critical Field	520
14.8.1 H_{c10} in Terms of Measurable Parameters	520
(a) The Method of Fietz and Webb for Irreversible Superconductors	520
(b) The Method of Lubell and Kernohan	520
14.8.2 Validity of Nonparamagnetic Maki Theory as a Descriptor of H_{c1} in Intermediate- κ_{GL} Alloys—A Case Study of Ti-Doped Nb	521

Chapter 15. The Paramagnetic Mixed State

15.1	Pauli Paramagnetic Limitation	527
15.2	Mechanisms for the Relief of Pauli Paramagnetic Limitation	530
15.2.1	Early Observations	530
15.2.2	Thermodynamic Model for the SOS Relief of PPL	531
15.2.3	Mechanistic Interpretation of the SOS/PPL Effects	535
15.3	Calorimetric Evidence for the Paramagnetic Mixed State	536
15.4	The Spin-Paramagnetic Theories of Maki and of Werthamer, Helfand, and Hohenberg	537
15.4.1	The Theories of Maki	537
15.4.2	The Theory of Werthamer, Helfand, and Hohenberg (WHH)	538
15.4.3	The Conjoint Theories of Maki and WHH	538
15.5	The Maki Result	538
15.5.1	Pauli Paramagnetic Limitation (PPL)	538
15.5.2	Spin-Orbit Scattering (SOS)	542
15.5.3	The Maki Mixed State $\kappa_i(t)$ and $H_{c2}(t)$ Relationships (a) The Full Maki Mixed-State κ_i -Parameter	543
(b)	The Maki Upper Critical Field	543
15.5.4	An Application of Maki Theory	545
15.6	The Werthamer, Helfand, and Hohenberg (WHH) Result	547
15.6.1	Essential Parameters and Formalisms of WHH Theory	547
15.6.2	The Order of the Transition at H_{c2}	548
15.6.3	Early Applications of WHH Theory	549
15.6.4	Experimental Spin-Orbit Relaxation Time, τ_{so}	551
15.6.5	Influence of Atomic Number on the Spin-Orbit-Scattering Frequency, τ_{so}	551
15.7	Application of the Coupled Results of Maki and WHH	552
15.7.1	Interrelationships Between the Maki and WHH Theories	552
15.7.2	Applications of the Coupled Maki-WHH Theories (a) The Experiments of Barnes and Hake	554
(b)	The Experiments of Brand	555
15.8	The Breakdown of Simple WHH Theory—Consideration of Many-Body Effects and Spin-Orbit-Scattering Frequency	557
15.8.1	The Influence of Many-Body Interaction on the Clogston Limiting Field	558
15.8.2	Spin-Orbit Scattering Frequency	560
15.9	Conclusion—Summary of Essential Factors Controlling the Magnitude of the Upper Critical Field	560

Chapter 16. The Critical State

16.1	Reversible and Irreversible Type-II Superconductors	563
16.2	The Critical State	566

16.2.1	Introduction	566
16.2.2	Thermodynamic Equilibrium in the Critical State	567
16.2.3	The Elementary Pinning Force, f_p	568
16.2.4	Introduction of the Maxwellian Supercurrent	569
16.3	Critical State Models	570
16.4	The Bean Model of the Critical State	571
16.4.1	Basic Phenomenological Equations of the Model	571
16.4.2	Cylinder Magnetization in the Bean Model	573
16.5	Models for the Pinned Critical State	578
16.6	Applications of the Critical State Models to Tube and Coil Magnetization	579
16.6.1	Tube and Coil Magnetization Studies—A General Introduction	579
16.6.2	The Tube-Magnetization Experiments of Kim <i>et al.</i>	582
16.6.3	Relationship Between the $4\pi M$ versus H and B versus H Diagrams	582
16.7	Relationship Between Applied Field and Induction in Irreversible (i.e., Hard) Type-II Superconductors	584
16.7.1	Relationship Between B and H at the Surface	585
16.7.2	Relationship Between the Field Gradients in the Interior	585
16.7.3	Relationship Between μ_{eq0} and μ_{eq}	586
16.8	The Role of H_{c1} in Critical State Theory	586
16.9	Experimental Studies of Induction Profiles in the Critical State	587
16.9.1	Induction Profile Scanning	587
16.9.2	Field Modulation Methods	590

Chapter 17. The Upper Critical Field

17.1	The Nonparamagnetic Critical Fields	597
17.1.1	Temperature Dependences of the Critical Fields	597
17.1.2	Evaluation of the Zero-K Upper Critical Field	598
17.2	The Paramagnetically Limited Upper Critical Field and Its Temperature Dependence	599
17.2.1	Influence of Normal-State Pauli Paramagnetism	599
17.2.2	Further Developments of Mixed-State Theory	599
17.2.3	Influence of Electron-Phonon and Electron-Electron Interaction on the Paramagnetic Limit, H_{p0}	603
17.2.4	Summary of Recent Advances in WHH Theory	604
17.3	Fundamental Determinants of the Upper Critical Field—Prospects for Raising H_{c2}	604
17.3.1	Prospects for Raising H_{c20}^*	605
17.3.2	Prospects for Raising H_{p0}^{CL}	606
17.3.3	Prospects for Raising H_{p0}	606

17.3.4 Prospects for Raising H_{c20} above H_{c20}^{\min}	607
17.4 Influence of Metallurgical and Physical Variables on the Measured Upper Critical Field	
17.4.1 Cold Deformation	608
17.4.2 Aging	608
(a) Low Concentration Ti-Nb Alloys	608
(b) Intermediate-Concentration Ti-Nb Alloys	610
(c) High-Concentration Ti-Nb Alloys	611
17.4.3 Influence of Temperature	611
(a) The Entire Temperature Range	611
(b) The Incremental Temperature Dependence Near T_c	612
(c) Conclusion	612
17.5 Measurement of the Upper Critical Field	613
17.5.1 Transition Criteria	613
17.5.2 Measurement Current Density and Other Considerations	613
17.6 Upper Critical Fields of Titanium-Niobium-Base Alloy Superconductors—Some Experimental Results	615
17.6.1 Upper Critical Field of Ti-Nb	615
17.6.2 Simple-Metal Additions to Ti-Nb	616
17.6.3 Substitutes for Ti in Ti-Nb Alloys	617
(a) Upper Critical Fields of Ti-Zr-Nb Alloys	617
(b) Upper Critical Fields of Ti-Hf-Nb Alloys	618
17.6.4 Substitutes for Nb in Ti-Nb Alloys	619
(a) Upper Critical Fields of Ti-Nb-V Alloys	619
(b) Upper Critical Fields of Ti-Nb-Ta Alloys	619
(c) Upper Critical Fields of Ti-V-Ta Alloys	620
17.6.5 Substitutes for Both Ti and Nb in Ti-Nb Alloys	621
(a) Upper Critical Fields of Ti-Zr-Hf-Nb Alloys	621
(b) Upper Critical Fields of Ti-Hf-Nb-Ta Alloys	621
(c) Upper Critical Fields of Ti-Zr-Nb-Ta Alloys	622

Chapter 18. Flux in Motion under the Influence of a Field Gradient

18.1 Classes of Flux Motion	626
18.1.1 Flux Creep	626
18.1.2 Flux Flow	626
18.1.3 Flux Jumping	627
18.1.4 Summary	628
18.2 Physical Analogs of the Dynamic Mixed State	629
18.2.1 Mechanical and Thermal Analogs	629
18.2.2 An Electrical Transport Analog	632

18.3 Electromagnetism of the Dynamic Mixed State	632
18.3.1 The Magnetic Driving Force	632
18.3.2 The Lorentz Driving Force	633
18.3.3 Electromotive Force and Power Dissipation Associated with Flux Motion	633
18.4 The Tube Magnetization Experiment in Flux Dynamics Studies	634
18.5 Flux Creep	638
18.5.1 Experimental Observations—Temperature Dependence of the Critical State	638
18.5.2 Experimental Observations—Time-Dependence of Critical State Decay	639
18.6 The Thermal Activation Theory of Flux Creep	640
18.6.1 Development of the Theory	640
18.6.2 Temperature Dependence of the Critical Parameter, $\alpha_c(T)$	642
18.6.3 Commentary on Anderson's Theory	643
18.7 Current-Voltage Relationships in the Creep State	644
18.8 Time Dependence of the Critical State	644
18.9 Relatively Recent Magnetic Studies of Flux Creep	646
18.9.1 Determination of Pinning Energy	646
18.9.2 Evidence for Flux Clustering	648
18.10 Flux Creep as Magnetic Diffusion	648
18.10.1 Atomic Diffusion	648
(a) Phenomenological Relationships	648
(b) Self-Diffusion	649
(c) Chemical Diffusion	649
(d) The Diffusivity, D	650
18.10.2 Magnetic Diffusion	650
18.11 Phenomenological Investigation of Electromagnetic Diffusion	654
18.11.1 The Basic Equations	655
(a) Solid Cylinder of Radius a	655
(b) Hollow Cylinder of Inner Radius a and Outer Radius b (Wall Field)	655
(c) Hollow Cylinder of Inner Radius a and Outer Radius b (Core Field)	655
18.11.2 Application of the Electromagnetic Diffusion Equations to the Measurement of Creep Resistivity	656
(a) Solid Cylinder: Radius a	656
(b) Tube: Inner Radius a , Outer Radius b , Internal Field	657
18.12 Magnetic Studies of Flux Flow	658
18.12.1 The Flow Viscosity Coefficient	658

18.12.2	Experimental Design for Viscosity Coefficient Measurement	660
18.12.3	Analysis of the Flux-Flow Equations	661
18.12.4	Flux-Flow Viscosity in Weakly-Pinned Alloys—A Case Study of Annealed Ti-Nb and Zr-Nb Alloys	662
18.12.5	Conclusion—Relationship Between Pinning Strength and the Dynamics of Flux Motion	664
18.13	Flow Resistivities and Critical Current Densities of Annealed Ti-Nb(75 at.%) and Zr-Nb(75 at.%) Alloys	665
18.13.1	Flow Resistivity	665
18.13.2	Critical Current Density	666
18.13.3	Corollary	667
18.14	Magnetic Studies of Flux Jumping	667
18.14.1	The Use of Tube and Cylinder Magnetization Techniques	667
18.14.2	The Experiments of Wipf and Lubell	671
18.14.3	The Experiments of Kroeger	672
18.14.4	The Experiments of Gandolfo	673
18.15	Magnetic Instability in Tube Magnetization	676
18.15.1	Incomplete and Full Flux Jumping—Historical Background and Present Status	676
18.15.2	Intrinsic Stability Considerations	677
18.16	Upper Shielding Limit of Full Critical State Stability, H_f —The Lower Bound of the Incomplete Flux-Jump Regime	680
18.17	Upper Bound of the Incomplete Flux-Jump Regime, H_{fj} —The Threshold of Runaway Instability	681
18.18	The Concept of “Limited Instability”	682
18.19	Insights into Superconductor Stabilization Derived from Flux-Jump Studies	684
18.19.1	The Stability Cycle	684
18.19.2	Stability and Degradation	686

Chapter 19. Magnetization and Critical Current Density

19.1	Principles of Magnetic Critical Current Density Measurement	687
19.2	Static Tube Magnetization	689
19.3	Saturation-Magnetization Reversal	691
19.4	Harmonic Analysis	694
19.5	Static Field Profile Analysis	696
19.6	Dynamic Field Profile Analysis	696
19.7	Torque Magnetometry	698
19.8	Vibrating-Sample Magnetometry	699

Contents	xlv
19.8.1 Adaptation of the Magnetization-Reversal Technique	700
19.8.2 Measurement of Critical Current Density Anisotropy	700
(b) Principle of the Measurement	700
(b) Magnetization Studies of Twisted Multifilamentary Superconducting Composites	701
References	705
Symbols and Abbreviations	755
Index of Plotted and Tabulated Data	773
Subject Index	779