



## TABLE OF CONTENTS

PREFACE . . . . .	iii
INTRODUCTION . . . . .	vii
 Chapter 1. GENERAL INFORMATION ON RR LYRAE STARS . . . . .	 1
Physical properties . . . . .	3
The Blazhko effect . . . . .	5
Spectrophotometric observations . . . . .	15
 Chapter 2. STABLE AND NON-STABLE OSCILLATIONS . . . . .	 21
Non-stable stars of the group $P \sim 0^d.36$ . . . . .	21
IV Cygni (21), AQ Lyrae (24), V759 Cygni (26), SS Tauri (32)	
Stable stars of the group $P \sim 0^d.36$ . . . . .	36
V559 Scorpii (36), AA Aquilae (38), SS Cancri (40)	
Stars of constant period . . . . .	43
TZ Aurigae (44), V445 Ophiuchi (45), TW Herculis (49), AR Persei (51), CZ Lacertae (55), U Trianguli (56), ST Ophiuchi (57), DX Delphini (59), AV Serpentis (61), ET Pegasi (63), Y Lyrae (66), AO Pegasi (66), W Canum Venaticorum (68), UY Cygni (70), SW Draconis (72), RX Eridani (73), ST Comae Berenices (74), AT Andromedae (78), AV Virginis (79), SU Draconis (80)	
Stars with periods varying in proportion to time . . . . .	81
AV Pegasi (82), VX Herculis (84), AN Serpentis (86), V341 Aquilae (89), SV Eridani (91)	
Other stars with constant periods . . . . .	92
Some conclusions . . . . .	94
Frequency of periods (94), Distribution according to spectral properties (95)	
 Chapter 3. REGULAR VARIATION OF PERIODS . . . . .	 97
"Twin" stars . . . . .	97
RV Coronae Borealis (97), RR Geminorum (109)	
Sudden changes of period ("jumps" of residues) . . . . .	112
AX Aquarii (113), BN Virginis (114), V696 Ophiuchi (116), DM Cygni (119), VZ Herculis (122), RV Capricorni (124), CP Aquarii (127), BN Aquarii (130), BW Virginis (133), CVS 194 = = 192.1935 Arietis (135), UU Virginis (136), VV Librae (138), BR Aquarii (140), VV Pegasi (143), BV Virginis (145), RZ Ceti (146), BO Virginis (147), EZ Lyrae (149), BH Aquarii (151), CS Serpentis (152), RY Piscium (155), CVS 1410 = 120.1936 Hydrae (158), VY Librae (159), SX Aquarii (162), V347 Herculis (164), YZ Aquarii (167), RR Ceti (170), V734 Ophiuchi (173), TT Cancri (175), RX Ceti (178), IO Lyrae (181), RU Ceti (184), BN Vulpeculae (186), CX Lyrae (187), AF Herculis (191), AG Herculis (195), X Arietis (199), AW Draconis (202), BO Aquarii (205)	
 Conclusions . . . . .	 208

<b>Chapter 4. IRREGULAR VARIATION OF PERIODS . . . . .</b>	<b>210</b>
<b>Small fluctuations . . . . .</b>	<b>210</b>
SW Aquarii (210), RV Ursae Majoris (211), BB Virginis (212), DX Cephei (214), CVS 1389 = = 78,1933 = SVS 540 Cancrri (217), TU Ursae Majoris (220), TZ Aquarii (222), RU Canum Venaticorum (224), ST Bootis (225)	
<b>Large irregular fluctuations . . . . .</b>	<b>226</b>
ST Virginis (226), EL Cephei (231), V 455 Ophiuchi (234), RY Comae Berenices (238), BD Herculis (242), AE Pegasi (245), SW Piscium (247), UU Hydrae (250), AT Virginis (253), SZ Hydrae (256), WZ Hydrae (258), BK Eridani (259), DZ Pegasi (263), TU Persei (267), V 365 Herculis (271), SS Leonis (272), UY Bootis (276), TV Leonis (280), AT Serpentis (284)	
<b>Conclusions . . . . .</b>	<b>287</b>
<b>Chapter 5. "EXTREME" AND "STRANGE" STARS . . . . .</b>	<b>290</b>
<b>"Extreme" stars . . . . .</b>	<b>290</b>
<b>Stars with light curves of constant shape . . . . .</b>	<b>290</b>
YZ Bootis (291), CK Aquarii (295), CW Serpentis (298), BC Eridani (301), V 729 Ophiuchi (302), V 727 Ophiuchi (304), BI Virginis (306), AU Virginis (308), V 1176 Sagittarii (311), BS Virginis (313), CVS 2619 = HV 10539 (315)	
<b>Conclusions. . . . .</b>	<b>317</b>
<b>Stars with variable shape of light curve . . . . .</b>	<b>318</b>
SZ Lyncis (318), DY Pegasi (323)	
<b>Stars with over-day periods . . . . .</b>	<b>324</b>
<b>"Strange" stars . . . . .</b>	<b>329</b>
BV Aquarii (330), AH Camelopardi (337), BT Aquarii (340), AS Virginis (342)	
<b>CONCLUSION . . . . .</b>	<b>346</b>
<b>LIST OF ABBREVIATIONS IN BIBLIOGRAPHY . . . . .</b>	<b>349</b>
<b>BIBLIOGRAPHY . . . . .</b>	<b>351</b>
<b>INDEX OF STARS . . . . .</b>	<b>355</b>

