

MUONS AND NEUTRINOS

CONTENTS

SESSION I

			Page
6-1.	High Energy Muons	A.W. Wolfendale	3
6-2.	Intensity measurements of cosmic rays deep underground and the energy spectrum of muons at sea level	P.V. Ramana Murthy	22
6-3.	Indirect determination of the K/π ratio from cosmic ray measurements	J.L. Osborne A.W. Wolfendale	36
6-4.	The charge ratio of cosmic ray muons at sea level	P.K. MacKeown J.B.M. Pattison P.V. Ramana Murthy A.W. Wolfendale	41
6-5.	Derivation of the muon charge ratio using a simple pion production model	Y. Frishman Y. Yeivin	45

SESSION II

6-6.	Multiple pion production by high energy muons	S. Higashi T. Kitamura Y. Mishima S. Miyamoto H. Shibata Y. Watase	53
6-7.	The muon momentum spectrum at various zenith angles	R.J.R. Judge W.F. Nash	60
6-8.	Momentum measurements of mu-mesons using a solid iron magnet	B.C. Rastin W.F. Nash R.M. Bull	64
6-9.	The spectrum of muons arriving at large zenith angles	R.J.R. Judge W.F. Nash	68
6-10.	The momentum spectra of cosmic ray muons at large zenith angles	F. Ashton P.K. MacKeown J.B.M. Pattison P.V. Ramana Murthy A.W. Wolfendale	72

			Page
6-11.	Investigation of cosmic ray muon polarisation at various energies and estimation of $K^+/(K^+ + \pi^+)$ ratio.	T.L. Asatiani R.O. Sharkstunyan	73

SESSION III

6-12.	The properties of neutrinos	G. Feinberg	85
6-13.	CERN neutrino experiment (precis)	D.H. Perkins	95

SESSION IV

6-14.	The direct production of electron pairs by high energy muons underground (148 m.w.e.)	N. Chandhuri M.S. Sinha	101
6-15.	Multiple penetrating particles underground (148 m.w.e.)	N. Chandhuri M.S. Sinha	106
6-16.	Fluctuation of number of particles in an electron-photon shower and their influence on the spectrum of bursts produced by high energy mu-mesons under thick filters	N.M. Gerasimova	111
6-17.	The momentum dependence of the most probable energy loss of cosmic ray muons in a liquid scintillator.	F. Ashton D.A. Simpson	117
6-18.	The rate of energy loss of cosmic ray muons in a plastic scintillator	A. Crispin P.J. Hayman	121
6-19.	The sea level energy spectrum of cosmic ray muons at energies above 10^{11} eV	D.D. Krasilnikov	124

SESSION V

6-20.	Cosmic Neutrino Sources	H.Y. Chiu	131
6-21.	Neutrino experiments deep underground	M.G.K. Menon	152
6-22.	A search for interactions produced by cosmic ray neutrinos	F. Reines T.L. Jenkins M.F. Crouchi J.P.F. Sellschop	182
6-23.	Isotopic changes induced by neutrinos	D. Lal	190

SESSION VI

Page

6-24.	Flux of atmospheric neutrinos of different types at sea level and cosmic ray neutrino experiments	R. Cowsik Yash Pal T.N. Rengarajan S.N. Tandon	211
6-25.	Calculation of muon penetration through substances taking into account fluctuation losses	N.N. Kalitkin L.V. Kuzmina G.T. Zatsepin	217
6-26.	The angular distribution and the energy loss of the fast muons	A.A. Petrukhin Yu.D. Fotov I.L. Rosental	219
6-27.	Calculation of the range fluctuation of high energy mu mesons	Jun Nishimura	224
6-28.	The comparison of the muon energy spectrum at sea level with the underground range spectrum	T. Kitamura T. Takahashi	229

SESSION VII

6-29.	Summary talk	G.D. Rochester	237
-------	--------------	----------------	-----

Papers presented but not reported

6-30.	Fluctuations of the soft component generated by mu mesons under big thickness of the absorber	E.V. Gedalin	245
6-31.	Cosmic ray intensity measurements deep underground	S. Miyake V.S. Narasimham P.V. Ramana Murthy	249
6-32.	Energy spectrum of muons at sea level	S. Miyake V.S. Narasimham P.V. Ramana Murthy	250

AUTHOR INDEX

251