

Contents

Preface	xix
Chapter 1. Historical Perspective	1
1.1 Introduction	1
1.2 Origin of Terms	1
1.3 Early CODASYL Work	2
1.4 More Recent CODASYL Work	5
1.5 Current Events	5
Chapter 2. Components of a DBMS	7
2.1 Introduction	7
2.2 Concept of a Schema	7
2.2.1 Concept of a Data Base	8
2.3 Schema Data Description Language, Schema DDL	8
2.4 Concept of a Sub-schema	9
2.4.1 Sub-schema Data Description Language, Sub-schema DDL	9
2.5 Data Manipulation Language, DML	10
2.5.1 Implementation Approaches to DML	11
2.5.2 Multiple Host Languages	11
2.6 Data Base Control System	12
2.6.1 Execution Time Overview	13
2.7 Device Media Control Language, DMCL	13
Chapter 3. Basic Structuring Concepts	14
3.1 Record Type	14
3.2 Record Type for Scientific Programmers	14
3.2.1 Group Items	15
3.2.2 Table Handling	16
3.2.3 Qualification	17
3.2.4 Summary	18
3.3 Comparison of Intra-record and Inter-record Structuring	18

3.4	Set Types	19
3.4.1	Sets (Set Occurrences)	21
3.5	Role of the Set Type	21
3.6	Building Structures Using the Set Type	22
Chapter 4.	Mapping Record Types to Storage	25
4.1	Overview	25
4.2	Data Base Key	25
4.3	Location Mode	26
4.3.1	Note on Syntax Formalism	27
4.3.2	Data Base Identifiers and Data Base Names	28
4.4	Discussion of Location Modes	29
4.5	Location Mode of CALC	29
4.5.1	Duplicate Key Values	30
4.5.2	Collisions (Synonyms)	31
4.5.3	Alternative Algorithms	31
4.5.4	Choice of Keys	31
4.6	Location Mode of DIRECT	32
4.6.1	Role of Data Base Key Items	32
4.6.2	Ways of Using Location Mode DIRECT	33
4.6.3	Retrieval When Location Mode DIRECT	34
4.7	Location Mode VIA SET	35
4.7.1	Retrieval with Location Mode VIA SET	36
4.8	Realms (Areas)	37
4.8.1	Record Type to Realm Assignment	38
4.8.2	Temporary Realms	39
4.9	Summary	40
4.9.1	Worked Examples	40
Chapter 5.	Mapping a Set Type to Storage	42
5.1	Recapitulation	42
5.2	Mapping Consideration	43
5.3	Set Mode	43
5.4	Chain Representation of a Set Type	44
5.5	Chain Linked to Next	44
5.5.1	Problems with Chain Linked to Next	45
5.5.2	When to use Chain Linked to Next	46
5.6	Chain Linked to Next and Prior	46
5.6.1	Effect of Single and Multi-member Set Types	47
5.6.2	Disadvantage of Chain Linked to Next and Prior	47
5.7	Chains Linked to Owner	48
5.8	Pointer Arrays	49
5.8.1	Implementation of Pointer Arrays	51
5.9	DDLC Removal of Set Mode Option	51
5.10	Set Mode Syntax	52
5.10.1	Examples of Set Declarations	53

	xi
Chapter 6. Set Order and Search Keys	56
6.1 Recapitulation	56
6.2 Set Order	56
6.2.1 Reason for Set Order	56
6.2.2 Data Administrator or Programmer Decision	57
6.3 Sorted Sets	57
6.3.1 Single Member Sorted Set Type	57
6.3.2 Indexed Set Types	59
6.3.3 Multi-member Sorted Set Types	59
6.4 Chronological Set Types	63
6.4.1 Stacks and Queues	63
6.4.2 Insertion Next and Prior	65
6.4.3 Multi-member Chronological Set Types	67
6.5 Set Order Immaterial	67
6.6 Permanent and Temporary Set Orders	67
6.7 Syntax for Set Order	68
6.8 Examples of Set Order	69
6.9 Use of Set Orders	72
6.10 Search Keys	73
6.10.1 Syntax	74
6.10.2 Example of Search Key	75
6.10.3 Proposed Extensions to the Search Key Concept	76
Chapter 7. Storage Class and Removal Class	77
7.1 Background	77
7.2 Storage Class	77
7.2.1 Disconnected Records	79
7.2.2 Double Connection	79
7.3 Removal Class	80
7.4 Implementation Considerations	80
7.5 Syntax for Storage Class and Removal Class	81
7.6 Examples	81
Chapter 8. Set Selection Options	82
8.1 Recapitulation	82
8.2 Set Selection Criterion	82
8.3 Set Selection Based on Currency	83
8.4 Set Selection Based on Location Mode CALC	83
8.5 Set Selection Based on a Data Base Key Item	84
8.6 Hierarchical Set Selection	85
8.7 Syntax	87
8.8 Use of Alternative Set Selection Criterion	88
8.9 Important Set Selection Options	88
Chapter 9. Intra-record Type Structures	92
9.1 Introduction	92
9.2 History	92

9.3	Role of the Intra-record Structure	93
9.4	Item Types	93
9.5	Repeating Groups (or Aggregate)	95
9.6	Pictures	95
9.7	Source Items	96
9.8	Item Validation	97
9.9	Data Item Sub-entry	98
9.10	Examples	100
Chapter 10.	Other Data Administrator Facilities	102
10.1	Introduction	102
10.2	Classification of Capabilities	102
10.3	Data Base Procedures	103
10.4	ON Clause	103
10.5	Procedurally Defined Mapping to Storage	104
10.6	Item Level Data Base Procedures	105
10.6.1	CHECK Clause	105
10.6.2	RESULT Items	106
10.6.3	ENCODING/DECODING Clause	107
Chapter 11.	Schema DDL Syntax	108
11.1	Introduction	108
11.2	Main Vertebrae in a Syntax Skeleton	108
11.3	Schema Entry	109
11.4	Realm Entry	109
11.5	Record Entry	109
11.6	Set Entry	110
11.7	Summary	112
Chapter 12.	Sub-schema Concepts	113
12.1	Introduction	113
12.2	Relationship to Host Language	113
12.3	Definition of a Sub-schema	114
12.4	Record Areas (User Working Area)	114
12.5	Renaming	115
12.6	Schema to Sub-schema Conversion	116
12.6.1	Record Level Conversion	116
12.6.2	Group or Aggregate Level Conversion	117
12.6.3	Item Level Conversion	118
12.6.4	Summary of Schema to Sub-schema Conversion	120
12.7	Modification of Set Selection	120
12.8	COBOL Sub-schema DDL Syntax	120
12.9	Global Syntax	121
12.10	Title Division	121
12.11	Mapping Division—Alias Section	122

12.12	Structure Division	122
12.12.1	Realm Section	122
12.12.2	Record Section	123
12.12.3	Set Section	124
12.13	COBOL Sub-schema DDL Translation	125
Chapter 13.	Data Manipulation Language Concepts	126
13.1	Introduction	126
13.2	Host Language Interface	126
13.3	Binding to a Sub-schema	127
13.4	Application Programs and Their Run-units	128
13.5	Data Base Registers	129
13.6	Currency Indicators	130
13.7	DML Philosophy	132
13.8	DML Statements	132
13.8.1	READY Statement	133
13.8.2	FINISH Statement	134
13.8.3	FIND Statement	134
13.8.4	STORE Statement	134
13.8.5	GET Statement	134
13.8.6	ERASE Statement	134
13.8.7	MODIFY Statement	134
13.8.8	CONNECT and DISCONNECT Statements	135
13.8.9	ORDER Statement	135
13.8.10	ACCEPT Statement	135
13.8.11	IF Statement	135
13.8.12	USE Statement	135
13.8.13	KEEP, FREE and REMONITOR Statements	135
13.9	Conclusions	136
Chapter 14.	READY and FINISH	137
14.1	Introduction	137
14.2	READY Statement Syntax	137
14.2.1	Usage Modes	138
14.2.2	Exclusive Processing	139
14.2.3	Protected Processing	139
14.2.4	Unrestricted Processing	140
14.2.5	Overall View of Usage Modes	140
14.2.6	Readying Several Realms	142
14.2.7	Possibility of Deadlock	143
14.2.8	Possible Data Base Exception Conditions	144
14.3	FINISH Statement	144
14.4	Syntax Errors in READY and FINISH	145
Chapter 15.	FIND and GET Statements	146
15.1	Introduction to FIND Statement	146

15.2	General Format of a FIND	146
15.3	Categories of FIND	147
15.4	Out of the Blue FIND	147
15.4.1	Finding a Calc Record	147
15.4.2	FIND Within a Set	149
15.4.3	Finding FIRST and LAST in Realm	150
15.5	Relative FIND	151
15.5.1	FIND Using Set Type Relationship	151
15.5.2	FIND DUPLICATE	153
15.5.3	FIND OWNER	154
15.5.4	FIND WITHIN SET	155
15.5.5	FIND DUPLICATE in Set	156
15.5.6	FIND NEXT or PRIOR in Realm	157
15.6	Repeated FIND	158
15.6.1	FIND Based on Currency Indicators	158
15.6.2	FIND Based on Data Base Key	159
15.7	Date Base Exception Condition	160
15.8	Introduction to GET Statement	161
15.8.1	GET Statement	161
15.8.2	Simple GET	162
15.8.3	GET Record-name	163
15.8.4	GET Items	163
15.8.5	Data Base Exception Conditions	163
15.9	Relation Between FIND and GET	164
Chapter 16.	DML Updating Statements	165
16.1	Introduction	165
16.2	MODIFY Statement	165
16.2.1	Possible Complications in a MODIFY	167
16.2.2	Data Base Exception Conditions	168
16.3	ERASE Statement	168
16.3.1	Simple ERASE	169
16.3.2	ERASE ALL	169
16.3.3	ERASE PERMANENT	169
16.3.4	ERASE SELECTIVE	170
16.3.5	Data Base Exception Conditions	170
16.4	STORE Statement	170
16.4.1	Effect of WITHIN Clause on STORE	171
16.4.2	Effect of LOCATION MODE	171
16.4.3	Effect of Set Type and Storage Class Declarations	172
16.4.4	Effect of Set Selection	172
16.4.5	Effect of Set Order	172
16.4.6	Effect of Search Key	173
16.4.7	Effect of Set Mode	174
16.4.8	Data Base Exception Conditions	174

16.5	CONNECT Statement	175
16.5.1	Data Base Exception Conditions	175
16.6	DISCONNECT Statement	176
16.6.1	Data Base Exception Conditions	176
Chapter 17.	Other DML Statements	178
17.1	Introduction	178
17.2	Concurrency Control	178
17.2.1	KEEP Statement	179
17.2.2	FREE Statement	180
17.2.3	REMONITOR Statement	180
17.2.4	Summary of Concurrent Processing Statements	181
17.3	Set Level Statement	181
17.4	Moving from System Location	183
17.4.1	ACCEPT CURRENCY	183
17.4.2	ACCEPT REALM-NAME	183
17.5	Data Base Conditions	184
17.5.1	Tenancy Conditions	184
17.5.2	Member Conditions	185
17.5.3	Nullity Conditions	185
17.5.4	Other Useful Conditions	186
17.6	Exception Condition Checking	186
Chapter 18.	Privacy System	188
18.1	Introduction	188
18.2	Components of a Privacy Sub-system	188
18.3	DBTG Ideas on Privacy	189
18.3.1	Schema Defined Locks	189
18.3.2	Sub-schema Defined Locks	190
18.3.3	Program Defined Keys	192
18.4	Forms of Locks and Keys	195
18.4.1	Literal Lock Forms	196
18.4.2	Variable Lock Forms	196
18.4.3	Procedure Privacy Locks	197
18.5	Review of CODASYL Approach	198
18.5.1	Privacy and Privilege	199
18.5.2	Whom does Privacy Control?	200
18.5.3	Interwoven Privacy Lock Declarations	200
18.5.4	Privacy Lock for COPY	201
18.6	Fresh Approach to Privacy	201
18.6.1	Privilege Control Utility	202
18.6.2	Data Privacy Language	202
18.6.3	Programmer Privilege Language	204
Chapter 19.	Device Media Control Language	207
19.1	Introduction	207

19.2	Relationship of DSDL to Schema DDL	208
19.3	DSDL Facilities	209
19.3.1	Realm Level Facilities	209
19.3.2	Record Level Facilities	210
19.3.3	Set Type Level Facilities	211
19.4	Ways of Providing DSDL Facilities	211
Chapter 20.	Restructuring	213
20.1	DBTG Thoughts on Restructuring	213
20.2	DDLC Thoughts on Restructuring	214
20.3	Restructuring and Reorganization	214
20.4	Specifying Schema and DSDL Restructuring	215
20.4.1	Specifying Re-organization	216
20.5	Performing the Restructuring	216
20.5.1	Effect of Restructuring	216
20.6	Schema Restructuring	216
20.6.1	Additive Restructuring	216
20.6.2	Subtractive Restructuring	217
20.6.3	Modificational Restructuring	218
20.7	Conclusions	220
Chapter 21.	The TOTAL Approach	221
21.1	Major Components	221
21.2	Implementation of DML	221
21.3	Basic Structuring Concepts	222
21.3.1	Inter-record Type Structures	222
21.3.2	Intra-record Type Structures	224
21.4	Mapping Record Types to Storage	224
21.5	Mapping of Set Type to Storage	225
21.6	Set Order	226
21.7	Search Keys	226
21.8	Storage Class and Removal Class	226
21.9	Set Selection	227
21.10	Sub-schema	228
21.11	Data Manipulation Language Concepts	228
21.12	DML Statements	229
21.13	DML Statements Valid for Owners and Members	229
21.13.1	SINON, READY and FINISH	229
21.13.2	Multi-purpose READ	230
21.13.3	Boolean FIND	233
21.14	Owner Record Type DML Statements	234
21.14.1	Retrieval Statements	234
21.14.2	Update Statements	235
21.15	Member Record Type DML Statements	235
21.15.1	Member Retrieval Statements	235
21.15.2	Member Updating Statements	236

21.16 Summary of TOTAL	237
Chapter 22. The IMS Approach	239
22.1 Major Components	239
22.2 Implementation of DML	239
22.3 Basic Structuring Concepts	240
22.3.1 Intra-record Type Structuring Concepts	241
22.3.2 Set Types	242
22.4 Mapping Record Types to Storage	244
22.5 Mapping a Set Type to Storage	245
22.6 Set Order	249
22.7 Search Keys	249
22.8 Storage Class and Removal Class	249
22.9 Set Selection	250
22.10 Sub-schema	250
22.11 Data Manipulation Language Concepts	251
22.11.1 Segment Search Arguments	252
22.11.2 Retrieval Statements	252
22.11.3 Update Statements	253
22.11.4 Other DML Statements	254
22.12 Summary of IMS	254
Chapter 23. The ADABAS Approach	255
23.1 Major Components	255
23.2 Implementation of the DML	255
23.3 Basic Structuring Concepts	256
23.3.1 Intra-record Type Structures	256
23.3.2 Inter-record Type Structures	256
23.4 Mapping Record Types to Storage	258
23.5 Mapping of Set Types to Storage	259
23.6 Set Order	259
23.7 Search Keys	259
23.8 Storage Class and Removal Class	259
23.9 Set Selection	260
23.10 Sub-schema	260
23.11 Data Manipulation Language Concepts	260
23.12 DML Statements	260
23.12.1 DML Retrieval Statements—FIND	261
23.12.2 DML Retrieval Statements—READ	262
23.12.3 DML Update Statements	263
23.12.4 Miscellaneous DML Statements	264
23.13 Summary of ADABAS	264
Chapter 24. Relational Approach	266
24.1 Background	266
24.2 Relational Terminology	266

24.2.1	Attribute, Domain and Data Item	267
24.2.2	Relations and Record Types	267
24.2.3	Tuples and Records	268
24.2.4	Tables and Files	268
24.2.5	Set Type and Inter-relation Dependency	268
24.2.6	Degree of a Relation	268
24.3	Exposition of Relational Theory	269
24.4	Constraints in CODASYL Terms	270
24.5	Relational and CODASYL Networks	271
24.6	Use of Keys	272
24.7	Set Types and Heir Properties	272
24.7.1	Defining a Relationship	272
24.7.2	Set Order	273
24.7.3	Storage Class	274
24.7.4	Set Mode	274
24.8	Practicality of Relational Theory	274
24.8.1	Unique Prime Key	275
24.8.2	Representation of Set Type Relationships	275
24.8.3	Propagation of Prime Keys	275
24.9	Data Sub-languages (DML) for a Relational Data Base	276
24.9.1	Relational Algebra	277
24.9.2	Relational Calculus	278
24.10	Summary of Conclusions	278
Chapter 25.	Concluding Comments	280
25.1	Recapitulation	280
25.2	Criticisms of the CODASYL Approach	280
25.3	Broader Issues	281
25.4	Future of the CODASYL Approach	282
Index		285

