



# Automatic Retrieval Spark Chambers

J. BOUNIN, R. H. MILLER, and M. J. NEUMANN

INSTITUTE FOR COMPUTER RESEARCH  
THE UNIVERSITY OF CHICAGO  
CHICAGO, ILLINOIS

I. Introduction . . . . .	1
A. Comparison of Conventional Automatic Retrieval Chamber Systems . . . . .	4
B. Comparison of Automatic Retrieval Versus Photographic Chambers . . . . .	9
C. The Advantages of Having a Computer in the System . . . . .	10
D. Other Kinds of Systems . . . . .	11
II. Description of the Chicago Experiments . . . . .	12
A. Chamber Fabrication Techniques . . . . .	12
B. Chamber Readout . . . . .	13
C. Transmission to Computer . . . . .	17
D. Computer Handling of Data . . . . .	18
E. The Telegdi-Sherwood Experiment . . . . .	19
F. Measured Chamber Performance . . . . .	20
G. "Sociology" of On-Line Experiments . . . . .	22
H. Wire Chamber Programs Elsewhere . . . . .	24
III. General Logical Problems with Wire Chambers . . . . .	26
A. Efficient Scan Strategies . . . . .	26
B. Resolution of Multiple-Event Ambiguities . . . . .	28
C. Orientation of Chamber Coordinate Directions to Take Advantage of the Symmetry of the Problem . . . . .	30
D. Experience with the Pattern-Recognition Problem . . . . .	30
E. Software Much Less a Problem than Hardware . . . . .	30
IV. Chamber Hardware Developments and Speculations . . . . .	32
A. Decision Making Chambers . . . . .	32
B. Use in Balloon or Satellite Experiments . . . . .	33
C. Limitations on Repetition Rate . . . . .	33
D. Limitations in Spatial Resolution . . . . .	34
E. Limitations on Chamber Size . . . . .	35
F. Ionization and Energy Information . . . . .	37
G. Discharge Memory . . . . .	38
H. X-Ray and Visible Light Chambers . . . . .	40
I. Mosaic Detectors . . . . .	42
V. Summary . . . . .	42
References . . . . .	43



# Computer-Based Data Analysis Systems\*

ROBERT CLARK and W. F. MILLER<sup>†</sup>

ARGONNE NATIONAL LABORATORY, ARGONNE, ILLINOIS

I. Introduction . . . . .	47
II. Argonne Reactor Physics System . . . . .	48
A. Fast Total Cross Sections Employing Monoenergetic Neutron Sources . . . . .	51
B. Time-of-Flight (Fast, Nanosecond Range) . . . . .	51
C. Fission Studies . . . . .	53
III. PHYLIS . . . . .	53
A. PHYLIS Hardware . . . . .	55
B. PHYLIS Control Programs . . . . .	58
C. PHYLIS Analysis Programs . . . . .	60
IV. CHLOE . . . . .	61
A. The Hardware . . . . .	61
B. Calibration . . . . .	66
V. AROMA-AIRWICK Programs . . . . .	66
A. Introduction . . . . .	66
B. AROMA . . . . .	71
C. AIRWICK. . . . .	74
References . . . . .	94



# Programming for the PEPR System<sup>1</sup>

P. L. BASTIEN, T. L. WATTS, and R. K. YAMAMOTO

LABORATORY FOR NUCLEAR SCIENCE, MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
CAMBRIDGE, MASSACHUSETTS

M. ALSTON, A. H. ROSENFELD, and F. T. SOLMITZ

LAWRENCE RADIATION LABORATORY, UNIVERSITY OF CALIFORNIA  
BERKELEY, CALIFORNIA

and

H. D. TAFT

DEPARTMENT OF PHYSICS, YALE UNIVERSITY  
NEW HAVEN, CONNECTICUT

I. Introduction . . . . .	100
II. Operational Characteristics of PEPR and the PDP-1 . . . . .	101
A. The Cathode Ray Tube . . . . .	101
B. The Controller . . . . .	103
C. The Computer . . . . .	103
III. Calibration Procedures . . . . .	104
A. Angle Distortion . . . . .	104
B. Center of Sweep . . . . .	106
C. Residual Pincushion Distortion— $x, y$ Coordinate System . . . . .	107
D. Conversion from Main Deflection to Interpolation Counts . . . . .	109
E. Spot-to-Line Distortion . . . . .	111
IV. The Black Box Program . . . . .	112
A. General Description . . . . .	112
B. Input Registers . . . . .	114
C. Output Registers . . . . .	115
D. Calling and Calibration . . . . .	117
E. Paper Tape Features . . . . .	118
V. Element Recognition Program . . . . .	119
A. The Low-Level Pattern Recognition Problem . . . . .	119
B. The Matching Program . . . . .	122
C. The Interface Problem . . . . .	125
VI. Area Scan Program . . . . .	126
A. General Description . . . . .	126
B. Control and Real-Time Features . . . . .	129
C. The Prediction Routine . . . . .	133
D. Conclusions . . . . .	138

<sup>1</sup> Work supported by the United States Atomic Energy Commission, under contract AT(39-1) 2098.

- VII. Track Follower Routines . . . . . 139
  - A. Function of a Track Follower . . . . . 139
  - B. Problems in Track Following . . . . . 140
  - C. Proposed Prediction Routines . . . . . 142
  - D. Matching Routines . . . . . 143
  - E. Scan Routine and Main Control . . . . . 144
  - F. Timing Measurements . . . . . 144
- VIII. A Minimum Guidance System . . . . . 146
  - A. General Description and Input . . . . . 146
  - B. Scanning and Track Following . . . . . 146
  - C. Vertex Finding . . . . . 148
  - D. Output and Conclusions . . . . . 149
- IX. Over-all Strategies of PEPR . . . . . 149
  - A. "Clear Point" and Grid-Controlled Guidance . . . . . 149
  - B. Automatic Scanning . . . . . 151
- X. Interface with Present Data Analysis Programs . . . . . 152
  - A. Information Output by PEPR . . . . . 152
  - B. TRIAD and SCAN Programs . . . . . 153
- XI. Conclusions . . . . . 155
- References . . . . . 156







# A System for the Analysis of Bubble Chamber Film Based upon the Scanning and Measuring Projector (SMP)

ROBERT I. HULSIZER<sup>1</sup>

DEPARTMENT OF PHYSICS, UNIVERSITY OF ILLINOIS  
URBANA, ILLINOIS

JOHN H. MUNSON<sup>2</sup>

LAWRENCE RADIATION LABORATORY, UNIVERSITY OF CALIFORNIA  
BERKELEY, CALIFORNIA

and

JAMES N. SNYDER

DEPARTMENT OF COMPUTER SCIENCE, UNIVERSITY OF ILLINOIS  
URBANA, ILLINOIS

I. Introduction . . . . .	158
II. Chronology of the SMP System . . . . .	160
III. A Description of the SMP Device . . . . .	161
A. The Digitizing Mechanism . . . . .	161
B. The Digitizing Process . . . . .	165
C. Least Count and Accuracy . . . . .	170
D. The Measurement of Single Points . . . . .	173
E. The Auxiliary Equipment . . . . .	174
IV. The SMP Computer Programs . . . . .	178
A. General Considerations . . . . .	178
B. The SMP Executive Program . . . . .	180
C. The Processing Routines . . . . .	194
V. Current SMP Systems and Operating Experience . . . . .	198
VI. Possible Extensions of the SMP System . . . . .	201
VII. Computer Requirements and Limitations of the SMP System . . . . .	205
References . . . . .	210



# A Software Approach to the Automatic Scanning of Digitized Bubble Chamber Photographs<sup>1</sup>

ROBERT B. MARR and GEORGE RABINOWITZ

APPLIED MATHEMATICS DEPARTMENT, BROOKHAVEN NATIONAL LABORATORY  
UPTON, LONG ISLAND, NEW YORK

I. Introduction . . . . .	213
II. Description of the Hough-Powell Device . . . . .	218
A. Operating Principles and General Features of Various HPD's . . . . .	218
B. On-Line Operations with the HPD . . . . .	222
III. Track Reconstruction from HPD Data . . . . .	223
A. Program Organization . . . . .	223
B. Tracking . . . . .	229
C. Program Performance . . . . .	240
IV. Track Editing and Vertex Finding . . . . .	248
A. General Considerations . . . . .	248
B. Current State of Implementation . . . . .	250
V. Concluding Remarks . . . . .	254
References . . . . .	257