

CONTENTS

CHAPTER I

PRELIMINARY PHYSICO-MATHEMATICAL INTRODUCTION

	Page
1. CURRENT FORMULAE OF VECTOR ANALYSIS	19
1.1. Scalars and vectors. Definitions	19
1.2. Vector operations	21
1.3. Point functions: gradient, divergence, curl	22
1.3.1. Gradient	22
1.3.2. Divergence	24
1.3.3. Curl	24
1.4. Symbolic representation by Nabla operator	25
1.5. Gauss' theorem	27
1.6. Transformation of coordinate systems	28
1.6.1. Gradient	31
1.6.2. Divergence	32
1.6.3. Curl	33
2. BASIC THERMODYNAMICS OF GASES	35
2.1. Preliminary considerations	35
2.2. Physical properties of fluids	36
2.3. Units	37
2.4. The equation of state	38
2.5. The first law of thermodynamics	40
2.5.1. External mechanical work	40
2.5.2. Considerations on internal energy	41
2.6. Specific heat	42
2.7. Other functions of state: enthalpy and entropy	44
2.7.1. Enthalpy	44
2.7.2. Entropy	45
2.8. Effect of loss of energy. Heat of dissipation	47
2.9. Change of state of gases	48
2.9.1. The polytropic equation of state	48
2.9.2. Graphical representation	50
2.9.3. The equation of state applied to the dynamics of gases	51
2.9.4. Reversible and irreversible processes	52
2.10. The mechanism of a reversible process. The Carnot cycle	52
2.11. Considerations on the second law of thermodynamics	53
2.12. Heat transfer	54
2.12.1. Convection	54
2.12.2. Conduction	55
2.12.3. Radiation	56
2.13. Viscosity. Turbulence	56

CHAPTER II

FUNDAMENTAL RELATIONS CONCERNING THE MOTION
OF COMPRESSIBLE FLUIDS

	Page
3. FUNDAMENTAL EQUATIONS OF THE FLOW OF COMPRESSIBLE PERFECT FLUIDS	59
3.1. The equations of motion	59
3.1.1. Alternative forms of the equations of motion	61
3.1.2. Stream lines. Vortex lines	62
3.1.3. The equations of motion along a stream line: intrinsic equations	63
3.2. The equation of continuity	63
3.2.1. The equation of continuity in cylindrical coordinates	64
3.2.2. The equation of continuity in polar coordinates	66
3.2.3. The equation of continuity for flow along a narrow streamtube	68
3.3. The energy equation (or pressure equation)	69
3.3.1. Remarks on the pressure equation	71
3.3.2. Alternative forms of the Bernoulli equation	73
3.4. Circulation theorems	74
3.5. The momentum theorem	76
3.6. The moment of momentum	78
4. PROPAGATION OF MOTION IN COMPRESSIBLE FLUIDS	79
4.1. Preliminary considerations	79
4.2. Propagation of plane disturbances of low intensity	80
4.3. Propagation of spherical disturbances of low intensity	83
4.4. Cylindrical waves of low intensity	84
4.5. Propagation of plane waves of high intensity	85
4.6. The distinctive character of subsonic, transonic and supersonic flows	89
5. CHARACTERISTIC FORMS OF EQUATIONS FOR THE FLOW OF COMPRESSIBLE FLUIDS IN TERMS OF THE SPEED OF SOUND AND MACH NUMBER	91
5.1. Various forms of the pressure equation or energy equation	91
5.1.1. Critical speed. Pressure, density and temperature	91
5.1.2. Variation of the characteristics in terms of the Mach number	92
5.1.3. Pressure variation in the case of small disturbances	95
5.2. The velocity potential differential equation for steady flow	96
5.2.1. The potential equation in cartesian coordinates	97
5.2.2. The potential equation in cylindrical coordinates	99
5.2.3. The potential equation in polar coordinates	100

CHAPTER III

STEADY ONE-DIMENSIONAL FLOW

6. STEADY FLOW THROUGH PIPES AND NOZZLES	102
6.1. The equation for gas flow through tubes	102
6.2. Flow through a Laval nozzle	105
6.2.1. Variation of velocity as a function of the cross-section	109
6.2.2. Methods for determining the flow conditions when the mass flow is less than the maximum	109
6.3. Flow through a tube of constant cross-sectional area with heat transfer	111

	Page
7. PLANE SHOCK WAVES THEORY	113
7.1. Simple normal wave	114
7.2. Normal shock wave	114
7.2.1. Variation of entropy	117
7.2.2. Loss of head through a shock wave	119
7.3. Oblique shock waves	120
7.3.1. Flow conditions behind a shock wave	124
7.3.2. Conditions leading to the formation of plane shock waves. Frontal shock waves	125
7.3.3. Reflected waves	128
7.4. Loss of head. Wave drag	129
7.5. Graphical representation of the shock wave equations	132
7.6. Deflection as a function of pressure	135
8. VARIOUS APPLICATIONS OF ONE-DIMENSIONAL FLOW	137
8.1. Conditions of equilibrium in flow through nozzles	137
8.2. Considerations on the distribution of velocities in the sections of a wind tunnel	140
8.3. Flow conditions in the circuit of a subsonic wind tunnel	141
8.3.1. Loss of head	146
8.3.2. The coefficient of utilisation of a wind tunnel	149
8.3.3. Flow conditions along the circuit	150
8.4. Flow conditions in supersonic wind tunnels	155
8.5. Considerations on intermittent supersonic wind tunnels	157
8.6. Measurement of pressure and temperature	159
8.6.1. Measurement of pressure at stagnation points	160
8.6.2. Measurement of static pressures	161
8.6.3. Determination of the direction of the velocity	163
8.6.4. Measurement of the stagnation temperature	163

CHAPTER IV

GENERAL SUBSONIC FLOW. CONSIDERATIONS
ON THE TRANSONIC REGIME

9. THE THEORY OF SMALL DISTURBANCES IN SUBSONIC FLOW (LINEAR THEORY)	165
9.1. Two-dimensional flow along a wave-shaped wall (direct method)	166
9.2. Flow around thin profiles (wing of infinite span)	169
9.2.1. The case of the invariant profile	171
9.2.2. The case of equal potentials ($\varphi = \varphi_i$)	172
9.2.3. Determination of the Prandtl-Glauert formula by direct approach	174
9.3. Critical Mach number in the hypothesis of small disturbances	175
9.3.1. Direct and accurate determination of the critical Mach number	177
9.4. Pressure distribution on thin airfoils	177
9.4.1. Pressure distribution on an aerodynamic profile of any shape	177
9.4.2. Design of profiles with a given pressure distribution. Laminar profiles	181
9.5. Flow around a slender body of revolution	181
9.5.1. Slender bodies with axis parallel to the general direction of the flow	182
9.5.2. Lateral motion of a body of revolution	184
9.5.3. Approximate computation of lateral thrust and velocities	185
10. INFLUENCE OF COMPRESSIBILITY UPON A WING OF FINITE SPAN IN THE HYPOTHESIS OF SMALL DISTURBANCES	186
10.1. Preliminary theoretical considerations on vortices in subsonic flow	186
10.1.1. Velocity field induced by a vortex tube	187
10.1.2. Velocity induced by a rectilinear segment of a vortex tube	189
10.1.3. Kutta-Joukowski theorem	193

	Page
10.2. The equation of circulation around a wing of finite span	194
10.3. Distribution of circulation around elliptic, rectangular and trapezoidal wings	198
10.4. Aerodynamic forces and moments	203
10.4.1. Lift	203
10.4.2. Induced drag	205
10.4.3. Aerodynamic moments	206
10.5. Deflection of flow downstream	207
10.6. Yawed and swept wings	209
10.6.1. Preliminary remarks	209
10.6.2. Action of free vortices on swept and yawed wings	210
10.6.3. Application to swept-back wings	213
10.6.4. Application to yawed wings	218
11. SUBSONIC TWO-DIMENSIONAL FLOW IN THE CASE OF GREAT VARIATIONS IN VELOCITY	219
11.1. The Chaplygin equations (Hodograph method)	220
11.1.1. Symmetrisation of the Chaplygin equations	223
11.1.2. Simplification of the equations by application of a quasi-isentropic transformation law	224
11.2. The Kármán-Tsien method for the computation of pressures	228
11.2.1. Critical Mach number	232
11.3. Correspondence between the compressible physical plane and the incompressible auxiliary plane in flow without circulation	233
11.3.1. Fundamental formulae of correspondence	233
11.3.2. Application to an elliptic contour	236
11.3.3. Flow without circulation around a circle	239
11.3.4. Alternative method of determination of flow around a circle	242
12. DETERMINATION OF THE CORRESPONDENCE FORMULAE FOR FLOW WITH CIRCULATION	244
12.1. Basic correspondence formulae for flow with circulation	244
12.1.1. Correspondence on a circle	247
12.2. Construction of profiles in a physical plane corresponding to a given reference profile in the auxiliary plane	249
12.2.1. Applications to biconvex-symmetrical Joukowski airfoils	251
12.3. Construction of a reference profile corresponding to a given profile in the physical compressible plane	255
12.3.1. Application to biconvex-symmetrical airfoils	258
13. THE SPHERE OF APPLICATION OF THE SUBSONIC THEORIES. THE TRANSONIC REGIME	262
13.1. Preliminary remarks	263
13.2. Qualitative evaluation of wave drag for values of M_∞ between M_c and 1	269
13.3. Variation of pressure and lift	272
13.3.1. The influence of the camber of the profile	277
13.3.2. Laminar profiles	279
13.4. Variation of aerodynamic moments	280
13.4.1. Moment coefficient of symmetrical profiles	280
13.4.2. Moment coefficient at zero lift	281
13.5. Considerations on swept-back wings in subsonic high speed airflight	283
13.6. Conclusions	286

CHAPTER V

SUPERSONIC FLOW IN THE CASE OF SMALL DISTURBANCES

	Page
14. THE METHOD OF SMALL DISTURBANCES IN TWO-DIMENSIONAL SUPERSONIC FLOW	287
14.1. Supersonic flow along a wave-shaped wall	288
14.2. The thin profile theory (Ackeret's linear theory)	290
14.2.1. Determination of the lift coefficient	291
14.2.2. Determination of the drag coefficient	292
14.2.3. Determination of the unit moments	296
14.3. Considerations on the drag of airfoils	297
14.3.1. Maximum fineness	297
14.3.2. Profiles of minimum drag	298
14.3.3. Laminar profiles in supersonic flow	301
14.3.4. Variation of lift and total drag as functions of the Mach number	303
14.4. Yawed wing of infinite span	303
15. FLOW AROUND A BODY OF REVOLUTION IN THE ASSUMPTION OF SMALL DISTURBANCES	306
15.1. Considerations on the differential equation of the velocity potential	306
15.2. Axial-symmetrical flow	308
15.2.1. Application to the simple circular cone	310
15.2.2. Calculation of velocities and pressures on a body of revolution	312
15.2.3. Open-nosed slender body of revolution	314
15.2.4. Slender pointed bodies of revolution	315
15.3. Drag of slender pointed bodies in axial-symmetrical flow	317
15.3.1. Practical method for the calculation of drag for bodies of revolution	322
15.4. Flow around inclined bodies of revolution	323
15.4.1. Application to an inclined cone of revolution	324
15.4.2. Inclined slender pointed bodies	326
16. THE THEORY OF CONICAL FLOW IN THE ASSUMPTION OF SMALL DISTURBANCES	329
16.1. Simplification of the velocity potential equation for slender conical bodies	330
16.1.1. Thin triangular plate	332
16.1.2. Drag of a wedge-shaped delta wing	333
16.2. Influence of the fuselage	335
16.2.1. Extension of the method to slender fuselages provided with thin wings	337
16.3. Busemann's transformation for the reduction of the potential equation to Laplace's equation in two dimensions	339
16.3.1. Properties of the Busemann transformation	341
16.3.2. Application to flow past a cone of revolution	344
16.3.3. Application to wings of finite span	344

CHAPTER VI

RIGOROUS SOLUTIONS IN TWO-DIMENSIONAL SUPERSONIC FLOW

17. EXPANSION OF A TWO-DIMENSIONAL SUPERSONIC STREAM	346
17.1. Determination of the principal equations for expansion around a corner	347
17.2. Prandtl-Meyer complete expansion	349
17.2.1. Calculation of the deflection of the stream	351
17.2.2. The epicycloid curve	355
17.2.3. Graphical construction of the normals to the epicycloid	357

	Page
17.3. Limited (partial) expansion	358
17.3.1. Expansion around a corner	358
17.3.2. Expansion along a curved wall	360
17.3.3. Application of the expansion formulae to compression waves in the case of small deflections	361
17.4. Application to the exact theory of supersonic profiles	362
17.4.1. Flat plate in supersonic flow	363
17.4.2. Diamond-shaped profile	365
17.4.3. Curved profile	366
17.5. Hydrodynamic analogy of the wave pattern	368
17.6. Flows independent of the deflection of the stream	370
17.6.1. Flow around a vortex	370
17.6.2. Source with constant rate of flow	371
17.6.3. Superposition of source and vortex	372
18. THE THEORY OF SUPERSONIC PROFILES IN THE SECOND APPROXIMATION	373
18.1. Expansion of the pressure coefficient as a power series of the deflection	373
18.1.1. Expansion of the pressure coefficient in the case of shock waves	374
18.1.2. Expansion of the pressure coefficient in the case of expansion waves	375
18.1.3. Considerations on the choice of a second approximation formula for the computation of pressures	377
18.2. General formulae for the calculation of the lift, wave drag and resultant moments of supersonic profiles	379
18.2.1. Profiles with minimum drag at zero lift (C_{x0} minimum)	383
18.2.2. Profiles of maximum fineness	386
18.3. Aerodynamic characteristics of usual supersonic profiles	386
18.3.1. Diamond-shaped profiles	387
18.3.2. Circular arc profiles	389
18.3.3. Double-trapezoidal profiles	389
18.4. Experimental confirmation	390
19. THE METHOD OF CHARACTERISTICS APPLIED TO THE ANALYSIS OF TWO-DIMENSIONAL SUPERSONIC FLOW	394
19.1. Preliminary theoretical considerations	396
19.1.1. Linearised equations for two-dimensional flow	397
19.2. Characteristic lines	399
19.2.1. Integration of the characteristics equation in the hodograph plane	404
19.2.2. Practical application of the characteristics diagram	405
19.3. Waves reflected by rigid or free walls	409
19.4. Interference waves	413
19.4.1. Shock wave and expansion wave interference	414
19.4.2. Intersecting interference waves	418
19.4.3. Application of the characteristics diagram to a network of interference waves	420
19.5. Influence of reflected and interference waves on the drag at zero lift of a supersonic biplane	421
20. APPLICATION OF CHARACTERISTICS TO THE DESIGN OF PLANE EFFUSORS, DIFFUSORS AND JETS	425
20.1. Calculation of the two-dimensional supersonic effusor	426
20.2. Graphical construction of the effusor	430
20.2.1. Effusor with a single slope	430
20.2.2. Effusor with successive slopes	431
20.3. Analytical determination of the contour of the effusor	432
20.3.1. Approximate flow in the sonic throat section	434
20.4. Considerations on the supersonic diffusor	437
20.5. Determination of flow conditions in two-dimensional supersonic jets	439

CHAPTER VII

EXACT SOLUTIONS IN FLOW AROUND BODIES OF REVOLUTION

	<u>Page</u>
21. FLOW AROUND A CIRCULAR CONE	445
21.1. General equations of conical flow	446
21.2. Circular cone with axis parallel to the stream	447
21.2.1. Determination of the shock cone	448
21.3. Computation of velocities and pressures in axial-symmetrical flow around a circular cone	449
21.3.1. Determination of the solid cone when the semi-angle of the shock cone is known	453
21.4. The Busemann method for the graphical determination of axial-symmetrical flow past a cone of revolution	454
21.4.1. The melliform diagram	457
22. STUDY OF FLOW AROUND BODIES OF REVOLUTION AND INSIDE EFFUSORS OF CIRCULAR CROSS-SECTION	459
22.1. General equations of motion	461
22.2. The method of characteristics in axial-symmetrical flow	461
22.2.1. Differential equations of the characteristics	462
22.3. Utilisation of the characteristics in successive operations	464
22.4. Determination of the flow past a sharp-pointed body of revolution by the method of characteristics	471
22.5. Application of the method of characteristics to the calculation of circular effusors.	472
22.5.1. Calculation of a perfect circular effusor	473
22.5.2. Analytical determination of flow conditions near the sonic throat	475
22.6. Thrust due to a supersonic jet	476

CHAPTER VIII

THE THEORY OF WINGS OF FINITE SPAN IN SUPERSONIC FLOW, BASED ON THE METHOD OF SMALL DISTURBANCES

23. METHODS OF CALCULATION APPLIED IN THE THEORY OF WINGS OF FINITE SPAN IN SUPERSONIC FLOW	478
23.1. The source method applied to the calculation of wings with symmetrical profile and zero angle of attack	478
23.2. Application to an angular wing with constant slope	482
23.3. The theory of thin wings based on the doublet method	485
23.4. Application to an angular plate with subsonic leading edges	488
23.5. The method of the acceleration potentials	493
24. PRELIMINARY CONSIDERATIONS ON THE THEORY OF INDEFINITE ANGULAR WINGS, BASED UPON THE METHOD OF CONICAL FLOW	494
24.1. Geometrical characteristics of the conical wing	495
24.1.1. Definition of the edges of a wing as a function of the Mach cone	498
24.2. Application of the fundamental formulae of conical flow to conical angular wings	499
24.2.1. Boundary conditions	502
24.3. General expression of the function $f = u + iw'$. Hydrodynamical analogy	503
24.3.1. The symmetrical thick wing	506
24.3.2. Thin angular wing with subsonic leading edges	509
24.3.3. Thin wing with both leading edges subsonic	512
24.4. Flow conditions past subsonic leading edges of thin wings	514

	Page
25. CALCULATION OF THE AXIAL DISTURBANCE VELOCITIES AND PRESSURES ON ANGULAR WINGS OF SYMMETRICAL THICKNESS	515
25.1. Angular wing with constant slope	515
25.1.1. Subsonic leading edges	517
25.1.2. Wing with one subsonic and one supersonic leading edge	518
25.1.3. Wing with supersonic leading edges	519
25.2. Angular symmetrical wing with multiple facets	520
25.2.1. Application to a symmetrical wing with double slope	522
25.3. Angular wing with continuously variable slope	523
25.4. Calculation of the pressures on swept-back wings of infinite span with symmetrical profile	526
25.4.1. Wing with diamond-shaped profile	527
25.4.2. Wing with parabolic profile	529
26. WAVE DRAG OF DOUBLY-CONICAL DELTA WINGS OF SYMMETRICAL THICKNESS	535
26.1. Definition of the doubly-conical delta wing	536
26.2. Calculation of the wave drag	538
26.3. Application to the calculation of delta wings with diamond-shaped profile	541
26.3.1. Wing with subsonic leading edge and subsonic enclosing surface	544
26.3.2. Wing with subsonic leading edge and supersonic enclosing surface	545
26.3.3. Wing with supersonic leading edge and supersonic enclosing surface	545
26.3.4. Experimental confirmation	546
26.4. Drag of doubly-conical delta wings with linear change in slope	547
26.4.1. Wing with subsonic leading edge and subsonic enclosing edge	552
26.4.2. Subsonic leading edge and supersonic enclosing edge	552
26.4.3. Wing with supersonic leading edge	554
26.4.4. Some considerations on the wave drag of triangular wings with variable slope	556
26.5. Wave drag of a doubly-conical delta wing with double slope	556
27. THE THEORY OF THE THIN PLANE TRIANGULAR WING	559
27.1. Thin triangular wing with supersonic leading edges	560
27.1.1. Determination of the lift and wave drag	561
27.1.2. Determination of the moments	564
27.2. Thin triangular wing with one supersonic leading edge	565
27.2.1. Case of the subsonic trailing edge	567
27.2.2. Determination of lift and drag	568
27.2.3. Computation of the moments	570
27.3. Triangular wing with subsonic leading edges	571
27.3.1. The case when one of the edges of the wing becomes a trailing edge	575
27.3.2. Computation of lift and drag	577
27.3.3. Computation of the moments	578
27.4. Suction at the subsonic leading edges	578
27.4.1. Application to angular wings with a single subsonic leading edge	581
27.4.2. Suction force on an angular wing with subsonic leading edges	582
28. DETERMINATION OF THE AERODYNAMIC CHARACTERISTICS OF THIN PLANE WINGS OF USUAL SHAPE	582
28.1. Simple tapered wings	582
28.1.1. Tapered wing with supersonic lateral leading edge	583
28.1.2. Tapered wing with subsonic lateral leading edge	584
28.1.3. Rectangular wings	586
28.1.4. Tapered wing with subsonic lateral trailing edge	587
28.2. Calculation of forces and moments of triangular wings with slanting trailing edge	587

	Page
28.2.1. Supersonic leading edges	589
28.2.2. Wing with one supersonic and one subsonic leading edge	592
28.2.3. Wing with supersonic leading edge and subsonic trailing edge	594
28.2.4. Subsonic leading edges	594
28.2.5. Subsonic leading edge and subsonic trailing edge	596
28.2.6. Application to a yawed delta wing	596
28.3. Arrow and diamond-shaped wings	599
28.3.1. Supersonic leading and trailing edges	600
28.3.2. Subsonic leading edge, supersonic trailing edge	602
28.3.3. Both edges subsonic	603
28.4. Double tapered wing	604
28.4.1. The case of supersonic edges	605
28.4.2. Subsonic leading edge and supersonic trailing edge	606

CHAPTER IX

COMPLEX FLOWS AROUND TRIANGULAR WINGS AND THEIR APPLICATION IN DETERMINING AERODYNAMIC CHARACTERISTICS

29. THE METHOD OF HYDRODYNAMIC ANALOGY APPLIED TO THIN WINGS WITH VARIABLE ANGLE OF ATTACK	608
29.1. Effect of the deflection of ailerons with supersonic leading edges	608
29.1.1. Influence of the aileron on lift	610
29.1.2. The rolling moment about the Ox_1 axis	611
29.1.3. Hinge moment	612
29.2. Variation of the angle of attack for wings with one subsonic and one supersonic leading edge	612
29.3. Application to an aileron with subsonic edge	616
29.3.1. Influence of the aileron upon lift	617
29.3.2. Rolling moment about the Ox_1 axis	618
29.4. Triangular wing with subsonic edges and variable incidence	619
29.4.1. Wing with sudden change in incidence	619
29.4.2. Wing with linear variation of incidence	622
29.4.3. Delta wing with linear variation of incidence, prolonged by an horizontal plane	624
29.5. Lift of a thin doubly-conical delta wing	626
29.5.1. Calculation of the velocity and lift due to the effect of the enclosing surface.	627
29.5.2. Determination of the total lift	629
30. THE THEORY OF POLYGONAL WINGS FITTED WITH FLAT PLATES NORMAL TO THE WING	630
30.1. Thin angular wing fitted with an axial plate	632
30.1.1. Subsonic leading edges	632
30.1.2. Wing with a subsonic and a supersonic leading edge	636
30.1.3. Supersonic leading edges	639
30.2. Thick symmetrical wing fitted with an axial plate	641
30.2.1. Subsonic leading edges	641
30.2.2. Wing with a subsonic and a supersonic leading edge	642
30.2.3. Supersonic leading edges	643
30.3. The function $f = u + iu'$ in the case of a plate of incidence other than zero	644
30.3.1. Thin wing	644
30.3.2. Symmetrical thick wing	645
30.4. Application to a rectangular wing fitted with marginal plates	646
30.4.1. Computation of the lift	640
30.4.2. Computation of the drag	651
30.4.3. Computation of the rolling moment	658

	Page
30.5. Cruciform wing with asymmetrical incidence	652
30.5.1. Computation of the rolling moment	656
31. CONICAL FLOWS OF HIGHER ORDER AND THEIR APPLICATION TO DELTA WINGS	657
31.1. Preliminary remarks	658
31.2. Relations of compatibility	661
31.3. Application to thin triangular wings with subsonic leading edges	662
31.3.1. Determination of the axial velocity u	663
31.3.2. Applications	665
31.3.3. Application to a cambered delta wing	668
31.4. Action of a non-uniform stream on a thin plane triangular wing with subsonic edges	670
31.5. Determination of forces and moments	672
31.6. Hydrodynamic method for the determination of axial disturbance velocity in the case of delta wings of symmetrical thickness	674
31.6.1. Principle of the method	675
31.6.2. General expression of axial disturbance velocity	679
31.6.3. Determination of constants	680
31.6.4. Examples of applications	681
31.6.5. Application to thin delta wings with supersonic edges	683
31.7. Extension of the hydrodynamic method to thin triangular wings with one supersonic leading edge	683
32. CONSIDERATIONS ON UNSTEADY FLOW AT HIGH SPEEDS	687
32.1. Linearized equations for unsteady flow	688
32.2. Reduced potential equation	690
32.2.1. Reduced downwash	691
32.2.2. Expansion of the reduced potential	692
32.2.3. Calculation of the pressures	692
32.3. Application to a wing of infinite span	693
32.4. Application to the triangular wing with subsonic leading edges	695
32.5. Oscillating motion of a cruciform delta wing	696
32.5.1. Determination of the function $\Phi_{100} = \frac{\partial \varphi_1}{\partial x_1}$	697
32.5.2. Determination of the reduced potential φ_1	700
32.5.3. Determination of the constants	702
32.6. The theory of high-frequency harmonic oscillations of wings of infinite span	703
32.6.1. The Fourier transform	703
32.6.2. Application to a wing of infinite span	704
32.7. Application of the double Fourier transform to wings of finite span	706
32.8. Harmonic oscillations of slender bodies of revolution	708