

Contents

Part I Angular-Momentum Theory and the Independent-Particle Model

1. Introduction	3
2. Angular-Momentum and Spherical Tensor Operators	6
2.1 Elementary Properties of Angular-Momentum and Spherical Tensor Operators	6
2.1.1 Angular-Momentum Operators	6
2.1.2 Spherical Tensor Operators	12
2.2 Rotations in Space	14
2.2.1 Relation Between Angular-Momentum Operators and Infinitesimal Rotations in Space	14
2.2.2 Transformation of Angular-Momentum States and Spherical Tensor Operators Under Infinitesimal Rotations	19
2.2.3 Transformation of Angular-Momentum States and Spherical Tensor Operators Under Finite Rotations	21
2.2.4 The Orbital Angular Momentum. Spherical Harmonics . .	23
2.2.5 Example of Rotation of Angular-Momentum Functions .	26
2.3 Coupling of Angular-Momentum States and Spherical Tensor Operators	29
2.3.1 Coupling of States	30
2.3.2 Coupling of Tensor Operators	38
2.3.3 A Physical Example: The Coulomb Interaction	39
2.4 The Wigner-Eckart Theorem	40
2.4.1 Proof of the Theorem	40
2.4.2 A Physical Example: the Zeeman Effect	42
2.4.3 Reduced Matrix Elements of the C Tensor	44
3. Angular-Momentum Graphs	47
3.1 Representation of $3-j$ Symbols and Vector-Coupling Coefficients	47
3.1.1 Basic Conventions	47
3.1.2 Representation of the Vector-Coupling Coefficient	52
3.1.3 Representation of Coupled States	54
3.1.4 The Wigner-Eckart Theorem	55

3.1.5 Elimination of a Zero Line	56
3.2 Diagrams with Two or More Vertices	57
3.2.1 Summation Rules	57
3.2.2 Orthogonality Relations	59
3.3 A Physical Example: The Coulomb Interaction	63
3.3.1 Representation of a Single Matrix Element	63
3.3.2 Summation Over Filled Shells	67
3.4 Coupling of Three Angular Momenta. The $6-j$ Symbol	69
3.4.1 The $6-j$ Symbol	69
3.4.2 Equivalent Forms of the $6-j$ Symbol. The Hamilton Line	72
3.4.3 A Physical Example: The ls Configuration	75
3.5 Coupling of Four Angular Momenta. The $9-j$ Symbol	76
4. Further Developments of Angular-Momentum Graphs. Applications to Physical Problems	80
4.1 The Theorems of Jucys, Levinson and Vanagas	80
4.1.1 The Basic Theorem	80
4.1.2 Diagrams Separable on Two Lines	81
4.1.3 Diagrams Separable on Three Lines	84
4.1.4 Diagrams Separable on Four Lines	85
4.2 Some Applications of the JLV Theorems	86
4.3 Matrix Elements of Tensor-Operator Products Between Coupled States	88
4.3.1 The General Formula	88
4.3.2 Special Cases	91
4.4 The Coulomb Interaction for Two-Electron Systems in LS Coupling	93
4.4.1 The Basic Formula	94
4.4.2 Antisymmetric Wave Functions	95
4.4.3 Two Equivalent Electrons in LS Coupling	96
4.4.4 Two Nonequivalent Electrons in LS Coupling	97
4.5 The Coulomb Interaction for Two-Electron Systems in $j-j$ Coupling	99
5. The Independent-Particle Model	103
5.1 The Magnetic Interactions	103
5.2 Determinantal Wave Functions	106
5.3 Matrix Elements Between Slater Determinants	108
5.3.1 Matrix Elements of Single-Particle Operators	109
5.3.2 Matrix Elements of Two-Particle Operators	110
5.3.3 A New Notation	110
5.3.4 Feynman Diagrams	111
5.4 The Hartree-Fock Equations	112
5.5 Koopmans' Theorem	115

6. The Central-Field Model	116
6.1 Separation of the Single-Electron Equation for a Central Field	116
6.2 The Electron Configuration and the “Building-Up” Principle .	118
6.2.1 The Meaning of a Configuration	118
6.2.2 The “Building-Up” Principle	119
6.3 Russell-Saunders Coupling	120
6.4 Angular-Momentum Properties of Determinantal States	121
6.5 <i>LS</i> Terms of a Given Configuration	123
6.6 Term Energies	125
6.6.1 The Single-Particle Operator	125
6.6.2 The Two-Particle Operator	126
6.6.3 Example: Term Energies of the $1s^2 2s^2 2p^2$ Configuration	127
6.6.4 A General Energy Expression	128
6.7 The Average Energy of a Configuration	130
6.7.1 Derivation of the General Formula	130
6.7.2 Example: Average of the $1s^2 2s^2 2p^2$ Configuration	133
7. The Hartree-Fock Model	134
7.1 Radial Equations for the Restricted Hartree-Fock Procedure . .	134
7.2 Koopmans’ Theorem in Restricted Hartree-Fock	139
7.3 The Hartree-Fock Potential	140
7.4 Examples of Hartree-Fock Equations	142
7.4.1 A Closed-Shell System: $1s^2 2s^2$	142
7.5 Examples of Hartree-Fock Calculations	145
7.5.1 The Carbon Atom	145
7.5.2 The Size of the Atom	147
7.5.3 The Magnitude of the Spin-Orbit Coupling Constant . .	148
7.5.4 The Ce^{2+} Ion	150
7.6 Properties of the Two-Electron Slater Integrals	152
7.7 Coupling Schemes for Two-Electron Systems	156
8. Many-Electron Wave Functions	163
8.1 Graphical Representation of the Fractional-Parentage Expansion	163
8.1.1 The $(nl)^3$ Configuration	163
8.1.2 Classification of States	166
8.1.3 The Expansion of the nl^N State	166
8.1.4 Graphical Representation of the Fractional-Parentage Coefficient	167
8.2 Matrix Elements of a Single-Particle Operator	169
8.2.1 General	169
8.2.2 Orbital Operator	170
8.2.3 Double-Tensor Operators	171
8.2.4 Standard Unit-Tensor Operators	172

8.2.5 A Physical Example: The Spin-Orbit Interaction	173
8.3 Matrix Elements of a Two-Particle Operator	174
8.4 More Than One Open Shell	177
8.4.1 Transition Probability Between the nl^N and $nl^{N-1}n'l'$ Configurations	177
8.4.2 Coulomb Interaction Between the Configurations nl^N and $nl^{N-1}n'l'$	179
8.4.3 Transition Probability Between the Configurations $nl^Nn'l'$ and $nl^{N-1}n'l'^2$	181

Part II Perturbation Theory and the Treatment of Atomic Many-Body Effects

9. Perturbation Theory	184
9.1 Basic Problem	184
9.2 Nondegenerate Brillouin-Wigner Perturbation Theory	187
9.2.1 Basic Concepts	187
9.2.2 A Resolvent Expansion of the Wave Function	190
9.2.3 The Wave Operator	191
9.2.4 Determination of the Energy	193
9.2.5 The Feshbach Operator	195
9.3 The Green's Function	196
9.3.1 The Green's-Function Operator or the Propagator	196
9.3.2 The Green's Function in the Coordinate Space	198
9.4 General Rayleigh-Schrödinger Perturbation Theory	199
9.4.1 The Model Space	200
9.4.2 The Generalized Bloch Equation	202
9.4.3 The Effective Hamiltonian	207
9.5 The Rayleigh-Schrödinger Expansion for a Degenerate Model Space	208
10. First-Order Perturbation for Closed-Shell Atoms	212
10.1 The First-Order Wave Function	213
10.2 The First-Order Energy	218
10.3 Evaluation of First-Order Diagrams	220
11. Second Quantization and the Particle-Hole Formalism	224
11.1 Second Quantization	225
11.2 Operators in Normal Form	232
11.3 The Particle-Hole Formalism	236
11.4 Graphical Representation of Normal-Ordered Operators	238
11.5 Wick's Theorem	241
11.5.1 Statement of the Theorem	241

11.5.2 Proof of the Theorem	243
11.5.3 Wick's Theorem for Operator Products	245
11.6 The Wave Operator in Graphical Form	246
12. Application of Perturbation Theory to Closed-Shell Systems	251
12.1 The First-Order Contributions to the Wave Function and the Energy	251
12.2 The Second-Order Wave Operator	254
12.2.1 Construction and Evaluation of Diagrams	254
12.2.2 Equivalent Diagrams and Weight Factors	258
12.2.3 Choices of Single-Particle States	260
12.3 Perturbation Expansion of the Energy	262
12.3.1 The Correlation Energy	262
12.3.2 The Second-Order Energy	262
12.4 The Goldstone Evaluation Rules	264
12.5 The Linked-Diagram Expansion	268
12.5.1 Cancellation of Unlinked Diagrams in Third Order	268
12.5.2 The Linked-Diagram Theorem	272
12.6 Separation of Goldstone Diagrams into Radial and Spin-Angular Parts	274
12.6.1 Examples of Diagram Evaluations	274
12.6.2 Evaluation Rules for the Radial, Spin and Angular Factors	278
12.7 The Correlation Energy of the Beryllium Atom	278
12.8 Appendix. The Goldstone Phase Rule	283
13. Application of Perturbation Theory to Open-Shell Systems	285
13.1 The Particle-Hole Representation	286
13.1.1 Classification of Single-Particle States	286
13.1.2 The Particle-Hole Representation	287
13.1.3 Graphical Representation	289
13.2 The Effective Hamiltonian	293
13.2.1 The First-Order Effective Hamiltonian	293
13.2.2 The First-Order Wave Operator	295
13.2.3 The Second-Order Effective Hamiltonian	297
13.3 Higher-Order Perturbations. The Linked-Diagram Theorem	302
13.3.1 The Second-Order Wave Operator	302
13.3.2 The Linked-Diagram Expansion	307
13.3.3 The Third-Order Effective Hamiltonian	308
13.4 The LS Term Splitting of an $(nl)^N$ Configuration	311
13.4.1 The Slater and Trees Parameters	311
13.4.2 Evaluation of the First- and Second-Order Contributions to the Term Splitting	313
13.4.3 Application to the Pr^{3+} Ion	318

13.5	The Use of One- and Two-Particle Equations	321
13.5.1	The Single-Particle Equation	322
13.5.2	The Pair Equation	326
13.6	The Beryllium Atom Treated as an Open-Shell System	328
13.6.1	The Energy Matrix	329
13.6.2	The First-Order Results	330
13.6.3	The Second-Order Results	332
14.	The Hyperfine Interaction	335
14.1	The Hyperfine Interaction	336
14.1.1	The Hyperfine Operator	336
14.1.2	The Hyperfine Splitting	337
14.1.3	The Hyperfine Interaction Constants	338
14.2	The Zeroth-Order Hyperfine Constants	341
14.2.1	The Effective Hyperfine Operator	341
14.2.2	The Zeroth-Order Hyperfine Constants in Second Quantization	342
14.2.3	The Spin-Angular Structure of the Hyperfine Operator	343
14.2.4	Single Open Shell	344
14.3	First-Order Core Polarization	346
14.3.1	Evaluation of the Polarization Diagrams	347
14.3.2	Contributions to the Effective Hyperfine Operators .	349
14.3.3	Evaluation of the Radial Parts	351
14.3.4	Interpretation of the Core Polarization	353
14.4	Second-Order Polarization and Lowest-Order Correlation .	357
14.4.1	The Second-Order Polarization	357
14.4.2	The Lowest-Order Correlation	359
14.5	All-Order Polarization	361
14.5.1	The Effective Hyperfine Interaction	362
14.5.2	The All-Order Radial Single-Particle Equation	364
14.5.3	Ground-State Correlations	365
14.5.4	Results of Some All-Order Calculations	367
14.6	Effective Two-Body Hyperfine Interactions	372
14.7	Relativistic Effects	376
14.7.1	Fine-Structure Calculations of Sodium-like Systems .	377
14.7.2	Relativistic Many-Body Calculation of the Hyperfine Structure in Rb	379
15.	The Pair-Correlation Problem and the Coupled-Cluster Approach .	381
15.1	Introductory Comments	381
15.1.1	The Configuration-Interaction and the Linked-Diagram Procedures	382

15.1.2 The Separability Condition and the Coupled-Cluster Approach	384
15.2 Hierarchy of n -Particle Equations	385
15.2.1 General	385
15.2.2 The All-Order Single-Particle Equation	387
15.2.3 The All-Order Pair Equation	393
15.2.4 The All-Order Radial Equations	395
15.3 The Exponential Ansatz	398
15.3.1 Factorization of Closed-Shell Diagrams	399
15.3.2 Factorization of Open-Shell Diagrams	400
15.3.3 The Wave Operator in Exponential Form	402
15.4 The Coupled-Cluster Equations	404
15.4.1 General	404
15.4.2 The One- and Two-Particle Coupled-Cluster Equations	408
15.5 Comparison Between Different Pair-Correlation Approaches	411
15.5.1 Application to Helium	416
15.5.2 Application to Beryllium	417
15.5.3 Application to Neon	420
15.5.4 Examples of Open-Shell Coupled-Cluster Calculations	421
Appendix A. Hartree Atomic Units	424
Appendix B. States and Operators	425
Appendix C. Formulas of $3-j$ and $6-j$ Symbols	433
Appendix D. Table of $3-j$ and $6-j$ Symbols	434
References	451
Author Index	461
Subject Index	465