

CONTENTS

Chapter 1

ONE- AND TWO-NUCLEON TRANSFER REACTIONS WITH HEAVY IONS

Sidney Kahana and A. J. Baltz

1. Introduction	1
2. Distorted Wave Theory for Heavy-Ion-Induced Reactions	4
2.1. Formal Theory of Direct Reactions	4
2.2. Partial Wave Expansion of the Reaction Amplitude (<i>S</i> -Matrix)	8
2.3. Specific Methods of Calculation and the No-Recoil Approximation	12
2.4. Two-Nucleon Transfer	17
3. Semiclassical Features of Direct Reactions Induced by Heavy Ions	20
3.1. General Background	20
3.2. Classical Orbits	21
3.3. The Semiclassical Limit for Elastic Scattering: WKB	25
3.4. Absorption in Elastic Scattering	30
3.5. Kinematic Selectivities: <i>Q</i> -Windows	33
3.6. Radial Integrals in a Semiclassical Limit	37
4. Angular Distributions: Data and DWBA Analysis	39
4.1. Low Energies and Classical Angular Distributions	39
4.2. Higher Energy and Quantum (Semiclassical) Angular Distributions	45
4.3. Optical Potentials and Surface Transparency	52
4.4. Summary, Problems, and Still Higher Energies.	57
5. <i>S</i> -Matrix Theory of the Transfer Reaction in the Semiclassical Limit: A Qualitative Approach	59
5.1. Explicit Partial-Wave Expansion of the <i>S</i> -Matrix	60

5.2.	Forward Angles and L -Dependence	65
5.3.	Interpretation	67
5.4.	Steepest Descents and Further Interpretation	70
5.5.	M -States and Angular Distributions	72
6.	Cross-Section Magnitudes, Spectroscopic Factors, and Comparison of DWBA Codes	78
6.1.	One-Particle Spectroscopic Factors Extracted from DWBA	79
6.2.	Approximate and Exact Computation: Comparison of Codes	81
6.3.	Data: One-Particle Spectroscopic Information Particular to Heavy-Ion Reactions	85
6.4.	Computation and Spectroscopy for Two-Particle Transfer	90
7.	Comparison between One- and Two-Particle Transfer: Possible Pitfalls	95
8.	Corrections to DWBA: Multistep Processes	102
9.	Summary and Conclusions	108
Appendix		110
A.I.	Optical Potentials	110
A.II.	No-Recoil Two-Particle Transfer	115
A.III.	M -States	117
References		118

Chapter 2

COMPUTATIONAL METHODS FOR SHELL-MODEL CALCULATIONS

R. R. Whitehead, A. Watt, B. J. Cole, and I. Morrison

1.	Introduction	123
2.	The Lanczos Method and Shell-Model Representations	125
2.1.	The Lanczos Method	126
2.2.	Connection with Moments, Resolvents, and Padé Approximants	129
2.3.	Application to Shell-Model Calculations	132
2.4.	Choice of Representation	132
2.5.	General Organization of the Glasgow Program	137
2.6.	Convergence, Accuracy, and Computer Time Requirements	139
3.	Slater Determinants and the m -Scheme	144

3.1.	The Computer Representation of Slater Determinants	145
3.2.	Manipulation of Slater Determinants	149
3.3.	The Hamiltonian	150
3.4.	Other Operators: Transition Rates, Spectroscopic Factors	153
3.5.	Symmetries and Phase Conventions	154
3.6.	A Peculiarity of the m -Scheme—Shifting	159
3.7.	Calculation of J and T for Eigenstates	162
3.8.	Choice of M -Value	162
4.	Modified Hamiltonians and Other Miscellaneous Techniques . .	163
4.1.	Energy Shifts	163
4.2.	J and T Shifts	163
4.3.	Higher Powers of H , Spectrum Bending	164
4.4.	Center-of-Mass Motion and Spurious States	165
4.5.	Many-Body Forces and Perturbation Theory	168
4.6.	Particles and Holes	171
5.	Nonspherical Orbitals	172
5.1.	Axial Deformations	172
5.2.	Angular Momentum Projection	173
5.3.	Nonaxial Deformations	175
References	175

Chapter 3

RADIATIVE PION CAPTURE IN NUCLEI

Helmut W. Baer, Kenneth M. Crowe, and Peter Tröhl

1.	Introduction	177
2.	Experimental Methods	182
3.	The Radiative Branching Ratio and Related Pionic Atom Physics	189
4.	Theory of Photoproduction of Pions near Threshold and Calculation of (π^-, γ) Transition Rates	198
4.1.	Impulse Approximation Hamiltonian	199
4.2.	Radiative Capture on Protons	200
4.3.	Calculation of $1s$ -Radiative Pion Capture in the “Elementary-Particle-Soft-Pion” Ansatz	207
5.	Results on Light Nuclei, Isotopes of Hydrogen and Helium . .	211
5.1.	Hydrogen	211
5.2.	Deuterium	213

5.3. Tritium	216
5.4. Helium-3	217
5.5. Helium-4	221
6. Results on 1 <i>p</i> -Shell Nuclei	221
6.1. Overview of General Features	221
6.2. Pole Model for Quasi-Free Capture	225
6.3. $\pi^- + {}^6\text{Li} \rightarrow {}^6\text{He(g.s.)} + \gamma$ as Test Case of the Theory	226
6.4. Analogs of Giant <i>M</i> 1 States	232
6.5. Analogs of the Giant-Dipole Resonance	236
7. Results on Medium-Mass and Heavy Nuclei	242
7.1. Basic Established Results	242
7.2. ${}^{209}\text{Bi}(\pi^-, \gamma){}^{209}\text{Pb}$ and Possible Observation of a New Collective State	244
8. Conclusions and Outlook	252
References	254
Index	261