



# Contents

---

## *Preface*

xiii

|   |          |
|---|----------|
| <b>1 Accelerators, beams and detectors</b>  | <b>1</b> |
| 1.1 Introduction  | 1        |
| 1.2 Particle accelerators and beams   | 1        |
| 1.2.1. Introduction   | 1        |
| 1.2.2. Colliding beams and available energy in the centre of mass                       | 3        |
| 1.2.3. Beam stability and accelerator magnet configuration                              | 5        |
| 1.2.4. Synchrotron radiation  | 7        |
| 1.2.5. An example of an operating accelerator – the CERN Super Proton Synchrotron (SPS) | 8        |
| 1.2.6. Particle beams for fixed-target experiments                                      | 11       |
| 1.2.7. Particle separators  | 12       |
| 1.3 Particle detectors  | 14       |
| 1.3.1. General considerations   | 14       |
| 1.3.2. Bubble chambers  | 17       |
| 1.3.3. Multiwire proportional chambers (MWPC)   | 20       |
| 1.3.4. Drift chambers   | 21       |
| 1.3.5. Scintillation counters   | 22       |
| 1.3.6. Cerenkov counters  | 24       |
| 1.3.7. Calorimeters   | 28       |

|  |   |                |
|--|---|----------------|
| 1.3.8.   | Electromagnetic calorimeters  | 30             |
| 1.3.9.   | Hadron calorimeters   | 35             |
| 1.3.10.  | Nuclear emulsions   | 37             |
| 1.3.11.  | Semiconductor counters  | 37             |
| 1.3.12.  | Transition radiation  | 38             |
| 1.3.13.  | Electronics and computers   | 39             |
| <br><b>2 Pions and muons</b>                               |   | <br><b>40</b>  |
| 2.1  | Introduction  | 40             |
| 2.2  | Prediction of the $\pi$ -mesons by Yukawa                               | 40             |
| 2.3  | Discovery of pions and muons  | 48             |
| 2.4  | Properties of charged pions and of muons                                | 53             |
| 2.4.1.   | Meson production  | 53             |
| 2.4.2.   | Pion mass   | 55             |
| 2.4.3.   | Decay of charged pions and muons  | 56             |
| 2.5  | The neutral $\pi$ -mesons   | 57             |
| 2.6  | Best determination of the mass and lifetime of the neutral $\pi$ -meson | 59             |
| 2.7  | The spin of the charged meson   | 62             |
| 2.8  | Resumé concerning parity and the parity of the charged $\pi$ -meson     | 65             |
| 2.9  | Spin and parity of the neutral $\pi$ -meson                             | 68             |
| 2.10   | Isotopic spin for the $\pi$ -meson                                      | 71             |
| 2.11   | Pion–proton scattering  | 73             |
| <br><b>3 Conservation laws</b>                             |   | <br><b>77</b>  |
| 3.1  | General features of conservation laws                                   | 77             |
| 3.2  | Conservation laws in quantum theory                                     | 78             |
| 3.3  | Parity conservation   | 79             |
| 3.4  | Operators and transformations in quantum theory                         | 80             |
| 3.5  | Angular momentum conservation in quantum theory                         | 82             |
| 3.6  | Conservation of isotopic spin   | 83             |
| 3.7  | The generalised Pauli principle   | 86             |
| 3.8  | Additive conservation laws  | 88             |
| 3.9  | Antiprotons and the conservation of baryons                             | 89             |
| 3.10   | Lepton conservation   | 93             |
| 3.11   | Muon and electron conservation and the two neutrinos                    | 94             |
| 3.12   | The $\tau$ -lepton  | 98             |
| <br><b>4 Strong, weak and electromagnetic interactions</b> |   | <br><b>100</b> |
| 4.1  | Types of interactions   | 100            |
| 4.2  | Coupling constants: dimensions  | 101            |
| 4.3  | Coupling constants and decay lifetimes                                  | 102            |
| 4.4  | Coupling constants and reaction cross-sections                          | 104            |

|  |            |
|--|------------|
| <b>5 Strange particles</b>   | <b>106</b> |
| 5.1 $V^0$ particles  | 106        |
| 5.2 Charged K-mesons   | 109        |
| 5.3 Mass and lifetime for charged K-mesons   | 112        |
| 5.3.1. Mass  | 112        |
| 5.3.2. Lifetime  | 113        |
| 5.4 Neutral K-mesons   | 114        |
| 5.5 The $\Lambda$ -hyperon   | 116        |
| 5.6 The $\Sigma^\pm$ -hyperons   | 118        |
| 5.7 The $\Sigma^0$ -hyperon  | 120        |
| 5.8 The $\Xi^-$ -hyperon   | 121        |
| 5.9 The $\Xi^0$ -hyperon   | 123        |
| 5.10 The $\Omega^-$ -hyperon   | 124        |
| 5.11 Strange-particle production and decay   | 126        |
| 5.12 Strangeness   | 126        |
| 5.13 Hypercharge   | 130        |
| <br>   |            |
| <b>6 Spin and parity of the K-mesons and non-conservation of parity in weak interactions</b>                       | <b>131</b> |
| 6.1 The $\tau$ - $\theta$ problem  | 131        |
| 6.2 Spin-parity for the $\theta$ -meson, $K \rightarrow \pi\pi$  | 131        |
| 6.3 Spin-parity for the $\tau$ -meson, $K \rightarrow \pi\pi\pi$   | 132        |
| 6.4 Distribution in the Dalitz plot for the $\tau$ -decay  | 136        |
| 6.5 Other examples of parity non-conservation in weak decay  | 137        |
| <br>   |            |
| <b>7 Weak interactions: basic ideas</b>  | <b>142</b> |
| 7.1 Introduction   | 142        |
| 7.2 Neutron $\beta$ -decay: phenomenology  | 143        |
| 7.3 The matrix element for $\beta$ -decay  | 144        |
| 7.4 Parity non-conservation in $\beta$ -decay  | 147        |
| 7.5 Weak decays of strange particles   | 151        |
| <br>   |            |
| <b>8 Invariance under the <math>CP</math> and <math>T</math> operations, properties of <math>K^0</math>-mesons</b> | <b>154</b> |
| 8.1 The $TCP$ theorem  | 154        |
| 8.2 The $K^0$ -particles and invariance under the operator $CP$  | 155        |
| 8.3 The development of a $K^0$ -beam   | 158        |
| 8.4 Time variation of the neutral kaons  | 159        |
| 8.5 Failure of invariance under $CP$ in $K^0$ -decay   | 161        |
| 8.6 $CPT$ invariance   | 165        |
| 8.7 $C$ and $P$ invariance in strong interactions  | 166        |
| 8.8 $C, P$ and $T$ invariance in electromagnetic interactions  | 167        |

|  |            |
|--|------------|
| <b>9 Strongly-decaying resonances</b>                                  | <b>172</b> |
| 9.1 Introduction   | 172        |
| 9.2 The $\Delta$ (1238): ‘formation’ experiments                       | 173        |
| 9.3 Resonance spin and parity: the $\Delta$ (1238)                     | 174        |
| 9.4 ‘Production’ experiments   | 176        |
| 9.5 The Dalitz plot  | 181        |
| 9.6 Resonances with $B=1$ and $S=0$                                    | 184        |
| 9.7 Resonances with $B=1$ and $S=-1$                                   | 187        |
| 9.8 Resonances with $B=1$ and $S=-2$                                   | 193        |
| 9.9 Meson resonances: quantum numbers: $J, I, P, C$                    | 194        |
| 9.10 Meson resonances: G-parity  | 195        |
| 9.11 Meson resonances: spin and parity                                 | 197        |
| 9.11.1. Pseudo-scalar mesons   | 197        |
| 9.11.2. Vector mesons  | 199        |
| 9.11.3. The tensor nonet   | 204        |
| 9.11.4. Other meson resonances   | 207        |
| <b>10 SU(3) and the quark model: classification and dynamic probes</b> | <b>208</b> |
| 10.1 Introduction  | 208        |
| 10.2 Baryon and meson multiplets                                       | 209        |
| 10.3 Symmetry groups   | 210        |
| 10.4 The SU(3) classification and the quark model                      | 212        |
| 10.5 Prediction of the $\Omega^-$                                      | 216        |
| 10.6 Mass formulae and mixing  | 218        |
| 10.7 Mesons and baryons constructed from quarks                        | 221        |
| 10.8 The orbital excitation model for quarks                           | 223        |
| 10.9 Regge trajectories  | 224        |
| 10.10 Developments of the quark model: magnetic moments                | 226        |
| 10.11 Nucleon structure from scattering experiments                    | 227        |
| 10.11.1. Elements of scattering theory: elastic scattering             | 228        |
| 10.11.2. Elements of scattering theory: inelastic scattering           | 229        |
| 10.11.3. Bjorken scaling and partons                                   | 230        |
| 10.11.4. Parton spins  | 232        |
| 10.12 The search for free quarks                                       | 233        |
| <b>11 Weak interactions and weak-electromagnetic unification</b>       | <b>236</b> |
| 11.1 ‘Cabibbo mixing’  | 236        |
| 11.2 $v$ -interactions and the unitarity problem                       | 237        |
| 11.3 Neutral currents  | 241        |
| 11.4 Gauge theories and the Weinberg–Salam model                       | 241        |
| 11.4.1. Global gauge transformations                                   | 243        |
| 11.4.2. Local gauge transformations                                    | 243        |
| 11.4.3. Yang–Mills gauge theory and weak $I$ -spin                     | 246        |

|  |            |
|--|------------|
| 11.4.4. Spontaneous symmetry breaking                                  | 247        |
| 11.4.5. The ‘Standard Model’   | 247        |
| 11.5 Weak-electromagnetic interference measurements                    | 250        |
| 11.5.1. Electro-weak interference in $e^+e^- \rightarrow \mu^+\mu^-$   | 250        |
| 11.5.2. Parity non-conservation in inelastic electron scattering       | 251        |
| 11.6 Experimental discovery of the $W^\pm$ and $Z^0$                   | 255        |
| 11.6.1. Masses and branching fractions                                 | 255        |
| 11.6.2. Antiproton cooling   | 258        |
| 11.6.3. The UA1 detector   | 259        |
| 11.6.4. Event selection and data                                       | 259        |
| 11.6.5. Comparison of results with $SU(2) \times U(1)$                 | 263        |
| <b>12 New flavours</b>   | <b>267</b> |
| 12.1 Prediction of charm from absence of $\Delta S=1$ neutral currents | 267        |
| 12.2 Discovery of the $J/\psi$   | 268        |
| 12.2.1. Properties of the $J/\psi$                                     | 271        |
| 12.3 Charmonium  | 272        |
| 12.4 Charmed hadrons   | 273        |
| 12.5 Symmetry including charm  | 276        |
| 12.6 Upsilon and the b-quark   | 278        |
| 12.7 Search for the t-quark  | 283        |
| 12.8 Six flavours and weak decays                                      | 285        |
| <b>13 Quark and gluon interactions</b>                                 | <b>287</b> |
| 13.1 Colour  | 287        |
| 13.2 Quantum chromodynamics (QCD)                                      | 288        |
| 13.3 Quark-quark interactions  | 290        |
| 13.4 Jets and quark fragmentation                                      | 293        |
| 13.5 Gluons and gluon couplings  | 294        |
| 13.6 Status of QCD   | 301        |
| <b>14 Higher symmetries</b>  | <b>302</b> |
| 14.1 Grand unification   | 302        |
| 14.2 Proton decay  | 305        |
| 14.2.1. Lifetime and decay modes                                       | 305        |
| 14.2.2. Measurements   | 307        |
| 14.3 Magnetic monopoles  | 310        |
| 14.4 Higher symmetries and outstanding problems                        | 312        |
| <b>Appendix A: Relativistic kinematics and phase space</b>             | <b>314</b> |
| A.1 Lorentz transformations  | 314        |
| A.2 The centre-of-mass system  | 317        |
| A.3 Geometrical picture of transformations                             | 319        |

|  |  |     |
|--|--|-----|
| A.4  | Decay length   | 320 |
| A.5  | Limiting kinematic relationships for many-particle systems                   | 321 |
| A.6  | Processes with three particles in the final state: the Dalitz plot           | 323 |
| A.7  | Phase space  | 325 |
| <b>Appendix B: Clebsch–Gordan coefficients and particle properties</b> |  | 331 |
| B.1  | Clebsch–Gordan coefficients  | 331 |
| B.2  | Particle properties  | 332 |
| B.2.1.   | Stable particles (stable or decaying by weak or electromagnetic transitions) | 333 |
| B.2.2.   | Strongly-decaying particles  | 335 |
| <b>References</b>  |  | 341 |
| <b>Index</b>   |  | 345 |