

Contents

<i>Preface</i>	<i>v</i>
<i>Notation</i>	<i>xv</i>
1. PURPOSE AND BASIS	
Scope of Study	1
Magnet Types	2
Approximations in First-Order Theory	3
The Effective Edge of a Magnet	4
Edge Lens for Radial Motion	7
Edge Lens for Axial Motion	10
Validity of the Concept of a Point Image	13
Further Approximations	14
Wedge Angle	16
2. RADIAL MOTION IN ONE MAGNET	
The Field Index n	17
The Required Value of $B\rho$	18
Equations of Radial Motion	18
Image Distance	21
Focal Distance	22
Magnification	22
Dispersion	23
Momentum Resolution from a Continuum	24
Slit Scattering	27
Energy Resolution	27
Alternative Definitions of Resolution in Momentum and Energy	28
Spectrographs for Discrete Masses or Energies	28
Spectrometers with Electric Recording	30
3. AXIAL MOTION IN ONE MAGNET	
Conversion of Radial to Axial Coefficients	33
The Two Meanings of Double Focusing	35
General Conditions for Double Focusing	35

4. DISPERSIVE ONE-MAGNET SYSTEMS

Introduction	38
Case 1. $n = 0, u_1 = u_2 = 0$, Sector, Single Focus	40
Case 2. $n = 0, u_1 = u_2 = 0$, Circular—Pole Switch, Single Focus	43
Parameters P and Q	46
Browne—Buechner Spectrograph	49
Case 3. $n = 0, u_1 = u_2 = 0$, Switch with Least Pole Area. Single Focus	50
Case 4. $n = 0, u_1 = 0, u_2 > 0$, Sector, Double Focus	53
Case 5. $n = 0, u_1 = 0, u_2 > 0$, Semicircular Magnet, Double Focus	56
Comparison of Circular and Semicircular Switch Magnets	59
Case 6. $n = 0, u_1 > 0, u_2 = 0$, Sector, Double Focus	60
Spectrograph of Green <i>et al.</i>	60
Case 7. $n = 0, \tan u_1 = \tan u_2 = 1/L_0$, Sector, Double Focus	63
Case 8. $n = 0, u_1 \neq 0, u_2 \neq 0$, Sector, Double Focus	66
Case 9. $n = 0, u_1 = u_2 < 0$, Fowler—Hafner Spectrograph, Single Focus	66
Case 10. $n = 0, u_1 > 0, u_2 < 0$, Elbek Spectrograph, Single Focus	70
Case 11. $n = 0, u_1, u_2, u_3 > 0, u_4 < 0$, Split-Pole Spectrograph, Double Focus	71
Case 12. $n = 0.5, u_1 = u_2 = 0$, Double Focus	72
Case 13. $n = 0.5, u_1 = 0, u_2 > 0$, Single Focus	77
Case 14. $n = 0.57, u_1 = u_2 = 0$, Tipped Image Spectrograph	78
Case 15. $n > 0.5, u_1 = u_2 = 0$, Single Focus	78
Case 16. $n > 0.5, u_1 = u_2 = 0$, Double Focus	79
Case 17. $n < 0.5, u_1 = u_2 = 0$, Double Focus; Nondispersed Final Image	81
Case 18. $n > 0.5, u_1 > 0, u_2 < 0$, Double Focus	82
Barber's Rule	83

5. DISPERSIVE MULTIMAGNET SYSTEMS

Effect of Reversed Bending of a Magnet	86
Two Magnets with an Intermagnet Image—General Relations	88
Two Oppositely Bending Magnets with an Intermagnet Image	89
Two Similarly Bending Magnets with an Intermagnet Image	90
A Series of Magnets with Intermagnet Images	91

6. RADIAL MATRIX COEFFICIENTS FOR THREE MAGNETS

Radial (x) Coefficients	94
Special Forms; Useful for Numerical Calculations of Beam Envelopes	99

7. RADIAL BEAM ENVELOPES

Introduction	101
Phase-Space Ellipse of Radial Motion	102
Qualitative Behavior of Ellipse	103
Ellipse Coefficients α, β, γ ; Liouville's Theorem	106
Width of the Envelope	108

Ellipse Coefficients Expressed in Sequence	109
Ellipse Coefficients Expressed in Terms of Radial Matrix Coefficients	112
Liouville's Theorem Again	114
Effect of Dispersion on the Radial Ellipse	115
Width of Radial Bust in First Magnet	117
Width of Radial Bust in Second Magnet	120
Emittance	121
8. AXIAL BEAM ENVELOPES	
Axial Phase-Space Ellipse Coefficients	125
Axial Motion when $n = 0$	127
Axial Motion when $n = 0$ and $\tan u_1 = 1/L_0$	127
Axial Motion when $1 > n > 0$ and $u_1 = u_2 = 0$	129
A Pitfall to Avoid	130
9. ROUTINE FOR ENVELOPES IN ONE OR TWO MAGNETS	
Introduction	131
Preliminary Steps	132
Uniform Fields—Axial Envelopes	133
Uniform Fields—Radial Envelopes	134
Nonuniform Fields—Axial Envelopes	138
Nonuniform Fields—Radial Envelopes	140
10. ACHROMATIC SYSTEMS—GENERAL CONSIDERATIONS	
Introduction	144
Doubly Achromatic Systems	146
Singly Achromatic Systems	146
11. DOUBLY ACHROMATIC SYSTEMS	
Mirror Symmetry	148
Three Magnets—Doubly Achromatic	151
Case 1. (+ - +)	151
Case 2. (+ + +)	157
Two Magnets and One Quadrupole—Doubly Achromatic	161
12. BEAM BENDING BY TWO MAGNETS WITH ACHROMATIC IMAGE	
Introduction	165
Case A. $n = 0, u_1 = u_2 = u_3 = u_4 = 0$	168
Case B. $n = 0, u_1 > 0, u_2 = u_3 = u_4 = 0$	169
Case C. $n = 0, u_4 > 0, u_1 = u_2 = u_3 = 0$	172

Case D. $n = 0, u_1 = u_4 = u > 0$ with $\tan u = 1/L_0, u_2 = u_3 = 0$	176
Case E. $n = 0, u_1 = u_4 = u > 0, u_2 = u_3 = 0$	179
Case F. $n = 0, u_1 = u_2 = u_3 = u_4 = u$, with $\tan u = 1/L_0$	182
Case G. $n = 0.5, u_1 = u_2 = u_3 = u_4 = 0$	185
Case H. $n < 0.5, u_1 = u_2 = u_3 = u_4 = 0$	186
13. BEAM BENDING BY ONE MAGNET AND TWO QUADRUPLS, WITH ACHROMATIC IMAGE	188
14. ACHROMATIC SINGLE MAGNETS	
270° Magnet, $n = 0, u_1 = 45^\circ, u_2 = 32.4^\circ$	191
270° Magnet, $n \approx -1, u_1 = u_2 = 45^\circ$	195
540° Achromatic Reflector, $n = 0, u_1 = u_2 = u_3 = u_4 = 45^\circ$	195
540° Achromatic Reflector, $n = 0, u_1 = u_4 = 0, u_2 = u_3 = 45^\circ$	197
270° Magnet, $n = 0, u_1 = u_2 = 45^\circ$	198
270° Magnet, $n = 0, u_1 = 0, u_2 = 45^\circ$	198
360° Particle Separator	198
15. BEAM TRANSLATION BY TWO MAGNETS WITH ACHROMATIC IMAGE	
Introduction	200
Case I. $n = 0, u_1 = u_2 = u_3 = u_4 = 0$	201
Case II. $n = 0, u_1 > 0, u_2 = u_3 = u_4 = 0$	202
Case III. $n = 0, u_4 > 0, u_1 = u_2 = u_3 = 0$	204
Case IV. $n = 0, \tan u_1 = \tan u_4 = 1/L_0, u_2 = u_3 = 0$	206
Case V. $n = 0, u_1 = u_4 > 0, u_2 = u_3 = 0$	206
Case VI. $n = 0$, all $\tan u = 1/L_0$	208
Case VII. $n = 0.5$, all $u = 0$	209
The Translation Distance	210
16. DISPERSED OR ACHROMATIC IMAGE WITH TWO MAGNETS	211
17. CHROMATIC ABERRATIONS	
Introduction	214
Chromatic Aberrations in Magnification	214
Chromatic Aberration in Image Distance	215
18. CORRECTION OF CERTAIN ABERRATIONS	
Introduction	217
Uniform Fields—Curved Edges	219

Uniform Fields—Shimming the Magnet	221
Nonuniform Fields—Control of the β Factor	222
Nonuniform Fields—Curved Edges	223
19. PRINCIPAL PLANES	
General Relations	225
Circular Magnet with $n = u_1 = u_2 = 0$	229
Semicircular Magnet with $n = u_1 = 0, u_2 > 0$	230
Converging Quadrupole	233
Diverging Quadrupole	234
BIBLIOGRAPHY	236
<i>Author Index</i>	253
<i>Subject Index</i>	258