INDICE

M. JEAN – Introduction . . . . . pag. XV

Gruppo fotografico dei partecipanti al Corso fuori testo

LEZIONI

R. VAN LIESHOUT – Energy spectra and properties of atomic nuclei.

Introduction . . . . . pag. 1
1. Atomic masses . . . . . » 2
1·1. Nuclear energy levels. . . . . » 5
2. The shell model . . . . . » 7
2·1. The quasi-particle concept . . . . . » 11
2·2. Even-even nuclei with vibrational spectra. . . . . » 12
3. Vibrational states in odd-mass nuclei . . . . . » 15
3·1. Deformed nuclei. . . . . » 16
3·2. Odd-mass nuclei . . . . . » 17
3·3. Even-even nuclei . . . . . » 18
3·4. The rotational bands . . . . . » 19
3·5. Vibration in deformed nuclei. . . . . » 20
4. New regions of deformation . . . . . » 23

G. ALAGA – Vibrational states in nuclei.

1. Introduction . . . . . » 28
2. The vibrations of a five-dimensional harmonic vibrator. . . » 28
3. Possible anharmonicities in vibrational nuclei . . . . . » 34
3·1. Anharmonicities due to the neglected higher-order terms in the Hamiltonian . . . . . » 34
3·2. Anharmonicities due to the particle-vibration coupling. » 37
4. Vibrations of odd A nuclei . . . . . » 53
5. Discussion . . . . . » 62
Appendix A. Surface vibrations of a charged droplet (nucleus) » 63
Appendix B. Quadrupole harmonic vibrations of even-even nuclei . . . . . » 70

R. A. RICCI – Experimental nuclear spectroscopy in the $1f_{\frac{7}{2}}$ shell.

Introduction . . . . . pag. 80
1. The $(1f_{\frac{7}{2}})^n$ configuration and the experimental level spectra » 84
1·1. Two-body spectra . . . . . » 84
1·2. The $(1f_{\frac{7}{2}})^{\pm 3}$ spectra and the related electromagnetic transitions . . . . . » 91
1·3. $M1$ transitions . . . . . » 93
2. Quadrupole and octupole excitations in even-even nuclei . . » 99
3. Single-particle and hole states in $f_{\frac{7}{2}}$ nuclei . . . . . » 108
3·1. The $\frac{3}{2}^-$ levels in ^{41}Ca and ^{41}Sc . . . . . » 109
3·2. Single-particle states and stripping reactions. . . . . » 111
3·3. Single-hole states and pick-up reactions in $1f_{\frac{7}{2}}$ nuclei » 118
3·4. Unperturbed single-particle states (SPS) in the $1f_{\frac{7}{2}}$ region » 122
4. Deformations in the $1f_{\frac{7}{2}}$ shell . . . . . » 127
4·1. Hole states and deformation in the $1f_{\frac{7}{2}}$ shell . . . . . » 128
4·2. Negative-parity levels of odd nuclei and deformations in the $1f_{\frac{7}{2}}$ shell . . . . . » 130
5. Isobaric analogue resonances and shell-model states in the $1f_{\frac{7}{2}}$ nuclei . . . . . » 132
5·1. The ground-state isobaric analogue resonance of ^{49}Sc. . » 133

S. G. NILSSON – Nucleonic structure at equilibrium and fission deformations.

Introduction. . . . . » 142
1. Distortion parameters . . . . . » 145
2. Volume conservation . . . . . » 147
3. Single-particle energies. . . . . » 149
4. The pairing force . . . . . » 152
5. The Coulomb energy . . . . . » 154
6. Treatment of more general distortions . . . . . » 159
6·1. The ε_4-distortion . . . . . » 159
6·2. The ε_6 behavior. . . . . » 164
7. The barrier-penetration problem . . . . . » 165

M. JEAN – Microscopic theories.

1. Introduction . . . . . » 171
2. The Hartree-Fock self-consistent field formalism . . . . . » 173
2·1. The Hamiltonian in second quantization formalism . . » 173
2·2. Separation of the Hamiltonian . . . . . » 176
2·3. Self-consistency and the H. F. potential . . . . . » 177
2·4. Hartree-Fock transformation and equations . . . . . » 180
2·5. Stationarity . . . . . » 183

2·6. Particles and holes. The Hamiltonian in H. F. basis pag. 185
2·7. Hartree-Fock formalism and moments of inertia . . . . » 188
2·8. Conclusion and comments . . . . . » 192
3. The B.C.S.-Bogoliubov-Valatin pairing theory . . . . . » 192
3·1. The Bogoliubov-Valatin transformation . . . . . » 194
3·2. Bogoliubov equations and « gap » equations . . . . . » 196
3·3. The quasi-particle Hamiltonian. . . . . » 199
3·4. The independent quasi-particle approximation . . . . . » 202
3·5. Pairing forces . . . . . » 203
3·6. Application to single-closed-skell nuclei as an example » 205
3·7. Connection with the seniority scheme. . . . . » 209
3·8. Consequence of pairing . . . . . » 214
4. Interacting quasi-particle models . . . . . » 220
4·1. Tamm-Dancoff approximation . . . . . » 220
4·2. Random phase approximation . . . . . » 224
4·3. Comparison of T.D.A. and R.P.A. from applications . . » 237

D. A. BROMLEY – Direct reactions between complex nuclei.

1. Introduction . . . . . » 242
2. Elastic scattering . . . . . » 244
2·1. General survey . . . . . » 244
2·2. Diffraction model analyses. . . . . » 247
2·3. Fine structure at forward angles . . . . . » 249
2·4. Optical model analyses . . . . . » 250
2·5. Rainbow scattering . . . . . » 253
3. Inelastic scattering . . . . . » 254
3·1. Inelastic scattering at low energies . . . . . » 254
3·2. Distorted wave and coupled-channel analyses . . . . . » 255
3·3. Selective population of collective excitations. . . . . » 256
3·4. Derivative-model analyses . . . . . » 258
3·5. Inelastic scattering on heavy targets . . . . . » 260
3·6. Diffraction-model analyses . . . . . » 261
4. Neutron transfer reactions at low energies . . . . . » 264
4·1. General survey . . . . . » 264
4·2. Tunnelling analyses . . . . . » 267
4·3. Absorption effects at low energies . . . . . » 272
4·4. Absorption effects at higher energies; T-matrix analyses » 274
4·5. Distorted-wave and molecular state analyses . . . . . » 276
4·6. Universal excitation functions . . . . . » 277
5. Experimental techniques. . . . . » 277
5·1. Detection of radioactive transfer products. . . . . » 278
5·2. Electronic particle identification systems . . . . . » 279
5·3. Magnetic spectrometry . . . . . » 282
6. Neutron-transfer reactions on heavy nuclei . . . . . » 283
6·1. General survey . . . . . » 283
6·2. Diffraction-model analyses . . . . . » 285

6·3. Comparison of single-neutron and single-proton transfer data . . . . . pag. 288
6·4. Finite-range, three-body diffraction-model analyses . . . » 291
6·5. Systems with low Coulomb damping . . . . . » 294
6·6. Spectroscopic studies at lower energies . . . . . » 295
6·7. Diffraction models including recoil phenomena. . . . . » 299
7. Isospin studies with nucleon transfer reactions. . . . . » 304
8. Fractional parentage studies with transfer reactions . . . . » 306
9. Single-particle aspects of transfer reactions . . . . . » 308
10. Multinucleon-transfer reactions . . . . . » 308
10·1. General survey . . . . . » 308
10·2. Structure and pairing effects in multineutron-transfer reaction. . . . . » 310
11. Deuteron transfer reactions . . . . . » 313
11·1. . . . . » 313
11·2. Alpha-particle-transfer reaction . . . . . » 316
11·3. More complex transfer reactions. . . . . » 317
12. Quasi-molecular configurations . . . . . » 318
13. Conclusions. . . . . » 326

N. K. GLENDENNING – Inelastic scattering and nuclear structure.

1. Introduction . . . . . » 332
2. Coupled channel and distorted wave methods . . . . . » 335
2·1. Coupled equations . . . . . » 337
2·2. Distorted-wave Born approximation . . . . . » 340
3. Truncation and the effective interaction. . . . . » 343
3·1. Relation of truncated to exact solution. . . . . » 344
3·2. Modified truncation . . . . . » 346
3·3. The effective interaction. . . . . » 348
3·4. Nonlocality. . . . . » 349
4. Microscopic theory of inelastic scattering . . . . . » 350
4·1. The interaction . . . . . » 350
4·2. Form factors . . . . . » 352
4·3. Nuclear structure and amplitudes for elementary transitions . . . . . » 354
4·4. Two-quasiparticle states . . . . . » 354
4·5. Two-phonon states . . . . . » 358
4·6. Two-particle states . . . . . » 358
5. Application of microscopic theory . . . . . » 359
5·1. Effective interaction. . . . . » 359
5·2. Two-quasi-particle description of nickel and tin . . . . » 360
5·3. Two-phonon states . . . . . » 363
5·4. Summary . . . . . » 363
6. Scattering from rotational nuclei . . . . . » 363
6·1. Adiabatic approximation . . . . . » 363

6.2. The interaction . . . . . pag. 365
6·3. Form factors . . . . . » 367
6·4. Coupled equations for alpha scattering . . . . . » 369
7. Alpha scattering in the deformed rare-earth region. . . . . » 371
7·1. Trends in β_4 . . . . . » 375
7·2. Summary . . . . . » 377
Appendix to Section 2. Cross-sections . . . . . » 377

B. F. BAYMAN – Isobaric analogue states.

1. Introduction . . . . . » 380
2. The formalism of isobaric spin . . . . . » 381
3. The isobaric spin operators, and the isobaric spin quantum number . . . . . » 384
4. Charge-independence. . . . . » 388
5. Connection with the permutation group on $N+Z$ particles » 390
6. Charge symmetry . . . . . » 392
7. Analogue spin . . . . . » 394
8. Excitation energy of isobaric analogue states . . . . . » 395
9. Tests of isobaric spin purity . . . . . » 397
9·1. $^{12}C(d, \alpha)^{10}B(0^+)$ . . . . . » 398
9·2. Fermi β-transitions . . . . . » 399
10. The energy splitting of the isobaric multiplet . . . . . » 400
11. Coulomb-energy differences between isobaric analogue states in medium-weight nuclei. . . . . » 403
12. The region around the $1f_{\frac{7}{2}}$ shell . . . . . » 404
13. Isobaric analogue resonances . . . . . » 407
14. Energy relations . . . . . » 409
15. External mixing approximation . . . . . » 410
16. Nuclear-structure information from elastic-scattering resonances . . . . . » 418
17. Observation of isobaric resonances in inelastic proton scattering » 421

R. H. LEMMER – Nuclear reactions.

1. Introduction . . . . . » 429
2. The scattering problem at low energies . . . . . » 430
3. The average problem . . . . . » 440
3·1. Doorway states. . . . . » 442
3·2. The intermediate model . . . . . » 444
4. Applications . . . . . » 445
4·1. Isobaric analogue resonances. . . . . » 445
4·2. Dipole states in heavy nuclei . . . . . » 449
5. The Hartree-Fock approximation and antisymmetrization. . » 453

M. H. MACFARLANE – The reaction matrix in nuclear shell theory.

1. Introduction . . . . . pag. 457
2. The assumptions and aims of nuclear shell theory . . . . . » 458
3. The single-particle potential and the model space of shell theory . . . . . » 459
4. Equations for the effective interaction . . . . . » 463
5. Separation of core and valence energies. . . . . » 468
6. The reaction matrix as effective interaction . . . . . » 475
7. Core excitation in two-particle shell-model systems. . . . . » 483
8. Deformed states and state-dependence of the effective interaction in ^{18}O and ^{18}F . . . . . » 488
9. The many-particle shell model . . . . . » 490
10. Phenomenological shell-model interactions . . . . . » 491
11. Phenomenological study of deformed states in ^{18}O and ^{18}F. The anatomy of a forced fit . . . . . » 496
12. Moments and transition rates . . . . . » 499
13. Future prospects for nuclear shell theory . . . . . » 501

M. BARANGER – Recent progress in the understanding of finite nuclei from the two-nucleon interaction.

Introduction. . . . . » 511
1. Diagrams . . . . . » 513
   1·1. What is a Feynman diagram? . . . . . » 513
   1·2. Rules for Feynman diagrams . . . . . » 515
   1·3. Feynman diagrams for a many-body system . . . . . » 516
   1·4. The energy propagator . . . . . » 516
   1·5. Feynman-Goldstone diagrams . . . . . » 519
   1·6. Special pitfalls . . . . . » 520
   1·7. Questions of antisymmetry, signs, and coefficients . . » 522
   1·8. The Pauli principle may be disregarded in intermediate states . . . . . » 523
   1·9. The single-particle propagator formalism . . . . . » 525
   1·10. Difference between the two formalisms . . . . . » 527
2. Goldstone's theorem. . . . . » 528
   2·1. The adiabatic assumption . . . . . » 528
   2·2. The ground-state wave function . . . . . » 529
   2·3. Calculation of the energy . . . . . » 530
   2·4. The contribution of a single cluster . . . . . » 531
   2·5. The linked cluster expansion. . . . . » 532
   2·6. Use of the single-particle energy propagator. . . . . » 533
3. The two-nucleon interaction . . . . . » 534
   3·1. Origin of the nuclear force . . . . . » 534
   3·2. The two-nucleon potential . . . . . » 535

3·3. Local and nonlocal potentials . . . . . pag. 536
3·4. How much do we know about the two-nucleon potential? » 538
4. Nuclear matter . . . . . » 542
4·1. Brueckner theory . . . . . » 542
4·2. Hartree-Fock theory in diagrams . . . . . » 545
4·3. The single-particle potential in Brueckner theory . . . » 547
4·4. The BBP theorem . . . . . » 548
4·5. Proof of the BBP theorem . . . . . » 550
4·6. The cancellation of three-body clusters . . . . . » 553
5. Brueckner theory of finite nuclei . . . . . » 555
5·1. General considerations . . . . . » 555
5·2. List of main difficulties . . . . . » 557
5·3. The double self-consistency . . . . . » 557
5·4. Philosophy behind the use of harmonic oscillator wave functions . . . . . » 559
5·5. The local density approximation . . . . . » 562
5·6. Solution of the Bethe-Goldstone equation . . . . . » 563
5·7. Correlated and uncorrelated wave functions . . . . . » 567
5·8. The case of a local two-nucleon potential . . . . . » 569
5·9. Calculation of the reference G-matrix . . . . . » 571
5·10. The particle spectrum . . . . . » 574
5·11. Three-body clusters and the particle spectrum . . . . » 576
5·12. The effect of $-U$ insertions in particle lines . . . . . » 579
5·13. Further discussion of the particle spectrum . . . . . » 581
5·14. Treatment of the Pauli operator . . . . . » 582
5·15. The Pauli operator in the harmonic oscillator representation . . . . . » 584
5·16. $Q-1$ corrections to the Bethe-Goldstone equation . . » 586
5.17. Direct solution of the BG equation including Q . . . » 591
5·18. The separation method . . . . . » 594
5·19. Implementation of the separation method . . . . . » 597
5·20. The tensor force . . . . . » 601
6. Some recent calculations . . . . . » 602
6·1. WONG . . . . . » 602
6·2. KÖHLER and MCCARTHY . . . . . » 603
6·3. KALLIO and DAY . . . . . » 603
6·4. BECKER, MACKELLAR and MORRIS . . . . . » 603
6·5. KUO and BROWN . . . . . » 605
6·6. SHAKIN, WAGHMARE, TOMASELLI and HULL . . . . . » 609
7. Conclusion . . . . . » 610

SEMINARI

D. AGASSI – The pairing plus monopole solvable model.

1. The pairing plus quadrupole model . . . . . » 615
2. The model and properties of exact solution . . . . . » 616

3. Approximation to the ground state . . . . . pag. 621
4. Approximation to one-phonon states . . . . . » 624

R. ARVIEU – Properties of single closed-shell nuclei in a simple model.

1. The surface delta interaction . . . . . » 629
2. Properties of the degenerate case . . . . . » 631
2·1. Possibility of $\boldsymbol{L}\cdot\boldsymbol{S}$ coupling . . . . . » 631
2·2. Generalized seniority . . . . . » 631
3. Structure of the wave functions of nondegenerate systems » 634
4. Electric quadrupole transitions . . . . . » 637

E. UREY BARANGER – Shell-model calculations with a smooth, realistic, residual interaction . . . . . » 643

P. CAMIZ – Binding energies of light nuclei with pairing plus isopairing forces . . . . . » 654

M. E. GRYPEOS – A variational approach to two-body correlations in finite nuclei, using realistic interactions.

1. Introduction . . . . . » 661
2. The variational approach . . . . . » 662
3. The model operator and effective nuclear Hamiltonian. Transformation to relative co-ordinates . . . . . » 662
4. First variational method. Separation condition . . . . . » 668
5. Second variational method. Healing condition . . . . . » 672
6. Noncentral forces . . . . . » 674
7. Numerical calculations and discussion . . . . . » 677

J. RAYNAL – On two methods for taking into account continuum states and their application to the giant resonance of ^{16}O.

1. The giant resonance of ^{16}O . . . . . » 683
2. The E-representation . . . . . » 685
3. The r-representation . . . . . » 686
4. Results . . . . . » 688
5. Generalizations . . . . . » 689

J. RAYNAL – Rotational spectrum with a two-body interaction: The « stretch » scheme.

1. Introduction . . . . . » 694
2. The stretch wave function . . . . . » 694

3. Properties of the stretch wave function . . . . . pag. 695
4. Calculations of Danos and Gillet . . . . . » 696
5. Tensor expansion of the two-body interaction . . . . . » 697
6. Results . . . . . » 698
7. Further calculations . . . . . » 700

C. RUHLA – Information on nuclear structure given by the (p, 2p) reaction.

Introduction . . . . . » 701
1. Kinematics of the reaction (according to impulse approximation) » 702
2. Distortion effects . . . . . » 705
3. Fourth information . . . . . » 705
4. ^{6}Li and ^{7}Li . . . . . » 706
5. ^{40}Ca and $1f_{\frac{7}{2}}$ nuclei . . . . . » 710
6. General results given by the spectroscopy of proton holes » 713
7. Comparison with theoretical calculations . . . . . » 714

P. U. SAUER – Hartree-Fock and Hartree-Fock-Bogoliubov calculations for light nuclei.

1. Method of calculation . . . . . » 717
2. Results . . . . . » 721
2·1. The p-shell nuclei. . . . . » 722
2·2. The $(s$-$d)$-shell nuclei . . . . . » 727
2·3. The calcium isotopes . . . . . » 728

J. SAWICKI † – Microscopic theories of vibrational states of even-even nuclei including four-quasi-particle excitations.

1. The nuclear many-body problem and nuclear spectra . . . » 730
2. Bogoliubov quasi-particles and the independent quasi-particle model . . . . . » 731
3. Interactions between quasi-particles. Two-quasi-particle theories of excited states of even-even nuclei . . . . . » 733
4. Four- and more-particle excitations. Introduction and general conditions . . . . . » 737
5. Four-quasi-particle excitations in the quasi-particles. Second Tamm-Dancoff theory . . . . . » 739
6. Spurious states due to the nucleon-number nonconservation in QSTD . . . . . » 742
7. Some numerical results on even parity states of even tin isotopes . . . . . » 744
7·1. The 2^+ states . . . . . » 745
7·2. The 4^+ states . . . . . » 747
7·3. The 0^+ states. Computations with finite-range forces. . » 747

8. Electromagnetic properties of nuclear states . . . . . pag. 751
9. Four-quasi-particle theories and quasi-phonons. . . . . » 754
10. Final remarks . . . . . » 757

J. P. SVENNE – Results of Hartree-Fock calculations with nonlocal and hard-core potentials.

1. Hartree-Fock equations . . . . . » 760
2. Method of calculation, approximations . . . . . » 762
3. Restrictions . . . . . » 763
4. Two-body potentials. . . . . » 763
5. Results . . . . . » 764
5·1. Spherical nuclei. . . . . » 764
5·2. Deformed nuclei . . . . . » 765
5·3. Results with hard-core potentials. . . . . » 766

H. G. WAHSWEILER – Eigenchannel theory of nuclear reactions.

1. Introduction . . . . . » 770
2. Basic idea of the eigenchannel method . . . . . » 771
3. Asymptotic amplitudes and boundary conditions. . . . . » 772
4. Search for the eigenphases. . . . . » 773
5. Results . . . . . » 775

H. A. WEIDENMÜLLER – Isobaric analogue resonances.

1. Introduction . . . . . » 780
2. Survey of experimental results . . . . . » 780
3. The Lane model . . . . . » 782
4. The particle-hole picture. . . . . » 784
5. Statistical treatment . . . . . » 787

T. YAMAZAKI – Recent study of aligned nuclear isomerism.

1. Introduction . . . . . » 791
2. Pulsed generation of aligned isomers and time analysis. . . » 792
3. Perturbed angular distributions. . . . . » 796
4. Electromagnetic core polarization effects in ^{210}Po . . . . . » 799
4·1. Effective charge for $E2$ transitions . . . . . » 803
4·2. Octupole core excitation. . . . . » 804
4·3. Magnetic core polarization due to spin . . . . . » 805
4·4. Magnetism due to pure orbital motion . . . . . » 806
5. Isomer and level systematics in even Sn isotopes . . . . . » 807
6. Concluding remarks . . . . . » 811