

# Contents

<b>1.</b>	<b>Introduction</b>	<b>1</b>
1.1.	General Remarks	1
1.2.	Difficulties of Some Reaction Theories	3
<b>2.</b>	<b>Reformulation of the Schrödinger Equation</b>	<b>6</b>
<b>3.</b>	<b>Discussion of the Basis Wave Functions for Nuclear Systems</b>	<b>9</b>
3.1.	General Remarks	9
3.2.	Qualitative Discussion of Cluster Correlations	9
3.3.	Construction of Oscillator Cluster Wave Functions	11
3.4.	Discussion of ${}^8\text{Be}$ as an Illustrative Example	14
3.5.	Effects of Antisymmetrization	18
3.5a.	Fermions without Mutual Interaction in a Square-Well Potential	18
3.5b.	The Lowest $4^+$ $\alpha$ -Cluster State of ${}^8\text{Be}$	19
3.5c.	Mathematical Equivalence of the Lowest ${}^6\text{Li}$ States Described in the $t + {}^3\text{He}$ and the $d + \alpha$ Oscillator Cluster Representations	23
3.5d.	Summary	24
3.6.	Applications of Oscillator Cluster Representations to a Qualitative Description of Low-Lying Levels in Light Nuclei	25
3.6a.	${}^7\text{Li}$ and ${}^7\text{Be}$	25
3.6b.	${}^6\text{He}$ , ${}^6\text{Li}$ , and ${}^6\text{Be}$	27
3.6c.	$\alpha$ -Cluster States of ${}^{16}\text{O}$	28
3.6d.	Brief Remarks	31
3.7.	Construction of Generalized Cluster Wave Functions	32
3.7a.	Introduction of Jacobi Coordinates	35
3.7b.	Introduction of Parameter Coordinates	36
3.7c.	Introduction of Jastrow Factors	38
3.7d.	Summary	40
<b>4.</b>	<b>Formulation of a Unified Microscopic Nuclear Structure and Reaction Theory</b>	<b>41</b>
4.1.	General Remarks	41
4.2.	Specific Examples	42
4.2a.	$n + \alpha$ Scattering	42
4.2b.	$d + \alpha$ Scattering	45
4.2c.	Discussion	47
4.3.	Extension to General Systems	48
<b>5.</b>	<b>Bound-State Calculations</b>	<b>51</b>
5.1.	General Remarks	51
5.2.	Calculation of Matrix Elements	52
5.2a.	Evaluation of Matrix Elements by the Cluster-Coordinate Technique – Example of ${}^8\text{Be}$	53
5.2b.	Evaluation of Matrix Elements by the Generator-Coordinate Technique – Example of ${}^8\text{Be}$	58

5.3.	Ground and Low Excited States of ${}^6\text{Li}$	64
5.3a.	Introduction	64
5.3b.	Calculation With a Nucleon-Nucleon Potential Containing a Hard Core – Accurate Treatment of the Jastrow Factor	65
5.3c.	Calculation with a Nucleon-Nucleon Potential Containing a Soft Core – Approximate Treatment of the Jastrow Factor	69
5.3d.	Calculation with a Nucleon-Nucleon Potential Containing no Repulsive Core	75
5.3e.	Summary	79
5.4.	Low-Energy $T = 0$ States of ${}^{12}\text{C}$	80
5.5.	Low-Lying Levels of ${}^7\text{Be}$	83
5.6.	Concluding Remarks	85
<b>6.</b>	<b>Further Comments About the Pauli Principle</b>	<b>87</b>
6.1.	General Remarks	87
6.2.	Cluster Overlapping and Pauli Principle	87
6.3.	Energetical Favouring of a Cluster Inside a Large Nucleus	94
<b>7.</b>	<b>Scattering and Reaction Calculations</b>	<b>106</b>
7.1.	General Remarks	106
7.2.	Derivation of Coupled Equations	106
7.2a.	Single-Channel Problem	106
7.2b.	Coupled-Channel Problem	112
7.2c.	Reaction Calculations Using Hulthén-Kohn-Type Variational Functions	115
7.3.	Quantitative Results	117
7.3a.	${}^3\text{He} + \alpha$ Elastic Scattering	118
7.3b.	$l = 0$ Phase-Shift in $\alpha + \alpha$ scattering	120
7.3c.	Specific Distortion Effects in $d + \alpha$ Scattering	124
7.3d.	Effect of Reaction Channels on ${}^3\text{He} + {}^3\text{He}$ Scattering Cross Sections	126
7.3e.	$\alpha + {}^{16}\text{O}$ Scattering – Utilization of the Generator-Coordinate Technique	129
7.3f.	$p + \alpha$ Scattering Around $3/2^+$ Resonance Level in ${}^5\text{Li}$	131
7.3g.	$\alpha + \alpha$ Scattering with Specific Distortion Effect and a Nucleon-Nucleon Potential Containing a Repulsive Core	134
7.3h.	$p + {}^3\text{He}$ and $n + t$ Scattering Calculations	136
7.3i.	Coupled-Channel Study of $t(p, n) {}^3\text{He}$ Reaction	138
7.4.	Concluding Remarks	140
<b>8.</b>	<b>Introductory Considerations About the Derivation of General Nuclear Properties</b>	<b>142</b>
8.1.	General Remarks	142
8.2.	Introduction of Effective Hamiltonians	144
8.3.	Elimination of Linear Dependencies	147
8.4.	Concluding Remarks	149
<b>9.</b>	<b>Breit-Wigner Resonance Formulae</b>	<b>150</b>
9.1.	General Remarks	150
9.2.	Single-Level Resonance Formula for Pure Elastic-Scattering	150
9.2a.	Derivation of the Resonance Formula	150
9.2b.	Discussion of the Resonance Formula	154
9.2c.	Existence of Sharp Resonances	155
9.2d.	Discussion of a Simple Resonance Model	160

9.3.	Many-Level Resonance Formula for Pure Elastic-Scattering	162
9.4.	Single-Level Resonance Formula Including Inelastic and Rearrangement Processes	165
9.4a.	Derivation of the Resonance Formula	165
9.4b.	Application of the Resonance Formula to a Specific Example Involving Two Open Channels	168
9.5.	Mutual Influence of Resonance Levels in Inelastic and Rearrangement Processes	174
9.5a.	Derivation of a Two-Level Breit-Wigner Formula	175
9.5b.	A Specific Example	179
9.6.	Behaviour of the Partial Level Width Near a Threshold and Energy-Dependent Width Approximation	184
<b>10.</b>	<b>Resonance Reactions and Isobaric-Spin Mixing</b>	<b>186</b>
10.1.	General Remarks	186
10.2.	Isobaric-Spin Mixing in the Compound Region	187
10.2a.	Derivation of a Two-Level Resonance Formula	187
10.2b.	The 16.62 and 16.92 MeV States in $^8\text{Be}$ as a Specific Example	192
10.3.	Isobaric-Spin Mixing in the Incoming Channel	195
10.3a.	Qualitative Description	195
10.3b.	Quantitative Formulation in the Case of a Single Open Channel	197
10.3c.	Brief Discussion in the Case of Many Open Channels	205
<b>11.</b>	<b>Optical-Model Potentials for Composite Particles</b>	<b>206</b>
11.1.	General Remarks	206
11.2.	Optical-Model Description of Elastic-Scattering Processes	207
11.2a.	Preliminary Remarks About the Optical-Model Potential	207
11.2b.	Optical-Model Potential for Pure Elastic Scattering	208
11.2c.	Optical-Model Potential in the Presence of Reaction Channels	214
11.2d.	Mean Free Path of a Cluster in a Target Nucleus	219
11.3.	Specific Examples	221
11.3a.	$^3\text{He} + \alpha$ Scattering	222
11.3b.	$p + ^{16}\text{O}$ Scattering	224
11.3c.	$\alpha + ^{16}\text{O}$ Scattering	227
11.4.	Features of Effective Local Potentials between Nuclei	230
11.4a.	Wave-Function Equivalent Local Potentials	230
11.4b.	Phase-Equivalent Local Potentials	232
<b>12.</b>	<b>Direct Reactions</b>	<b>243</b>
12.1.	General Remarks	243
12.2.	Derivation of the General Formulae	243
12.3.	Specific Examples	251
12.3a.	$^3\text{He}(d, p)\alpha$ Reaction	251
12.3b.	$^6\text{Li}(p, ^3\text{He})\alpha$ Reaction	254
12.4.	Influence of the Pauli Principle on Direct-Reactions	255
12.4a.	Study of Direct-Reaction Mechanisms in the Plane-Wave Born Approximation	256
12.4b.	Study of Direct-Reaction Mechanisms with the Coupled-Channel Formulation	260
12.5.	Concluding Remarks	264

<b>13.</b>	<b>Some Considerations About Heavy-Ion Transfer Reactions</b>	<b>265</b>
13.1.	General Remarks	265
13.2.	Specific Examples to Study the Influence of Antisymmetrization	266
13.2a.	$\alpha + {}^6\text{Li}$ Elastic Scattering at Low Energies	267
13.2b.	${}^6\text{Li}(p, {}^3\text{He})\alpha$ Reaction in States of Large Orbital Angular Momentum	270
13.3.	Further Discussion of the Odd-Even Feature in the Effective Potential between Nuclei	272
13.4.	Concluding Remarks	274
<b>14.</b>	<b>Collective States</b>	<b>276</b>
14.1.	General Remarks	276
14.2.	Rotational States of Even-Even Nuclei with $K = 0$	276
14.3.	Generalization of Rotational Wave Functions	288
14.4.	Energetical Preference of Rotational Configurations	293
14.5.	Electromagnetic Transitions between Rotational Levels	297
14.6.	Relationship with other Descriptions of Nuclear Rotational States	299
14.7.	Construction of Intrinsic Wave Functions for Quantitative Studies of Collective States in Medium-Heavy and Heavy Nuclei	301
14.8.	Specific Examples	302
14.8a.	$\alpha + {}^{16}\text{O}$ Cluster States in ${}^{20}\text{Ne}$	302
14.8b.	Rotational States in ${}^{22}\text{Ne}$	303
14.8c.	Backbending	305
14.9.	Concluding Remarks	305
<b>15.</b>	<b>Brief Discussion of Time-Dependent Problems</b>	<b>306</b>
15.1.	General Remarks	306
15.2.	Connection between the Lifetime of a Compound State and Its Level Width	307
15.2a.	Relationship between Phase Shift and Time Delay	307
15.2b.	Quantitative Relationship between the Level Width and the Lifetime of a Compound Nuclear State	309
15.2c.	Calculation of the Level Width – ${}^6\text{Li}$ as an Example for a Decaying System	310
15.3.	Time-Dependent Projection Equation with Time-Dependent Interaction	315
<b>16.</b>	<b>Qualitative Considerations of Some Nuclear Problems</b>	<b>320</b>
16.1.	General Remarks	320
16.2.	Coulomb-Energy Effects in Mirror Levels	320
16.3.	Reduced Widths and $\gamma$ -Transition Probabilities	325
16.3a.	Reduced Widths of Nuclear Levels	325
16.3b.	$\gamma$ -Transition Probabilities	328
16.4.	Level Spectra of Neighbouring Nuclei	331
16.5.	Optical Resonances in Nuclear Reactions	333
16.5a.	Optical Resonances in the Incoming Channel	334
16.5b.	Optical Resonances in Reaction Channels	336
<b>17.</b>	<b>Nuclear Fission</b>	<b>340</b>
17.1.	General Remarks	340
17.2.	Substructure Effects in Fission Processes	341
17.3.	Mass Distribution of Fission Fragments	347
17.4.	Deformation Energy of Fissioning Nucleus	349

17.4a. Dynamical Consideration of the Fission Process	349
17.4b. Calculation of the Deformation Energy – Strutinsky Prescription	352
17.4c. Calculation of the Deformation Energy-Cluster Prescription	357
17.4d. Discussion	362
<b>18. Conclusion</b>	<b>365</b>
<b>Appendix A – Cluster Hamiltonians and Jacobi Coordinates</b>	<b>368</b>
<b>Appendix B – Designation of Oscillator States</b>	<b>371</b>
<b>Appendix C – Demonstration of the Projection Technique</b>	<b>371</b>
<b>Appendix D – Connection with Conventional Direct-Reaction Theory</b>	<b>374</b>
<b>References</b>	<b>377</b>
<b>Index</b>	<b>388</b>