
Contents

Preface	v
6. Transport	681
6.1. Introduction	681
6.2. Phenomenology	681
6.2.1. Effect of electric field and thermal gradient	681
6.2.2. Relation between conductivity and diffusion	683
6.2.3. Statement of Onsager relations	684
6.2.4. Thermal conductivity in terms of generalized transport coefficients	685
6.2.5. Thermoelectric effects	685
(a) Thomson effect	685
(b) Peltier effect	685
(c) Seebeck effect	686
6.3. Electrical conductivity tensor	691
6.3.1. Rate of change of crystal momentum	692
Relaxation time approximation	693
6.3.2. Consequences of symmetry	695
6.4. Solution of Boltzmann equation	697
6.4.1. Collision term	697
6.4.2. Conductivity in relaxation time approximation	701
(a) Conductivity in static uniform field	701
(b) Chambers' solution	702
6.4.3. Variational solution	704
(a) Isotropic scattering by lattice vibrations	707
(b) Mathiessen's rule	710
6.5. Electron-phonon interaction	711
6.5.1. Bloch formulation	711
6.5.2. Single-particle approximation	713
6.6. Resistivities of metals and alloys	715
6.6.1. Resistivity of sodium	715
(a) Effective mass	715
(b) Dynamical structure factor	715
(c) Scattering amplitude	716
(d) Anharmonicity	717
(e) Umklapp processes	717
(f) Comparison with experiment	717

6.6.2	High-temperature resistivity and Fermi liquid parameters	717
6.7.	Conductivity and Hall effect for general dispersion relationship	719
6.7.1.	Solution of the Boltzmann equation	720
6.7.2.	Special cases	722
	(a) Spherical energy surfaces and spherical relaxation time	722
	(b) Energy $E(\mathbf{k})$ and $\tau(\mathbf{k})$ expressed as low-order expansions in cubic harmonics	722
6.8.	Magnetoresistance	723
6.8.1.	Spherical and ellipsoidal Fermi surfaces	723
6.8.2.	Expansion of conductivity in powers of magnetic field	724
6.8.3.	High-field magnetoresistance	728
6.9.	Thermal transport by electrons	730
6.9.1.	Boltzmann equation formulation	731
6.9.2.	Absolute thermopower in terms of conductivity	732
	Results for pseudoatom picture of simple metals	733
6.10.	Full quantum-mechanical discussion of Boltzmann equation	735
6.10.1.	Density matrix treatment	736
6.10.2.	Impurity scattering and existence of the Boltzmann equation	741
6.10.3.	Limit of validity of Boltzmann's equation	746
6.11.	General expressions for the conductivity	747
6.11.1.	Independent particle formulation	750
6.11.2.	Weak scattering limit	752
6.11.3.	Nyquist's theorem	754
6.12.	General expressions for thermal transport coefficients	757
6.12.1.	Symmetry of transport coefficients	761
6.12.2.	Wiedemann–Franz law	761
	(a) Weak coupling	762
	(b) Strong coupling	764
	(c) Boltzmann statistics	764
6.13.	Lattice effects	765
6.13.1.	Heat conduction by lattice	765
	(a) Kinetic theory	765
	(b) Boltzmann equation	766
	(c) Phonon–phonon collisions	767
6.13.2.	Phonon drag	772
6.13.3.	Equivalence of the Boltzmann equation and correlation function theory	776
7.	Optical Properties	780
7.1.	Introduction	780
7.2.	Drude–Zener theory	783
7.3.	Kramers–Krönig analysis	787
7.4.	Sum rules	793
	7.4.1. Separation of conduction electron and interband effects	795
	7.4.2. Optical behaviour of graphite	796

7.5. Interband transitions	800
7.5.1. Transition matrix elements	800
(a) Transition of inner electron to nearly free-electron band	802
(b) Tight-binding transitions	803
(c) Transitions between nearly free-electron bands	805
7.5.2. Structure of optical spectra	806
7.5.3. Indirect transitions	811
Role of dynamical screening	813
7.6. Photoemission	814
7.6.1. Surface and volume effects	814
Quantum-mechanical description of excitation	816
7.6.2. Interpretation of spectra	818
(a) Photoemission and band structure of GaAs	820
(b) Noble metals	822
7.6.3. Many-body effects	828
7.7. Soft X-ray emission	829
7.7.1. Application to metals	830
7.8. Anomalous skin effect	832
7.8.1. Low-temperature behaviour	834
7.8.2. Shape of Fermi surface	837
7.9. Cyclotron resonance	841
7.9.1. Magnetic field normal to surface	841
7.9.2. Azbel'-Kaner resonance	842
Calculation of conductivity	843
7.10. Magneto-plasma effects	850
7.10.1. Form of conductivity tensor and Faraday effect	850
7.10.2. Reflectivity	851
7.10.3. Helicon modes	852
7.10.4. Alfvén waves	854
7.11. Conduction electron spin resonance and spin waves	857
7.11.1. Random phase approximation	858
(a) Spin excitations for non-magnetic metals	858
(b) Single-particle excitations	859
(c) Spin waves	860
7.11.2. Fermi liquid theory of spin wave dispersion relation	862
7.12. Role of interactions and Landau parameters	866
7.13. Infrared optical properties of insulators	868
7.13.1. Diatomic crystals with tetrahedral symmetry	870
8. Superconductivity	872
8.1. Introduction	872
8.2. Specific heat	872
8.3. Free energies of normal and superconducting states	873
8.4. Isotope effect	874
8.5. Binding in momentum space	875

8.6.	Characteristic lengths	876
8.7.	Fröhlich Hamiltonian	877
8.7.1.	Canonical transformation of Hamiltonian	880
8.8.	Pairing hypothesis.	881
8.8.1.	Binding energy of Cooper pair	882
8.8.2.	Size of Cooper pair	885
8.9.	Bardeen–Cooper–Schrieffer (BCS) theory	886
8.9.1.	Reduced Hamiltonian	886
8.9.2.	Explicit form of ground-state solution	888
8.9.3.	Solution of BCS equation for averaged potential	889
	(a) Ground-state properties	890
	(b) Elevated temperatures	892
8.9.4.	Thermal conductivity of superconductors	894
8.10.	Strong coupling superconductors	895
8.10.1.	Diagrammatic representation of electron–phonon interaction	896
8.10.2.	Eliashberg equations	900
8.10.3.	Application of Eliashberg equations	905
8.11.	Meissner effect	906
8.11.1.	Form of relation between current density and vector potential in superconductors	906
	(a) Existence of Meissner effect	907
	(b) Infinite conductivity	908
8.11.2.	General conditions for existence of Meissner effect	908
8.11.3.	Microscopic theory of response function $K(\mathbf{q}\omega)$	911
	(a) Induced vector potential	912
	(b) Static, long wavelength magnetic field perturbation	913
	(c) Relation to London theory	914
	(d) Connection with normal systems	914
	(e) Exponential decay of magnetic field	915
8.12.	Ginzburg–Landau equations	916
8.12.1.	Superconductor surface and physical significance of λ_L	918
8.12.2.	Abrikosov’s theory of type II superconducting materials	920
	(a) $\mathcal{H}_0 \lesssim \mathcal{H}_{c2}$	921
	(b) \mathcal{H}_0 just greater than \mathcal{H}_{c1}	923
8.13.	Off-diagonal long-range order	928
8.14.	Macroscopic states in superconductors	929
8.14.1.	Flux quantization	931
8.14.2.	Josephson junction	932
	(a) Effect of magnetic field on junction	933
	(b) Junction with voltage across it	936
9.	Polarons and Excitons	938
9.1.	Introduction	938
9.2.	Coupling of electron to ionic lattice	939
9.2.1.	Study of carrier mobility	939

9.2.2.	Coupling constant of optical mode—electron interaction	940
9.3.	Polaron theory	940
9.3.1.	Small polaron	941
9.3.2.	Large polaron	942
9.4.	Polaron Hamiltonian in continuum model	942
9.5.	Ground-state energy and effective mass	944
9.5.1.	Perturbative description of interaction	944
9.5.2.	Higher approximations	946
9.5.3.	Method of canonical transformation	946
(a)	Intermediate-coupling solutions	949
(b)	Range of validity	950
9.6.	Polaron mobility	951
9.6.1.	Expansion of self energy	952
9.7.	Feynman polaron radius and validity of continuum approximation	961
9.7.1.	Molecular crystal model and small polaron mobility	962
9.7.2.	Hopping mobility for small polarons	968
9.7.3.	Band mobility for small polarons	969
9.8.	Excitons	969
9.8.1.	Effective mass equation for Wannier exciton	971
9.8.2.	Frenkel exciton	974
	Longitudinal–transverse effect in exciton theory	976
9.9.	Excitonic phases	978
9.9.1.	Finite temperature resistivity	981
10.	Defects and Disordered Systems	985
10.1.	Introduction	985
10.2.	Debye shielding by free carriers	985
10.2.1.	Shielding of charged centre in metals	985
(a)	Semi-classical theory	985
(b)	Wave theory	986
10.2.2.	Screening of ionized impurities in non-degenerate semi-conductors	988
10.3.	Phase shift analysis for strong scatterers	989
10.3.1.	Expressions for phase shifts in terms of scattering potential	990
10.3.2.	Level shifts and undeformed energy bands	990
10.3.3.	Friedel sum rule and integrated density of states	992
10.3.4.	Change in sum of eigenvalues due to defect	996
(a)	Expression in terms of total displaced charge	996
(b)	Vacancy formation energy in simple metals	997
10.3.5.	Virtual bound states	998
10.4.	Scattering theory for Bloch waves	999
10.4.1.	Weak scatterers	1000
10.4.2.	Density of states and level shifts for slowly varying potentials	1001
10.4.3.	Virtual and bound states: Koster–Slater model	1002
(a)	Integral equation for perturbed wave function	1002

(b)	Tight-binding band structure	1005
(c)	Conduction band of Cu	1006
(d)	Form of Koster–Slater “one-band one-site” potential in metals	1006
10.4.4.	Asymptotic form for Bloch wave scattering	1008
10.4.5.	Kohn–Rostoker–Beeby form of electron density round vacancy in metal	1012
(a)	t -matrix and Green function	1012
(b)	Density of electrons	1015
(c)	Model calculation	1017
10.4.6.	Effective mass theory for shallow impurity levels in semi- conductors	1018
(a)	Bound-wave functions for shallow donors	1019
(b)	Conduction band minimum at $\mathbf{k} = 0$	1020
(c)	Some experimental results in Si	1021
10.5.	Magnetic field-dependent impurity states	1022
10.5.1.	Bloch density matrix to second order in magnetic field	1023
10.5.2.	Dielectric function in low magnetic fields for metals	1024
10.5.3.	Magnetic field-dependent effective mass theory of shallow donor states in semi-conductors	1026
(a)	Shielding of ionized impurity in semi-conductor in a magnetic field	1026
(b)	Ground and first excited states in cylindrically symmetrical screened potential	1028
10.6.	Conduction electron diamagnetism in metallic alloys	1030
10.6.1.	Alloy diamagnetism in terms of phase shifts	1030
(a)	Hamiltonian in presence of magnetic field	1030
(b)	Pure metal	1032
(c)	Alloy	1033
10.6.2.	de Haas–van Alphen effect in dilute metallic alloys	1034
10.7.	Localized magnetic states round impurities in metals	1036
10.7.1.	Anderson Hamiltonian	1036
10.7.2.	Hartree–Fock solution	1038
10.7.3.	Solution of equations of motion	1039
10.7.4.	Existence of localized moments	1041
10.7.5.	Limiting cases	1042
(a)	Magnetic moment formation	1042
(b)	Non-magnetic cases	1042
(c)	Transition from magnetic to non-magnetic behaviour	1043
10.7.6.	Susceptibility and specific heat	1044
10.8.	Kondo effect	1047
10.9.	Palladium alloys and paramagnon effects	1048
10.9.1.	Alloy model Hamiltonian	1049
10.9.2.	Local spin susceptibility	1050
10.10.	Kanzaki method of calculating distortions due to point defects	1053

10.11. Electron density distribution near metal surfaces	1057
10.11.1. Thomas–Fermi theory	1059
(a) Improved theory, including gradient term, plus electron interactions	1059
(b) Electron work function	1061
10.11.2. Green functions in an inhomogeneous system	1064
(a) Relation between one- and two-particle Green functions with interactions present	1065
(b) Solution for mixed density matrix in time-dependent external field	1069
(c) High-frequency limit	1071
10.11.3. Surface excitations	1072
10.11.4. Surface plasmons	1072
10.12. Interaction between defects in metals	1073
10.12.1. Electrostatic model	1073
10.12.2. Shift in Fermi level as function of concentration	1075
10.13. Electron states in disordered systems	1077
10.13.1. Virtual crystal approximation	1077
10.13.2. <i>T</i> -matrix formalism	1078
(a) General relations	1078
(b) Averaging in disordered systems	1081
(c) Complete disorder	1082
(d) Introduction of short-range order	1086
10.13.3. Model of binary alloys	1088
(a) Single-band model: single-test approximation	1090
(b) Model density of states	1091
10.14. Single defects and localized vibrational modes	1094
10.14.1. Hamiltonian for perfect and perturbed crystals	1094
10.14.2. Green functions and correlations of atomic displacements	1094
10.14.3. Scattering of lattice waves by defect	1098
10.14.4. Influence of resonances on thermal conductivity	1101
10.14.5. Optical absorption arising from vibrations of defects	1103
(a) Types of absorption	1104
(b) Simple model of single charged atom	1104
(c) Ionic crystals containing hydrogen	1106
10.15. Vibrational modes in alloys	1106
10.15.1. Phonons in disordered alloys	1107
(a) Case of large concentrations	1111
(b) Example of gold in copper	1114
10.16. Influence of order on phonons	1116
10.16.1. Bardasis–Falk–Simkin theory	1116
(a) Potential energy	1117
(b) Models	1119
(c) Kinetic energy	1120

(d) Phonon spectra	1123
10.16.2. Hubbard–Beeby theory	1124
10.16.3. Thermal conduction in disordered solids	1127
10.17. Localization in random lattices	1129
10.17.1. Anderson's model	1129
Treatment of $V_c(s)$ as probability variable	1132
 Appendixes	1136
A6.1. Boltzmann equation for electrons scattered by phonons	1137
A7.1. Phase–amplitude diagrams	1140
A8.1. Deformation potentials	1143
A8.2. Thermal conductivity of superconductors	1149
A8.3. Numerical solution of Eliashberg equations at elevated temperatures	1151
A8.4. Hydrodynamic derivation of Ginzburg–Landau theory	1154
A9.1. Polaron energy in continuum polarization model	1156
A9.2. Response theory of excitonic insulators	1157
A9.3. Small polaron motion in molecular crystal model	1166
A10.1. Debye shielding and impurity scattering in semi-conductors	1170
A10.2. Green function for Koster–Slater impurity model	1171
A10.3. Displaced charge round vacancy in a metal	1174
A10.4. Equivalent Hamiltonians and effective-mass theory	1177
A10.5. Screening of charged defect in strong magnetic field	1182
A10.6. Low-temperature resistivity of Pd alloys	1182
A10.7. Phonons in disordered systems	1188
A10.8. Anderson model of localization	1190
 General Appendix—Crystal Symmetry	1191
G.1. Introduction	1191
Part A. Point groups	1192
G.2. Classes	1192
G.3. Characters of representation	1195
G.4. Character tables	1197
G.5. Atomic correspondence and cellular method	1206
G.6. Free electron correspondence and expansion in plane waves	1211
G.7. Compatibility relations	1212
Part B. Non-symmorphic lattices	1220
G.8. Space group of \mathbf{k} and criteria for irreducibility	1220
G.9. Representations of space group obtainable from those of point groups	1221
G.10. Diamond lattice	1223
G.11. Alternative methods of derivations of character tables	1231
G.12. Hexagonal lattice	1235

Part C. Spin-orbit coupling and time-reversal symmetry	. . .	1246
G.13. Time-reversal degeneracy	1246
G.14. Degeneracy for a general k -value	1247
G.15. Degeneracies at high symmetry points	1248
G.16. Time-reversal symmetry in absence of spin effects	1252
G.17. Inclusion of spin-orbit coupling	1257
G.18. Construction of double groups	1261
G.19. Character tables of double groups for cubic and hexagonal lattices	1263
Part D. Lattice vibrations	1267
G.20. Non-symmorphic crystals	1267
Part E.	1271
G.21. Realization of all irreducible manifolds	1271
Problems	1275
References	1281
Index	1291