

CONTENTS

Chapter		Page
I P. W. ANDERSON, THE JOSEPHSON EFFECT AND QUANTUM COHERENCE MEASUREMENTS IN SUPERCONDUCTORS AND SUPERFLUIDS		1
1. Historical introduction, 1. – 2. Elementary perturbation theory of the Josephson effect, 4. – 3. Coherence properties of coupled superconductors and superfluids, 11. – 4. Statics of finite tunnel junctions: magnetic interference experiments, 20. – 5. Systems other than tunnel junctions showing interference phenomena, 33. – 6. A.c. quantum interference effects, 36.		
II R. DE BRUYN OUBOTER, K. W. TACONIS and W. M. VAN ALPHEN, DISSIPATIVE AND NON-DISSIPATIVE FLOW PHENOMENA IN SUPERFLUID HELIUM.		44
Introduction, 44. – 1. Superfluidity, the equation of motion for the superfluid, 45. – 2. The critical superfluid transport in very narrow pores between 0.5 °K and the lambda-temperature, and the impossibility to detect Venturi pressures in superfluid flow, 54. – 3. Superfluid transport in the unsaturated helium film, 62. – 4. Dissipative normal fluid production by gravitational flow in wide channels with clamped normal component, 64. – 5. The dependence of the critical velocity of the superfluid on channel diameter and film thickness, 72.		
III E. L. ANDRONIKASHVILI and YU. G. MAMALADZE, ROTATION OF HELIUM II		79
Introduction, 79. – 1. Solid body rotation of helium II, 80. – 1.1. Angular momentum and meniscus of rotation helium II, 80. – 1.2. The thermomechanical effect in rotating helium II, 83. – 1.3. The theory of the phenomena, 85. – 2. Dragging of the superfluid component into rotation, 91. – 2.1. Peculiarities of dragging of a quantum liquid into rotation, 91. – 2.2. Development of quantum turbulence on dragging helium II into rotation, 93. – 2.3. Relaxation time for the formation of vortex lines at small angular velocities of rotation, 96. – 2.4. Relaxation time for vortex line formation in rotating helium II on transition through the λ -point. The mechanism of vortex line formation, 97. – 3. Observation of vortex lines and their distribution in uniformly rotating helium II, 100. – 3.1. Experiments on establishment of vortex lines, 100. – 3.2. Direct observations of vortex lines in rotating helium II,		

103. – 3.3. Irrotational region, 104. – 3.4. Distribution of vortex lines under a free surface, 109. – 3.5. On the normal component motion in a rotating cylindrical vessel, 110. – 3.6. The structure of the vortex line array, 113. – 4. Elastic properties of vortex lines. Oscillations of bodies of axial-symmetric shape in rotating helium II, 114. – 4.1. The modulus of shear in rotating helium II, 114. – 4.2. Anisotropy of elastic-viscous properties of rotating helium II, 115. – 4.3. Hydrodynamics of rotating helium II, 122. – 4.4. Hydrodynamics of small oscillations of bodies of axial symmetry in rotating helium II, 125. – 4.5.

Sliding of vortex lines and collectivization of vortex oscillations, 134. – 5. The phase transition in rotating liquid helium in the presence of vortex lines, 137. – 5.1. The central macroscopic vortex, 137. – 5.2. Relaxation of vortex lines for the transition helium II-helium I in the state of rotation, 139. – 5.3. The order of the phase transition in rotating liquid helium, 141. – 6. Decay of vortex lines and their stability, 144. – 6.1. Decay of vortex lines on stopping of rotation, 144. – 6.2. Relaxation of vortex lines on change of temperature of rotating helium II, 146. – 7. Persistent currents of the superfluid component, 149. – 7.1. Discovery of persistent currents and the first observations, 149. – 7.2. Dependence of a persistent current on temperature. Superfluid gyroscopes, 153.

IV D. GRIBIER, B. JACROT, L. MADHAV RAO and B. FARNOUX, STUDY OF THE SUPERCONDUCTIVE MIXED STATE BY NEUTRON-DIFFRACTION	161
1. Introduction, 161. – 2. Theory of neutron scattering by vortex lines, 164. – 3. Experimental conditions, 166. – 4. Experimental results with niobium, 171. – 5. Analysis of the results obtained with niobium, 171. – 5.1. Line shape, 171. – 5.2. Position of the peak, 174. – 5.3. Intensity of the peak, 175. – 5.4. Observation of only one Bragg peak, 177. – 6. Conclusions, 178.	
V V. F. GANTMAKHER, RADIOFREQUENCY SIZE EFFECTS IN METALS	181
1. Introduction, 181. – 2. Principles of the theory, 183. – 2.1. Anomalous skin-effect in zero magnetic field, 183. – 2.2. Anomalous skin-effect in a magnetic field, 185. – 2.3. Application of the ineffectiveness concept to the study of size effects, 193. – 3. Various types of radiofrequency size effects, 197. – 3.1. Methods of detection of size effects, 197. – 3.2. Closed trajectories, 201. – 3.3. Helical trajectories, 207. – 3.4. Open trajectories, 216. – 3.5. Trajectories with breaks, 216. – 3.6. Trajectories of ineffective electrons, 218. – 3.7. Conclusion, 219. – 4. Shape of line and various experimental factors, 220. – 5. Applications of radiofrequency size effects, 225. – 5.1. The shape of the Fermi surface, 225. – 5.2. Length of the electron free path, 229.	

VI R. W. STARK and L. M. FALICOV, MAGNETIC BREAKDOWN IN METALS	235
1. Introduction, 235. – 1.1. Pseudopotentials and the nearly-free-electron model, 236. – 1.2. Dynamics of the electronic motion in a metal, 238. – 1.3. A diffraction approach to magnetic breakdown, 241. – 2. The theory of coupled orbits, 244. – 2.1. Amplitudes and phases at a MB junction, 244. – 2.2. Semi-classical transport properties, 246. – 2.3. Quantization of coupled orbits, 251. – 2.4. Theory of the De Haas–Van Alphen effects in a system of coupled orbits, 256. – 2.5. Oscillatory effects in the transport phenomena, 261. – 3. Analysis of experimental results, 265. – 3.1. Hexagonal lattice of coupled semi-classical trajectories in magnesium and zinc, 265. – 3.2. Semi-classical galvanomagnetic properties of magnesium, 267. 3.3. Quantum mechanical galvanomagnetic properties of magnesium and zinc, 272. – 3.4. De Haas–Van Alphen effect in magnesium and zinc, 279.	
VII J. J. M. BEENAKKER and H. F. P. KNAAP, THERMODYNAMIC PROPERTIES OF FLUID MIXTURES	287
1. Introduction, 287. – 2. Quantum liquids: zero point effects, 290. – 2.1. General remarks, 290. – 2.2. Apparatus, 292. – 2.3. Theory, 295. – 2.4. Phase separation for the systems H_2 –Ne, HD–Ne and D_2 –Ne, 297. – 2.5. Ortho–para mixtures, 299. – 3. Classical liquid mixtures, 299. – 4. Gaseous mixtures, 301. – 4.1. Experiment, 301. – 4.2. Theory, 307. – 4.3. Comparison between experiment and theory, 314. – 4.4. Gas–gas phase separation, 317.	
AUTHOR INDEX	323
SUBJECT INDEX	330