

Contents

Preface.....	v
1. GENERAL THEORY	
Unconventional superconducting properties of the high T_c oxides	1
G. Deutscher (Tel Aviv, Israel)	
Understanding high temperature superconducting oxides.....	11
B. K. Chakraverty, M. Avignon and D. Feinberg (Grenoble, France)	
Raman scattering as an analytical tool for high T_c superconductors.....	33
C. Thomsen, M. Cardona and R. Liu (Stuttgart, F.R.G.)	
Magnetic properties of $\text{BiSrCaCu}_2\text{O}_x$ high-temperature superconductor.....	39
(S. Zannella, A. M. Ricca, V. Ottoboni, G. Ripamonti (Milano, Italy), F. Bolzoni (Parma, Italy) and P. Bossi (Milano, Italy)	
The formation of high T_c $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ by an oxygen refilling process on thin films made by r.f. magnetron sputtering.....	47
D. Abukay, M. Akinaga, G. Burri and L. Rinderer (Lausanne, Switzerland)	
Influence of copper substitution by transition metals on local pair superconductivity in high-temperature oxides.....	51
J. Kasperczyk and M. Piasecki (Częstochowa, Poland)	
2. STRUCTURE, NEW MATERIALS AND SUBSTITUTION	
Structures and microstructures in the bismuth and thallium superconductors	59
M. Hervieu, C. Michel and B. Raveau (Caen, France)	
Electron microscopic studies of high T_c superconductors.....	71
S. Amelinckx, G. van Tendeloo (Antwerp, Belgium), H. W. Zandbergen (Leiden, The Netherlands) and J. van Landuyt (Antwerp, Belgium)	
Structure and conductivity of copper oxide based compounds.....	95
D. M. de Leeuw (Eindhoven, The Netherlands)	
Order-disorder and superconductivity in Tl-Ba-Cu-O and lead-substituted Bi-Sr-Ca-Cu-O compounds.....	109
P. Bordet, J. J. Capponi, C. Chaillout, J. Chenavas, M. Godinho, A. W. Hewat, E. A. Hewat, J. L. Hodeau, A. M. Spieser, J. L. Tholence and M. Marezio (Grenoble, France)	
A homologous series based on YBaCuO , $\text{Ba}_{16}\text{Y}_8\text{Cu}_{24}\text{C}_{56-m}$ ($0 \leq m \leq 8$, m even).....	117
M. A. Alario-Franco (Madrid, Spain), C. Chaillout, J. J. Capponi, J. Chenavas and M. Marezio (Grenoble, France)	
Two new bulk superconducting phases in the Y-Ba-Cu-O system: $\text{YBa}_2\text{Cu}_{3.5}\text{O}_{7+x}$ ($T_c \approx 40$ K) and $\text{YBa}_2\text{Cu}_4\text{O}_{8+x}$ ($T_c \approx 80$ K)	129
J. Karpinski, E. Kaldis, S. Rusiecki, E. Jilek (Zürich, Switzerland), P. Fischer (Würenlingen, Switzerland), P. Bordet, C. Chaillout, J. Chenavas, J. L. Hodeau and M. Marezio (Grenoble, France)	
Potassium doping of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$	139
I. Kontoulis, X. Turrillas, R. Meisels, S. Bungre and B. C. H. Steele (London, U.K.)	

Microstructural study of YBaCuO in the presence of impurities	147
M. Mehbod, W. Biberacher, A. G. M. Jansen, P. Wyder (Grenoble, France), P. H. Duvigneaud and R. Deltour (Bruxelles, Belgium)	
Physical and structural properties of the oxygen vacancy phases of ErBa ₂ Cu ₃ O _x	153
E. Pörschke and P. Meuffels (Jülich, F.R.G.)	
Comparison of the two orthorhombic-tetragonal transitions in iron-doped Y ₁ Ba ₂ Cu ₃ O _y ..	159
H.-U. Krebs and O. Bremert (Göttingen, F.R.G.)	
The onset of oxygen diffusion in YBa ₂ Cu ₃ O _{7-δ} : an investigation by neutron diffraction	167
S. Jantsch, J. Ihringer, J. K. Maichle, W. Prandl, S. Kemmler-Sack, R. Kiemel, S. Lösch, W. Schäfer, M. Schlichenmaier (Tübingen, F.R.G.) and A. W. Hewat (Grenoble, France)	
Out- and in-diffusion of oxygen in YBa ₂ Cu ₃ O _{7-x} oxide	177
G. Ottaviani, C. Nobili, F. Nava, M. Affronte, T. Manfredini (Modena, Italy), F. C. Matacotta (Milano, Italy) and E. Galli (Modena, Italy)	
PAC-study on ¹¹¹ In implanted into YBa ₂ Cu ₃ O ₇ and constituent materials	185
M. Uhrmacher, A. Bartos and K. Winzer (Göttingen, F.R.G.)	
Characterization of bulk superconducting high-temperature ceramics by very low field a.c. initial susceptibility	193
B. Loegel, A. Mehdaoui and D. Bolmont (Mulhouse, France)	
Data on the YBa ₂ Cu ₃ O _{7-x} -CuO _x phase diagram	201
F. Licci (Parma, Italy), P. Tissot (Geneva, Switzerland) and H. J. Scheel (Lausanne, Switzerland)	
High-pressure phase diagrams (1 - 3000 bar oxygen) of the (Y-Ba-Cu-O)-O ₂ systems	207
J. Karpinski, E. Kaldis and S. Rusiecki (Zürich, Switzerland)	
Quantitative detection of secondary phases in YBa ₂ Cu ₃ O _{7-x}	211
M. François and H. J. Scheel (Geneva, Switzerland)	
Reproducible growth of large free crystals of YBa ₂ Cu ₃ O _{7-x}	219
W. Sadowski and H. J. Scheel (Geneva, Switzerland)	
Structure and superconductivity of variously prepared Tl-Ca-Ba-Cu-O compounds	229
Gy. Kovács, I. Kirschner, I. Halász (Budapest, Hungary), R. Laiho (Turku, Finland), T. Porjesz, K. Tompa, T. Träger, T. Kármán and G. Zsolt (Budapest, Hungary)	
Magnetic susceptibilities measured on ceramic high-T _c superconducting discs	241
J. Cornelis, J. Vansummeren, F. Biermans, H. Ooms, R. de Batist, L. Vandavelde, F. Servaes and A. van den Bosch (Mol, Belgium)	
Procedures for synthesis of single-phase 2212 bismuth material	247
D. Beltrán, M. T. Caldés, R. Ibáñez, E. Martínez, E. Escrivá, A. Beltrán, A. Segura, V. Muñoz and J. Martínez (Valencia, Spain)	
Crystal fibers of Bi-Sr-Ca-Cu-O materials grown by the laser floating zone method	253
G. F. de la Fuente (Herndon, VA, U.S.A.), D. Beltrán, R. Ibáñez, E. Martínez, A. Beltrán and A. Segura (Valencia, Spain)	
High-T _c phase stabilization in Bi-Ca-Sr-Cu-O systems by lead doping	261
N. Brničević, P. Planinić, J. Veselić, M. Čurić, M. Požek, A. Turković (Bijenicka, Yugoslavia), R. Abt, E. Schweiger, V. Wippel, G. Leising, B. Stadlober and P. Knoll (Graz, Austria)	
On the kinetics of superconducting phase formation in Y ₁ Ba ₂ Cu ₃ O _y	269
H.-U. Krebs (Göttingen, F.R.G.)	
Superconducting phases and influence of oxygen content in the Bi ₂ Sr ₂ CuO _y -CaCuO ₂ system	277
S. Pekker, J. Sasvári, Gy. Hutiray and L. Mihály (Budapest, Hungary)	

Characterization of the superconducting $\text{Bi}_2\text{Ca}_{3-s}\text{Sr}_s\text{Cu}_{8+x}$ ($s = 1, 1.5, 2, 2.5$) oxides	285
J. Amador, M. T. Casais, C. Cascales, A. Castro, M. de Pedro, I. Rasines (Madrid, Spain), G. Domarco, J. Maza, F. Miguélez, J. Ponte, C. Torrón, J. A. Veira and F. Vidal (Santiago de Compostela, Spain)	
Properties of the high T_c superconducting phases in the (Pb–Bi)–Sr–Ca–Cu–O family of compounds	291
J. Schneck, D. Morin, L. Pierre, J. Primot, J. C. Tolédano, A. Savary, C. Daguet, F. Glas and J. Etrillard (Bagneux, France)	
$\text{YBa}_2\text{Cu}_3\text{O}_7$ preparation by the amorphous citrate method	299
P. L. Villa, S. Zannella, V. Ottoboni, A. Ricca, N. Ripamonti and M. Scagliotti (Milan, Italy)	
Preparation of superconductors of the BiSrCaCuO system by glass crystallization	305
A. P. Gonçalves, I. C. Santos, M. Almeida (Sacavem, Portugal), M. O. Figueiredo, J. Maia Alves, M. M. Godinho (Lisboa, Portugal), F. Costa and J. M. Vieira (Aveiro, Portugal)	
Effect of the replacement of oxygen by chlorine on the properties of the superconducting ceramics $\text{Y}_1\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$	311
B. A. Tallerchik, A. O. Olesk, T. N. Egorova, V. V. Popov, R. V. Parfeniev, M. L. Shubnikov, D. V. Mashovets and D. V. Smirnov (Leningrad, U.S.S.R.)	
AUTHOR INDEX	319
SUBJECT INDEX	321