

# Contents

|                         |       |
|-------------------------|-------|
| PROLOGUE                | xv    |
| ACKNOWLEDGMENTS         | xxi   |
| NOTATION                | xxiii |
| LIST OF SPECIAL SYMBOLS | xxv   |

## *Part A      Continuum Thermomechanics*

### **Chapter I      Continuum Theories of Fluids**

|   |    |
|---|----|
| (i) Basic concepts. Field equations   | 3  |
| (ii) Constitutive relations. The Navier–Stokes–Fourier theory of viscous fluids             | 4  |
| (iii) Thermodynamic quantities. The Maxwell number and the caloric                          | 7  |
| (iv) More general constitutive assumptions and principles                                   | 8  |
| (v) Thermodynamics: The Clausius–Duhem inequality and its special cases and generalizations | 12 |

### **Chapter II      The Stokes–Kirchhoff Gas, Some of Its Peculiarities, and Some of Its Flows**

|   |    |
|---|----|
| (i) The Stokes–Kirchhoff and Euler–Hadamard theories of ideal gases                           | 19 |
| (ii) Some parameters that control dynamical similarity  | 21 |
| (iii) The caloric of an ideal gas   | 22 |
| (iv) Equilibrium  | 22 |
| (v) Some particular homo-energetic flows: dilatation, affine flow, simple shearing, extension | 23 |

**Part B     *Basic Structures of the Kinetic Theory***

**Chapter III     The Molecular Density, the Definitions of Gross Fields, and the Equation of Evolution**

|  |    |
|--|----|
| (i) The molecular density and the number density | 39 |
| (ii) Expectations. The thirteen basic fields     | 41 |
| (iii) The higher moments                         | 45 |
| (iv) The retrogressors                           | 46 |
| (v) The equation of evolution                    | 49 |

**Chapter IV     Some Limits of Agreement between Kinetic Theories and Classical Fluid Mechanics**

|  |    |
|--|----|
| (i) Failure of constitutive relations in the sense of continuum mechanics                                  | 51 |
| (ii) Limitations on the shear viscosity  | 52 |
| (iii) Vanishing of the bulk viscosity  | 57 |
| (iv) Disagreement between the kinetic theory and the Stokes–Kirchhoff theory for flows in which $T \geq 1$ | 57 |

**Chapter V     The Differential Operators of the Kinetic Theory**

|  |    |
|--|----|
| (i) The retrogressor and the retrogression reviewed                  | 61 |
| (ii) Differentiation along a trajectory. Mild and strong derivatives | 62 |
| (iii) Local forms of the equation of evolution                       | 64 |
| (iv) Moments of the strong derivative of a function                  | 66 |

**Chapter VI     The Dynamics of Molecular Encounters**

|  |    |
|--|----|
| (i) Binary encounters  | 69 |
| (ii) Summational invariants and the Boltzmann–Gronwall theorem | 71 |
| (iii) The encounter problem and its solutions                  | 74 |
| (iv) The encounter operator and its properties                 | 84 |
| Appendix A   Proof of the lemma                                | 88 |

**Chapter VII     The Maxwell Collisions Operator. Kinetic Constitutive Relations. The Total Collisions Operator and Bilinear Form**

|                                      |    |
|--------------------------------------|----|
| (i) The collisions operator          | 91 |
| (ii) Kinetic constitutive quantities | 93 |

|  |     |
|--|-----|
| (iii) Alternative forms of the collisions operator                         | 95  |
| (iv) The bilinear form   | 98  |
| (v) Orthogonal invariance of the collisions operator and the bilinear form | 101 |
| (vi) Inconsistency of Maxwell's kinetic theory with Newtonian mechanics    | 102 |

## **Chapter VIII      Boltzmann's Monotonicity Theorem. The Maxwellian Density. Analogues of the Caloric and Its Flux**

|   |     |
|---|-----|
| (i) The Boltzmann monotonicity theorem                                    | 105 |
| (ii) Properties of the Maxwellian density                                 | 107 |
| (iii) Degree to which a Maxwellian expectation approximates a general one | 112 |
| (iv) The caloric of a kinetic gas: Boltzmann's field $h$                  | 116 |
| (v) Bounds for $h$ and for its flux $s$                                   | 119 |
| (vi) Grossly determined functions, momentarily determined functions       | 126 |

### ***Part C      The Maxwell–Boltzmann Equation and Its Elementary Consequences***

|   |     |
|---|-----|
| <b>Chapter IX      The Maxwell–Boltzmann Equation. Maxwell's Consistency Theorem and Equation of Transfer</b> | 131 |
|---|-----|

|   |     |
|---|-----|
| <b>Chapter X      Kinetic Equilibrium and Gross Equilibrium. Locally Maxwellian Solutions</b> | 137 |
|---|-----|

## **Chapter XI      Boltzmann's $H$ -Theorem**

|   |     |
|---|-----|
| (i) The formal broad $H$ -theorem and the formal narrow $H$ -theorem  | 146 |
| (ii) Comparison and contrast of the formal $H$ -theorem with the Clausius–Duhem inequality and the heat-bath inequality of thermomechanics                | 149 |
| (iii) The concept of a solid boundary in the kinetic theory   | 152 |
| (iv) The formal narrow $H$ -theorem or the heat-bath inequality as a consequence of boundary conditions   | 161 |
| (v) Traditional interpretation of the formal narrow $H$ -theorem. The ultra-narrow trend to equilibrium. Statement of corresponding rigorous propositions | 166 |
| (vi) Difficulties faced in interpretation of the more general narrow $H$ -theorem and the strict trend to equilibrium                                     | 168 |
| (vii) Lack of interpretation for the broad $H$ -theorem   | 171 |

***Part D     Particular Molecular Models and Exact Solutions for Moments***

|                     |  |     |
|---------------------|--|-----|
| <b>Chapter XII</b>  | <b>The Collisions Operator for Some Special Kinetic Constitutive Relations, Especially Maxwellian Molecules</b>  | 175 |
| <b>Chapter XIII</b> | <b>The Pressures and the Energy Flux in a Gas of Maxwellian Molecules. Maxwell's Relaxation Theorem and Evaluation of Viscosity and Thermal Conductivity</b> |     |
| (i)                 | General equations for the pressures and energy flux  | 187 |
| (ii)                | Maxwell's relaxation theorem   | 189 |
| (iii)               | Implications of Maxwell's relaxation theorem on constitutive relations in the sense of continuum mechanics   | 192 |
| (iv)                | Maxwell's evaluation of viscosity and thermal conductivity   | 193 |
| <b>Chapter XIV</b>  | <b>Homo-energetic Simple Shearing of a Gas of Maxwellian Molecules</b>   |     |
| (i)                 | Homo-energetic simple shearing   | 197 |
| (ii)                | The pressures as functions of time   | 199 |
| (iii)               | The dominant pressures and their gross determination   | 202 |
| (iv)                | Definition and rigorous evaluation of the viscosity of the kinetic gas   | 203 |
| (v)                 | Reduced viscometric functions of the Maxwellian gas  | 204 |
| (vi)                | Comparison of the pressures as functions of time with their counterparts according to the Stokes–Kirchhoff theory  | 205 |
| (vii)               | Asymptotic forms for fast shearing or rarefied gases   | 207 |
| (viii)              | Solution for the energy flux. Instability  | 208 |
| (ix)                | Entropy. Dissipation   | 212 |
| (x)                 | The principal solutions  | 214 |
| <b>Chapter XV</b>   | <b>General Solution for the Pressures in Homo-energetic Affine Flows of a Gas of Maxwellian Molecules</b>  |     |
| (i)                 | Affine flows in general  | 219 |
| (ii)                | Homo-energetic dilatation  | 222 |
| (iii)               | Homo-energetic extension, I. The general solution for the pressures  | 224 |
| (iv)                | Homo-energetic extension, II. The principal solutions  | 227 |
| (v)                 | Homo-energetic extension, III. Asymptotic status of the Stokes–Kirchhoff solution  | 231 |
| (vi)                | Retrospect   | 233 |

## ***Part E     The System of Equations for the Moments***

### **Chapter XVI     The General System of Equations for the Moments in a Gas of Maxwellian Molecules. Ikenberry's Theorem on the Structure of Collisions Integrals**

|  |     |
|--|-----|
| (i) Explicit collisions integrals for a gas of Maxwellian molecules  | 237 |
| (ii) Ikenberry's theorem: The structure of collisions integrals      | 244 |
| (iii) The general system of equations for the moments                | 249 |
| Appendix A Integration formulae and the proof of Ikenberry's theorem | 251 |
| Appendix B Multi-indices   | 258 |

### **Chapter XVII     Grad's Formal Evaluation of Collisions Integrals, and His Method of Approximating the Initial-value Problem**

|   |     |
|---|-----|
| (i) Grad's expansion and equations of transfer for the Hermite coefficients   | 261 |
| (ii) Contrast and comparison of Grad's formal expansion with Ikenberry's theorem  | 270 |
| (iii) Grad's method of truncation. His 13-moment system and his 20-moment system  | 272 |
| (iv) Comparison of solutions of Grad's systems with corresponding exact solutions for shearing  | 277 |
| (v) The relaxation theorem for Grad's 13-moment system. Grad's derivation of Enskog's first approximation to the viscosity and the Maxwell number | 278 |
| Appendix A Conversion formulae  | 281 |
| Appendix B Exact solutions of the Maxwell–Boltzmann equation for a gas of Maxwellian molecules  | 284 |

## ***Part F     Existence, Uniqueness, and Qualitative Behavior***

### **Chapter XVIII     Existence Theory for the General Initial-value Problem. Part I: Molecules with Intermolecular Forces of Infinite Range**

|   |     |
|---|-----|
| (i) Prolegomena to existence theory   | 295 |
| (ii) Spatially homogeneous solutions for a gas of Maxwellian molecules: existence, uniqueness, and the trend to equilibrium | 297 |
| (iii) Estimate of the rates of approach to equilibrium  | 299 |
| (iv) Retrospect   | 302 |

## **Chapter XIX      Convergence Theorems and the Domain of the Collisions Operator**

|  |     |
|--|-----|
| (i) Preliminaries                                | 306 |
| (ii) Restrictions on the growth of the integrand | 307 |
| (iii) Convergence theorems                       | 309 |
| (iv) Inverse $K^{\text{th}}$ -power molecules    | 316 |

## **Chapter XX      Existence Theory for the General Initial-value Problem. Part II: Place-dependent Solutions for Molecules with a Cut-off**

|  |     |
|--|-----|
| (i) Integral forms of the Maxwell–Boltzmann equation | 319 |
| (ii) Survey of possibly place-dependent solutions    | 320 |
| (iii) A class of body forces                         | 323 |
| (iv) Preliminary estimates                           | 323 |
| (v) Glikson's theorem                                | 327 |

## **Chapter XXI      Existence Theory for the General Initial-value Problem. Part III: Spatially Homogeneous Solutions for Molecules with a Cut-off**

|   |     |
|---|-----|
| (i) Survey of spatially homogeneous solutions                 | 335 |
| (ii) General results on existence and regularity              | 338 |
| (iii) A modified collisions operator and its properties       | 347 |
| (iv) An existence theorem for spatially homogeneous solutions | 349 |
| (v) Proof of the ultra-narrow $H$ -theorem                    | 356 |
| (vi) Proof of the ultra-narrow trend to equilibrium           | 363 |
| Appendix A   Estimation of fourth moments                     | 368 |

## ***Part G      Grossly and Momentally Determined Solutions and the Iterative Procedures of the Kinetic Theory***

## **Chapter XXII      Hilbert's Formal Iterative Procedure for Calculating Gas-dynamic Solutions. The Assertion of Gross Causality. The Hilbert Mapping**

|  |     |
|--|-----|
| (i) Hilbert's formal iterative procedure                           | 375 |
| (ii) Proof of effectiveness  | 380 |
| (iii) Hilbert's assertion of gross causality                       | 384 |
| (iv) Properties of Hilbert's formal solutions. The Hilbert mapping | 386 |
| (v) Locally Maxwellian solutions                                   | 390 |

|  |     |
|--|-----|
| (vi) Proof that Hilbert's solutions are grossly determined | 394 |
| (vii) Retrospect   | 395 |

## **Chapter XXIII      Grossly Determined Solutions. The Equations of Gross Determinism**

|  |     |
|--|-----|
| (i) Gas-dynamic solutions. The importance of grossly determined solutions  | 398 |
| (ii) Methods of determining gas flows  | 401 |
| (iii) The Maxwell-Boltzmann equation for grossly determined solutions  | 403 |
| (iv) The equations of gross determinism and properties of gross determiners  | 405 |
| (v) Principles of local action and the domain of the gross determiner  | 407 |
| (vi) A space of functions for the principal moment   | 411 |
| (vii) Gross determiners depending upon the body force. The generalized equations of gross determinism and the equation of transfer for gross determiners | 413 |
| (viii) Gross determinism for affine flows  | 420 |
| Appendix A    Calculus in Banach spaces  | 424 |

## **Chapter XXIV      The Method of Stretched Fields for Approximating Gross Determiners. Use of It to Obtain the Results of Enskog's Procedure**

|   |     |
|---|-----|
| (i) Enskog's procedure  | 430 |
| (ii) The method of stretched fields   | 434 |
| (iii) The basic expansion of gross determiners  | 437 |
| (iv) Approximate gross determiners  | 441 |
| (v) The expansion coefficients  | 445 |
| (vi) Derivation of the iterative system for the gross determiner when $\mathbf{b} = \mathbf{0}$ | 446 |
| (vii) Structure of the iterative system. Proof of effectiveness                                 | 452 |
| (viii) Properties of some of the expansion coefficients   | 455 |
| (ix) The formulae of Enskog, Burnett, Chapman & Cowling, and Boltzmann                          | 461 |
| (x) Extension to take account of the body force   | 472 |
| (xi) Explicit results for Maxwellian molecules  | 479 |
| (xii) Explicit first approximations for general molecular models                                | 481 |
| (xiii) Retrospect   | 488 |
| Appendix A    Derivation of the iterative system  | 488 |
| Appendix B    Computational formulae  | 494 |

## **Chapter XXV      The Maxwellian Iteration of Ikenberry & Truesdell**

|  |     |
|--|-----|
| (i) Exact results to which Maxwellian iteration is applied   | 508 |
| (ii) The scheme of Maxwellian iteration  | 512 |
| (iii) Illustration of the idea of Maxwellian iteration, applied to an ordinary differential equation | 514 |

|  |     |
|--|-----|
| (iv) The first two stages of Maxwellian iteration: The Maxwell second approximation to <b>P</b> and its companion for <b>q</b> | 515 |
| (v) Comments on the results, origin, and nature of Maxwellian iteration  | 518 |
| (vi) The third stage of Maxwellian iteration   | 523 |
| (vii) Proof of effectiveness   | 524 |
| (viii) Example: Homo-energetic simple shearing of a gas of Maxwellian molecules  | 526 |
| (ix) Atemporal Maxwellian iteration  | 528 |
| (x) Use of differential iteration to generate and improve Grad's method of truncation  | 537 |
| (xi) Retrospect upon formal methods of approximation   | 539 |

**Chapter XXVI      Convergence and Divergence of Atemporal Maxwellian Iteration in Flows for Which an Exact Solution Is Known. Failure of the Higher Iterates to Improve the Asymptotic Approximation**

|   |     |
|---|-----|
| (i) Homo-energetic affine flows in general                    | 542 |
| (ii) Homo-energetic dilatation                                | 546 |
| (iii) Homo-energetic simple shearing                          | 546 |
| (iv) Homo-energetic extension                                 | 548 |
| (v) Failure of the classical approach to approximate solution | 549 |
| (vi) Retrospect   | 556 |

**Epilogue** 559

**List of Works Cited** 569

|                          |     |
|--------------------------|-----|
| INDEX OF AUTHORS CITED   | 579 |
| INDEX OF MATTERS TREATED | 582 |