

CONTENTS

<i>Contributors</i>	<i>ii</i>
<i>Participants</i>	<i>xi</i>
<i>Preface (in French and English)</i>	<i>xv</i>

PART I – LOW ENERGY ATOMIC PHYSICS

<i>Course 1. Introduction to quantum electrodynamics, by Claude Cohen-Tannoudji</i>	<i>1</i>
General introduction	5
1. Classical electrodynamics	7
1.1. Introduction	7
1.2. Basic equations in ordinary space	7
1.3. Electrodynamics in reciprocal space	11
1.4. Normal variables	23
2. Quantum electrodynamics in Coulomb gauge – general framework	33
2.1. Introduction	33
2.2. Quantization in Coulomb gauge – elementary approach	36
2.3. Evolution in time	39
2.4. Structure of the Hamiltonian	44
2.5. Electric dipole approximation	49
3. Quantum electrodynamics in Coulomb gauge – physical discussion	61
3.1. Introduction	61
3.2. Free field observables	62

3.3. Elementary excitations of the quantized free field – photons	64
3.4. Some properties of the vacuum	67
3.5. Quasiclassical states	68
3.6. Analysis of interference phenomena	72
4. Vacuum fluctuations and radiation reaction: identification of their respective contributions	
Reprint of a paper by Dalibard, J., J. Dupont-Roc and C. Cohen-Tannoudji (1982) <i>J. Physique</i> 43, 1617	80
4.1. Introduction	80
4.2. The quantum form of the Abraham–Lorentz equation	85
4.3. Identification of the contributions of vacuum fluctuations and self-reaction to the rate of variation of an arbitrary atomic observable	93
4.4. Extension of the previous treatment to a system \mathcal{S} interacting with a large reservoir \mathcal{R}	100
4.5. Physical discussion. Contributions of vacuum fluctuations and self-reaction to the radiative corrections and radiative damping of an atomic electron	107
4.6. Conclusion	121
Appendix A: Calculation of the source fields	121
Appendix B: Correlation function and linear susceptibility of the field	123
References to section 4	124
5. The effective Hamiltonian method	126
5.1. Introduction – general idea	126
5.2. Calculation of the effective Hamiltonian	127
5.3. Application to radiative corrections in the nonrelativistic limit	131
6. Simple introduction to interacting quantized Dirac and Maxwell fields	136
6.1. Introduction	136
6.2. A brief review of the Dirac equation	137
6.3. Second quantization of the Dirac equation	142
6.4. Justification of the single particle Hamiltonians used for nonrelativistic electrons	147
References	155

Seminar 1. Effective Hamiltonian approach to $g - 2$ – relativistic calculation, by Jacques Dupont-Roc and Claude Cohen-Tannoudji

157

1. Introduction	158
2. General method	159
2.1. Hamiltonian H – definition of H_0 and V	159
2.2. Relevant manifolds of H_0	161
2.3. Expression of the effective Hamiltonian	162

3. Calculation of the effective Hamiltonian	163
3.1. Contribution of the Coulomb interaction	163
3.2. Contribution of transverse photons	170
3.3. Transformation to an “even” effective Hamiltonian; final results	173
4. Physical discussion	175
4.1. Comparison with non-relativistic calculations	175
4.2. Contribution of high-frequency modes – mass renormalization	176
4.3. Spin anomaly $(g - 2)/g$	178

<i>Seminar 2. Non-classical properties of resonance fluorescence light, by Jean Dalibard and Serge Reynaud</i>	181
--	-----

<i>Course 2. Rydberg atoms and radiation in a resonant cavity, by Serge Haroche</i>	193
---	-----

1. Introduction: motivation and outline of this course	197
2. Description of Rydberg atom radiative properties and basic experimental techniques	199
2.1. Why radiative properties of Rydberg atoms are interesting to study	199
2.1.1. Binding energy of Rydberg levels	200
2.1.2. Atomic size and electric dipole matrix elements between nearby levels	201
2.1.3. Transition frequencies and wavelengths for $\Delta n \sim 1$ transitions	201
2.1.4. Spontaneous emission rate from an nl level with $l \ll n$ (eccentric orbits)	202
2.1.5. Spontaneous emission rate from an nl level with $l \sim n$ (circular orbits)	203
2.1.6. Absorption rate for broadband resonant fields: case of black-body radiation	204
2.2. How to couple a Rydberg transition to a single radiation mode?	206
2.3. Brief survey of the experimental techniques developed to study these effects	208
2.3.1. Preparation of Rydberg atoms in a resonant cavity	208
2.3.2. Realization of a true two-level atom system	209
2.3.3. Detection of Rydberg atom evolution	210
2.3.4. Detection of the millimeter-wave radiation emitted by the atoms	213
2.3.5. Generation of external radiation acting on the atoms	213
3. Formal description of field and atomic systems	214
3.1. Description of the single-mode field	214
3.2. The two-level atom system	216
3.3. The “atom + field” system Hamiltonian	220
3.4. The symmetry hypothesis	221

4. Relaxation of the “atom + field” system	223
4.1. Brief summary of relaxation theory	224
4.2. First example of relaxation theory: spontaneous emission and black-body induced effects in a two-level atom system	226
4.2.1. Single-atom case	227
4.2.2. N two-level atoms: superradiance	228
4.3. Second example of relaxation theory: damping of a harmonic oscillator into a $T = 0$ and a $T \neq 0$ K reservoir	230
4.4. Relaxation of the “Rydberg atom–single field mode” system	234
5. Single Rydberg atom in a cavity	237
5.1. Spontaneous emission in the cavity at $T = 0$ K	237
5.1.1. The two regimes of atomic decay	237
5.1.2. Single atom spontaneous emission at $T = 0$ K described in the “dressed atom” basis	243
5.2. Spontaneous emission at a finite temperature: Rabi nutation in a chaotic field	246
5.3. Rabi nutation driven by a coherent field: periodic collapse and revival of the quantum mechanical oscillation	253
6. Collective behaviour of N Rydberg atoms in a resonant cavity	257
6.1. Collective emission of N atoms in a cavity: the two regimes	259
6.1.1. Regime of oscillations in a large Q cavity	259
6.1.2. Superradiant regime in a moderate Q cavity	266
6.2. Quantitative analysis of the symmetrical superradiant evolution for an ensemble of N two-level atoms in a low Q resonant cavity	269
6.2.1. Simple evaluation of emission time and time fluctuations	272
6.2.2. Fluctuationless trajectories: the quasi-classical “probability packets”	273
6.2.3. The initial quantum stage of superradiance	277
6.2.4. The superradiance density matrix as a linear superposition of quasi-classical probabilities	279
6.2.5. Physical discussion	280
6.3. Superradiance in the presence of a thermal field	284
6.4. Experimental study of superradiant Rydberg atom systems in cavities	288
6.4.1. A study of expectation values (“average” evolution)	288
6.4.2. Maser thresholds	289
6.4.3. Statistics of Rydberg atom emission	290
6.5. Collective absorption of blackbody radiation by two-level atoms in a cavity	292
6.5.1. Thermodynamical equilibrium of the atomic system	292
6.5.2. Evolution towards equilibrium	294
6.5.3. Experimental evidence of collective absorption in Rydberg atom systems	296
6.6. Collective behaviour of atoms in a cavity revisited in the Bloch-vector picture	298
7. Conclusion	305
References	307

Seminar 3. Laser spectroscopy of atomic Rydberg states: interaction with strong fields, by Sylvain Liberman and Christophe Blondel	311
Introduction	312
1. Spectroscopy of Rydberg atoms	313
1.1. An example with Kr	313
1.2. Rydberg series perturbed by valence levels. Example of ytterbium spectrum	315
1.3. Autoionizing Rydberg series perturbed by an electric field	317
1.4. Rydberg levels perturbed by an electromagnetic field	320
2. Photoionization of atoms in the presence of an electric field	326
2.1. Dissymmetric lineshapes (Fano profiles)	326
2.2. Field induced stabilization of Stark states	329
2.3. Photoionization cross section of excited Na atoms in the presence of an electric field	337
2.4. Photoionization Stark spectra of ytterbium	343
2.4.1. General features	343
2.4.2. Experimental set up	345
2.4.3. Results	346
References	349
 Seminar 4. Rydberg atoms in magnetic fields – the diamagnetic behaviour, by Dominique Delande, François Biraben and Jean-Claude Gay	 351
1. Introduction	352
2. General formulation	353
2.1. Hamiltonian of the system	353
2.2. Classical equation of motion	354
2.3. Constants of the motion – orders of magnitude	355
2.4. The Coulomb problem	356
2.5. The Landau problem	356
3. Methods of resolution	357
3.1. General topics	357
3.2. Ultra low-field limit: Zeeman effect ($\gamma n^4 \ll 1$)	358
3.3. Low-field limit: diamagnetism ($\gamma n^3 \ll 1$)	358
3.3.1. Classical point of view	358
3.3.2. Quantum point of view: inter- l -mixing regime ($\gamma n^{7/2} \ll 1$)	359
3.3.3. Inter- n -mixing regime ($\gamma n^3 \ll 1$)	361
3.3.4. Non-hydrogenic atoms	362
3.4. Strong-field mixing regime ($\gamma n^3 \approx 1$)	363
3.4.1. Classical point of view	363
3.4.2. Quantum point of view	364
3.4.3. Semi-classical methods	364
3.5. High-field limit ($\gamma n^3 \gg 1$)	367

4. Experimental investigation	368
4.1. Statement in low-resolution experiments	368
4.2. Ideal experimental situation	368
4.3. Present status of the experiments	369
4.4. Experimental results	370
4.4.1. Diamagnetism in the low-field regime	370
4.4.2. Strong-field mixing regime	372
4.4.3. Landau regime	376
5. Conclusions	377
References	378

Course 3. Atomic particles in traps, by Peter E. Toschek 381

1. Why localization, why cooling of atomic particles?	385
2. Traps for ions and neutrals	386
2.1. The Penning trap	386
2.2. The r.f. trap	390
2.2.1. Spherically symmetric trap	393
2.2.2. Comparison of r.f. trap with d.c. (e.g. Penning) trap	394
2.2.3. Number of stored ions	394
2.2.4. Rigorous trap dynamics	395
2.2.5. Observation of trapped ions	396
2.3. Electrostatic trapping of neutrals	397
2.4. Electrostatic and magnetostatic ion traps	401
3. Spectroscopic applications of trapped ions	402
3.1. R.f. spectroscopy of $^3\text{He}^+$ in r.f. trap	402
3.2. Optical pumping and r.f. spectroscopy of trapped $^{199}\text{Hg}^+$	406
3.3. Electrons in traps	407
3.4. Metastable $^3\text{He}^+$	407
3.5. Highly-charged ions	408
3.6. Charge transfer	409
4. Trapping atomic particles in light beams	410
4.1. Mechanical effects of light	410
4.2. Trapping by recoil in standing light waves	412
4.3. Trapping by gradient forces in macroscopic volumes	414
4.4. Trap configurations	415
5. Cooling of trapped particles	417
5.1. Cooling by collisions with background gas	417
5.2. Energy dissipation in tuned resonance circuit	418
5.3. Optical cooling – general aspects	420
5.4. Cooling rate for free atoms	421
5.5. Cooling of bound particles	423
5.6. Cooling power and cooling limits	425
5.7. Other models of cooling	428
6. Spectroscopy of trapped and cooled particles	429
6.1. Clouds of ions	430

6.1.1. The Ba^+ experiments	430
6.1.2. The Mg^+ experiments	433
6.1.3. The Be^+ experiments	436
6.2. Single ions in traps	437
6.2.1. The Ba^+ experiments	438
6.2.2. The Mg^+ experiments	441
7. Time and frequency standards based on trapped and cooled ions	441
7.1. Microwave frequency standards	442
7.2. Optical frequency standards	444
7.2.1. Two-photon line in $^{201}\text{Hg}^+$	445
7.2.2. Resonant Raman transition in Ba^+	445
7.2.3. Intercombination lines in group III ions	446
References	447

Course 4. Collisions in atomic vapors, by Paul R. Berman 451

1. Introduction	454
1.1. Physical system and approximations	456
2. Collision kernels and rates – qualitative	457
2.1. General considerations	457
2.2. Collision kernels and rates for populations	459
2.2.1. Structure of the collision kernel	460
2.3. Collision kernels and rates for coherences	464
2.3.1. Collisional decay of ρ_{ij} for $i \neq j$	466
2.4. Summary	467
3. Collision kernels and rates – quantitative	468
3.1. Formal expressions for collision kernels and rates	468
3.2. Structure of the collision kernels	470
4. Collision kernels and rates – arbitrary active atom to perturber mass ratio	472
4.1. Stationary perturber limit – review	472
4.2. Collision kernels and rates – formal expressions for arbitrary (m/m_p)	474
4.3. Collision kernel widths, collision rates and validity criteria – arbitrary (m/m_p)	475
4.3.1. Populations	475
4.3.2. Coherences	478
5. Experimental methods for measuring collision kernels and rates	478
5.1. General considerations	479
5.2. Linear spectroscopy	483
5.3. Coherence spectroscopy of a 3-level system	488
5.4. Photon echo	493
5.5. Saturation spectroscopy of a 3-level system	498
5.6. Delayed saturation spectroscopy	504
5.7. Stimulated echo	505
6. Summary	509
References	512

<i>Seminar 5. Laser induced collisions in dense vapors by Luigi Moi</i>	<i>517</i>
1. Introduction	518
2. Resonant excitation of dense alkali vapors	520
3. Conclusion	532
References	532
 <i>Seminar 6. Generation of coherent radiation in the VUV, by Jacques Lukasik</i>	 <i>535</i>
1. Introduction	536
2. Review of vacuum ultraviolet lasers	536
2.1. General considerations	536
2.2. Hydrogen laser	537
2.3. Excimer/exciple laser	538
3. Harmonic generation and sum frequency mixing in the vacuum ultraviolet	539
3.1. Major experimental achievements	541
3.2. Comparison with other sources	547
4. Perspectives for the soft X-ray and γ -ray lasers	548
4.1. Proposal for a 207 Å laser in lithium	548
4.2. Laser gain around 182 Å in carbon plasma	550
4.3. Nuclear bomb pumped X-ray laser at 14 Å	550
4.4. Prospects for a γ -ray laser	551
5. Applications of coherent vacuum ultraviolet radiation	552
6. Final comment	553
References	553

PHYSICS IN THE VUV AND X RANGE

<i>Course 5. Application of many-body problems to atomic physics, by Göran Wendin</i>	<i>555</i>
1. Introduction	558
2. Qualitative discussion of electronic excitation spectra	563
2.1. The photoionization process in real space and time	564
2.2. A stationary state picture	566
2.3. When is the many-electron response particularly important?	569