

CONTENTS**INVITED PAPERS**

- L-1 Hughes, V.W.
 Atomic physics and fundamental principles
- L-2 Yamazaki, T.
 Do quarks play an explicit role as nuclear constituents?
- L-3 Fortson, E.N.
 New experimental limits on a permanent atomic electric dipole moment and implications
- L-4 Wieman, C.E.
 A new measurement of parity nonconservation in atomic cesium
- L-5 Sapirstein, J.
 Theoretical problems in quantum electrodynamics
- L-6 Kienle, P.
 Anomalous positron emissions in heavy-ion collisions
- L-7 Gould, H. and Munger, C.
 Lamb shift in heliumlike uranium (U^{90+})
- L-8 Morita, M.
 Muon capture in hyperfine states of muonic atoms
- L-9 Ponomarev, L.I.
 μ -atomic processes and muon-catalyzed fusion
- L-10 Nagamine, K.
 Thermal muonium and topics in pulsed muon experiments
- L-11 Backenstoss, G.
 Antiprotonic atoms
- L-12 Jensen, R.V.
 Chaos in atomic physics
- L-13 Duncan, A.J.
 Quantum correlations in the two-photon decay of atomic hydrogen
- L-14 Burke, P.G.
 R-matrix method in atomic physics
- L-15 Phaneuf, R.A.
 Collision experiments with highly ionized atoms
- L-16 Li, J.-M.
 Some researches in atomic physics in China
- L-17 Walther, H.
 The single-atom maser and cavity quantum electrodynamics
- L-18 Cohen-Tannoudji, C.
 Laser-atom interactions: Recent theoretical developments
- L-19 Brewer, R.G.
 Macroscopic quantum jumps in a single atom
- L-20 Chu, S., Bjorkholm, J.E., Ashkin, A., and Cable, A.
 Demonstration of laser cooling and trapping of atoms
- L-21 Suckewer, S.
 Princeton's approach to X-ray lasers below 100Å
- L-22 Sasaki, T.
 Synchrotron radiation spectroscopy of atoms and molecules at photon factory
- L-23 Källne, E. and Källne, J.
 X-ray spectroscopic studies of atomic processes in hot plasmas
- L-24 Kawaji, S.
 Quantum Hall effect: Development and present status
- L-25 Oka, T.
 Extraordinary molecules in interstellar space

CONTRIBUTED PAPERS: POSTER SESSION I

I.a. Quantum Electrodynamics and Fundamental Problems

- I-1 Au, C.K.
A Coulomb-gauge electrodynamics analysis of two photon exchange in electron-atom scattering
- I-2 Feinberg, G., Sucher, J., and Au, C.K.
A quantum field theory approach to the calculations of energy levels in heliumlike Rydberg atoms
- I-3 Bhattacharyya, S. and Chatterjee, L.
A QED approach to transfer ionization
- I-4 Mohr, P.J. and Kim, Y.K.
Self energy of excited states in a strong Coulomb field
- I-5 Hirata, Y. and Minakata, H.
Quantum field theories around a large-Z nucleus
- I-6 Cheon, Il-T.
The frequency shift of the $2S_{1/2} \rightarrow 2P_{1/2}$ transition line of hydrogen atom by the specific boundary
- I-7 Hänsch, T.W., Beausoleil, R.G., Couillaud, B., Hildum, E.A., and McIntyre, D.H.
High resolution laser spectroscopy of atomic hydrogen
- I-8 Hunter, L.R., Krause, D., Murthy, S., and Sung, T.W.
Optical Stark shift of the resonance lines of cesium
- I-9 Liu, C.J., Schüler, K.P., Gay, T.J., and Hughes, V.W.
A new method for optical measurement of proton polarization
- I-10 Moore, F.L., Farnham, D.L., Schwinberg, P.B., and Van Dyck, Jr., R.S.
RF mass spectroscopy in a compensated quadrupole Penning trap
- I-11 Schnatz, H., Bollen, G., Dabkiewicz, P., Egelhof, P., Kern, F., Kalinowsky, H., Schweikhard, L., Stolzenberg, H., Kluge, H.-J., and the ISOLDE Collaboration
In-flight capture of ions into a Penning trap
- I-12 Liang, J.Q.
Quantum mechanics in multiply connected spaces and the fractional angular momentum quantization
- I-13 Haji-Hassan, T., Duncan, A.J., Perrie, W., Beyer, H.-J., and Kleinpoppen, H.
The two-photon decay of metastable atomic deuterium: Tests of Bell's inequality and the no-enhancement hypothesis
- I-14 Holzscheiter, M.H.
Antiproton storage in ion traps: A new concept in low energy antimatter physics
- I-15 Kasai, S., Endo, I., Harada, M., Niki, K., Sumi, Y., Tobiyama, M., Mutou, M., Tsujikawa, H., Watanabe, K., Yoshida, K., and Baba, K.
Detection of the recoil electron in the pair production of atomic electrons

I.b. Exotic Atoms and Related Topics

- I-16 Arnold, K.-P., Chmely, F., Eckhause, M., Hughes, V.W., Kane, J., Kettell, S., Kuang, Y., Kumar, K., Lu, D., Ni, B., Matthias, B., Orth, H., Schaefer, R., Souder, P., Woodle, K., and zu Putlitz, G.
Discovery of the muonium negative ion
- I-17 Gladisch, M., Hofmann, J., Jacobs, W., Mundinger, H.-J., Rosenkranz, J., Schäfer, W., Schwarz, W., Stickel, M., zu Putlitz, G., and Hughes, V.W.

- I-18 New results on the muonium production with the beam-foil technique
Arnold, K.P., Chmely, F., Germani, J., Hughes, V.W., Kettell, S.,
Kuang, Y., Markey, J., Matthias, B., Meyer, N., Ni, B., Orth, H.,
Schaefer, R., Eckhause, M., Guss, P., Kane, J., Hoffman, C., Hogan,
G., Sandberg, V., Reidy, J., and zu Putlitz, G.
Search for spontaneous conversion of muonium to antimuonium
- I-19 Menshikov, L.I., Ponomarev, L.I., and Sukhanov, L.P.
The lifetime of the $(\mu\text{He})^+$ ${}_{2s}$ metastable state
- I-20 Imazato, J., Kadono, R., Watanabe, Y., Nagamine, K., Yamazaki, T.,
Döbeli, M., Trüdl, P., Tasiaux, B., and Deutsch, J.
Asymmetry measurement of the decay electron from negative muons
bound in ${}^{208}\text{Pb}$
- I-21 Sakai, Y., Kubo, M.K., Tominaga, T., Ishida, K., Nagamine, K., and
Ikuta, S.
Atomic capture of negative muon in organic compounds containing
chlorine atoms
- I-22 Imanishi, N.
A model on the Coulomb capture of muons or pions in hydrides
- I-23 Ma, Q.-C., Zhang, X.-X., Liu, Y.-Y., and Watanabe, T.
Total and differential cross sections for $(\mu^+\mu^-)$ formation by
collisions of μ^+ with (μ^-p) including excited states in the first
Born approximation
- I-24 Liu, X.-W., Ma, Q.-C., Cheng, J.-F., Zhang, X.-X., Liu, Y.-Y., and
Watanabe, T.
Total and differential cross sections for $(\mu^+\mu^-)$ formation by
collisions of μ^+ with (μ^-p) in the eikonal approximation
- I-25 Nakanishi, K., Iguchi, K., Ohsaki, A., and Watanabe, T.
Classical-trajectory Monte Carlo calculations for Coulomb-interacting
three-body systems
- I-26 Morgan, Jr., D.L.
Antiproton-hydrogen atom rearrangement - Annihilation cross section

I.c. Muon-Catalyzed Fusion

- I-27 Akaishi, Y. and Tanaka, H.
Energy of (dtp) molecule by ATMS method
- I-28 Haga, Y., Kazama, H., Akaishi, Y., and Tanaka, H.
Effect of nuclear interaction on (dtp) molecule
- I-29 Gandy, E.M. and Zubarev, A.L.
A calculation of a spectrum of levels in the Coulomb three body
problem
- I-30 Korobov, V.I., Puzynin, I.V., and Vinitsky, S.I.
Variational calculation of weakly bound rotational-vibrational
states of mesic molecules $\text{dd}\mu$ and $\text{dt}\mu$
- I-31 Faifman, M.P., Menshikov, L.I., Ponomarev, L.I., Puzynin, I.V., Puzy-
nina, T.P., and Strizh, T.A.
Energy levels of mesic molecular complexes of hydrogen isotopes
- I-32 Bakalov, D.D. and Melezikh, V.S.
Muonic molecules finite size corrections to molecular complexes
 $(\text{dd}\mu)\text{dee}$ and $(\text{dt}\mu)\text{dee}$ energy levels
- I-33 Bogdanova, L.N., Kuperin, Yu.A., Kvitsinsky, A.A., Markushin, V.E.,
Merkuriev, S.P., and Ponomarev, L.I.
Non-radiative fusion in $\text{pd}\mu$ mesic molecule
- I-34 Chatterjee, L. and Bhattacharyya, S.
Can laser field assist muon induced fusion?

- I-35 Brener, S.E. and Zubarev, A.L.
The exchange reactions for the low energy collisions of the hydrogen isotope mesoatoms
- I-36 Melezhik, V.S. and Wozniak, J.
Cross sections for scattering of mesic atoms on hydrogen isotope nuclei
- I-37 Adamczak, A., Melezhik, V.S., and Menshikov, L.I.
Electron screening in low energy scattering of muonic hydrogen on hydrogen atom
- I-38 Nagamine, K., Matsuzaki, T., Ishida, K., Hirata, Y., Watanabe, Y., Kadono, R., Nishiyama, K., Jones, S.E., and Maltrud, H.R.
Muonic X-ray measurement on the μ^- sticking probability in muon catalyzed fusion of liquid d-t mixture
- I-39 Bogdanova, L.N., Bracci, L., Fiorentini, G., Gerstein, S.S., Markushin, V.E., Melezhik, V.S., Menshikov, L.I., and Ponomarev, L.I.
The calculation of the probability of muon sticking to helium in the muon catalyzed fusion $d\bar{d}p \rightarrow \mu^3He + n$ and $d\bar{t}p \rightarrow \mu^4He + n$
- I-40 Bogdanova, L.N., Markushin, V.E., Melezhik, V.S., and Ponomarev, L.I.
The probability of muon sticking to helium in the muon catalyzed fusion beyond the Born-Oppenheimer approximation
- I-41 Markushin, V.E.
Effects of nuclear reaction finite time in muon sticking to helium
- I-42 Tajima, T. and Eliezer, S.
Muonic X-ray laser in a deuterium-tritium mixture
- I-43 Tajima, T., Eliezer, S., and Rosenbluth, M.N.
Muon-catalyzed fusion-fission reactor

I.d. Hyperfine Structure and Isotope Shifts

- I-44 Kronfeldt, H.-D.
Determination of hyperfine structure and isotope shift parameters in lanthanide elements
- I-45 Yoshizawa, Y., Horiguchi, T., and Wakasugi, M.
Hyperfine structure study of $^{127}I_2$ molecule with molecular beam laser spectroscopy
- I-46 Berkler, M., Münch, A., Werth, G., and Wilsdorf, D.
Precision ground state HFS of $^{173}Yb^+$
- I-47 Głodź, M. and Kraińska-Miszczak, M.
Measurements of the hyperfine structure in $^{102}D_{5/2}$ state of ^{87}Rb
- I-48 Gerz, Ch., Hilberath, Th., and Werth, G.
Lifetime of metastable 5D states of Sr^+ ions
- I-49 Fechner, B., Rinkleff, R.-H., and Steudel, A.
Stark effect and radiative lifetimes in Eu I
- I-50 Carlsson, J., Lundberg, H., Peng, W.-X., Persson, A., Svanberg, S., Wahlström, C.G., and Zhao, Y.-Y.
Experimental and theoretical investigations of radiative lifetimes and hyperfine structures in group IIIA atoms
- I-51 Wallmeroth, K., Bollen, G., Borge, M.J.G., Campos, J., Dohn, A., Egelhof, P., Grüner, J., Kluge, H.-J., Lindenlauf, F., Kröner, U., Moore, R.B., Rodriguez, A., Venugopalan, A., Wood, J., and the ISOLDE Collaboration
Resonance ionization mass spectrometry (RIMS) of short-lived gold isotopes
- I-52 Goldschmidt, Z.B.
Explanation of characteristic properties of crossed-second-order field isotope shift effects

I.e. Laser Cooling and Laser Snow

- I-53 Itano, W.M., Bergquist, J.C., Bollinger, J.J., Brewer, L.R., Hulet, R.G., Larson, D.J., and Wineland, D.J.
Laser cooling of ions in Penning and RF traps
- I-54 Yabuzaki, T., Sugiyama, K., and Ogawa, T.
Production of large crystalline particles from laser-produced alkali-hydride molecules
- I-55 Mariotti, E., Xu, J.H., Allegrini, M., Gozzini, S., and Moi, L.
Sodium atom drift in silane coated pyrex capillaries

I.f. Nonlinear Spectroscopy and Related Problems

- I-56 Kuroda, R., Uemura, S., Fukuda, Y., and Hashi, T.
Accumulated coherent phonon generation
- I-57 Mishina, T., Tanigawa, M., Fukuda, Y., and Hashi, T.
Synchronized quantum beat echoes in Cs with diode lasers
- I-58 Berger, J., Blatt, P., Hauck, P., and Neumann, R.
Laser-initiated Raman transitions in cesium atoms via a continuum state
- I-59 Tung, J.H., Tang, A.Z., Salamo, G.J., and Chan, F.T.
Two-photon absorption of atomic hydrogen from two light beams
- I-60 Mlynek, J., Drake, K.H., and Lange, W.
Nonlinear magneto-optic effects in a $J=1$ to $J'=0$ transition
- I-61 Mlynek, J. and Bühr, E.
Collision-induced Ramsey resonances in Sm vapor
- I-62 Chu, S.-I. and Ho, T.-S.
Floquet-Liouville supermatrix approach to nonlinear optical processes in intense laser fields
- I-63 Fu, J.-S., Hu, Y.-H., and Zheng, L.-M.
A new method of detection of saturation dispersion spectra
- I-64 Endo, T. and Muramoto, T.
Quantum-mechanical homogeneous line broadening of ruby

I.g. Laser Spectroscopy of Molecules

- I-65 Stoicheff, B.P., Herman, P.R., LaRocque, P.E., and Madej, A.A.
VUV laser-excited spectra of Ar_2 and Kr_2 : Molecular constants and radiative lifetimes
- I-66 Nakagawa, K., Kuga, T., Matsuo, Y., and Shimizu, T.
The highly excited vibrational states of NH_3
- I-67 Yamada, C. and Hirota, E.
Detection of the silyl radical SiH_3 by infrared diode laser spectroscopy
- I-68 Wang, W. and Jiang, Z.
Laser excited OH fluorescence in flame and the population distribution of its ground electronic state
- I-69 Kimura, K.
Possibility of dimer and clusters between helium excimers produced at high density by irradiation of heavy ions at low temperature
- I-70 Overlaet, W., Kimura, M., Kinoshita, S., and Kushida, T.
Time-resolved light scattering from resonantly excited molecular iodine

I.h. Technical Improvements on Lasers

- I-71 Yabuzaki, T., Kawamura, T., and Ogawa, T.
New Doppler-free atomic spectroscopy and its application to frequency-stabilization of a semiconductor laser
- I-72 Grafström, S., Harbarth, U., Kowalski, J., Neumann, R., Noehre, S., and zu Putlitz, G.
Precise laser beam position control for Doppler-free atomic spectroscopy
- I-73 Shy, J.-T. and Yen, T.-C.
Optogalvanic frequency stabilization of CO₂ laser using the Lamb dip in a low pressure discharge
- I-74 Shimizu, F.O. and Ueda, K.
Study on dynamical constants in laser process by analyzing relaxation oscillation of pulsed CO₂ laser
- I-75 Fujii, K.-I., Yokoyama, H., Sugaya, M., Takashima, M., and Hård, S.
He-Cd white light laser with a helical hollow cathode

I.i. Rydberg Atoms and Molecules

- I-76 Zhang, C., Li, B., Chen, A., and Zhang, X.
Calculation of wavefunctions and oscillator strengths for Rydberg states of atomic Na
- I-77 Dembczyński, J.
Quantum defect in silicon, germanium, and tin
- I-78 Cheng, K.T.
Multichannel quantum defect analysis of the absorption spectrum of Ba⁺⁺
- I-79 Wang, Z.-W.
The strong channel interactions of five times ionized fluorine
- I-80 Wang, Z.W. and Lu, K.T.
Calculation of 3p⁴(β P) ns Rydberg spectra of chlorine isoelectronic ions from Ar II to Zn XIV
- I-81 Lu, K.T. and Sun, J.-Q.
Theory of autoionizing structures induced by interaction of nuclear magnetic dipole and quadrupole moments with a Rydberg electron
- I-82 Lu, K.T. and Pan, S.-H.
Frame transformation theory of l-uncoupling effect of triatomic hydrogen H₃
- I-83 Wu, T.H. and Lu, K.T.
Observation of Ba₂ excimer band structures via two-photon excitation
- I-84 Zhang, J.-Y., Zhou, H.-T., Yang, J., Li, Q.-R., and Lu, K.T.
Observation of Mg₂ Rydberg excimer and Mg₂(Ar)_N Fermi complex in a two-photon excitation
- I-85 Li, J.-M.
Quantum defect theory: Spectra below the sulfer L_{II,III} edges in SO₂
- I-86 Knight, R.D. and Wang, L.-G.
Field ionization studies of Rydberg states of H₂
- I-87 Hieronymus, H., Rinneberg, H., Neukammer, J., König, A., Vietzke, K., Jönsson, G., and Springer-Bolk, H.
Angular distribution of electrons emitted from Ba [6p_{1/2}ns,nd]_{J=1} autoionizing states located within the [6p_{3/2}12s_{1/2}]_{J=1} perturber
- I-88 König, A., Vietzke, K., Neukammer, J., Hieronymus, H., Kohl, M., Rinneberg, H., and Jönsson, G.

- Stark effect of barium Rydberg states in the l- and n-mixing region
I-89 Vietzke, K., König, A., Neukammer, J., Kohl, M., Hieronymus, H., Rinneberg, H., and Jönsson, G.
Diamagnetism of barium Rydberg states in the l- and n-mixing region
I-90 Wunner, G., Ertl, T., Zech, I., Zeller, G., and Ruder, H.
Modeling the Rydberg spectra of atomic hydrogen and deuterium in strong magnetic fields
I-91 Onda, K.
n dependence of l-changing cross section in Rydberg atom-ion collisions
I-92 Zollars, B.G., Walter, C.W., Johnson, C.B., Smith, K.A., and Dunning, F.B.
Rydberg atom collision processes at intermediate n
I-93 Harth, K., Bregel, T., Ruf, M.-W., and Hotop, H.
Ionization and electron transfer in thermal e⁻ - collisions involving laser excited neon Rydberg atoms
I-94 Wunner, G., Steitz, A., Woelk, U., Schweizer, W., Herold, H., and Ruder, H.
Search for quantum chaos in the wavefunctions of strongly magnetized Rydberg states

I.j. Atomic and Molecular Structure

- I-95 Shimamura, I. and Iwai, M.
An R-matrix method for wave functions that are accurate close to the coordinate origin
I-96 Ivanov, M.V.
Finite-difference calculations of hydrogen atom low-lying energy levels in magnetic field
I-97 Gallas, J.A.C.
Zeeman diamagnetism in hydrogen
I-98 Shinada, M., Tachibana, M., and Nakamura, H.
The electronic states of two-electron atoms in a magnetic field
I-99 Feagin, J.M. and Briggs, J.S.
The molecular description of two-electron excited states
I-100 Haysak, M.I., Lengyel, V.I., Poida, V.Ju., and Shitikova, K.V.
The role of correlations in calculation of autoionizing states of helium
I-101 Koyama, N., Fukuda, H., Motoyama, T., and Matsuzawa, M.
Doubly excited 1S_e states of H⁻ and He below the N hydrogenic threshold with $N \leq 6$
I-102 Chang, T.N., Wang, M.C., and Bryon, T.
Effect of the configuration interaction to the fine structure splitting for two-electron atoms
I-103 Chang, T.N.
Effect of the configuration interaction to the term values of the 3s_n1L states of magnesium atom
I-104 Li, B.
A variational calculation for electron correlation of the B atom
I-105 Talukdar, B. and Bhattacharya, J.
X-ray energy shifts for an additional vacancy in the M_V subshell
I-106 van Kleef, Th.A.M., Joshi, Y.N., and Raassen, A.J.J.
The structure of the silver V and VI systems: 4dⁿ-4dⁿ⁻¹5p (n=7,6)
I-107 Ohno, M.
g-Hartree ab-initio calculation of atomic ionization energies

- I-108 Rashid, K. and Fricke, B.
Total energies of atomic systems
- I-109 Petkov, I.Zh. and Stoitsov, M.V.
The energy density functional in the local scale transformation method
- I-110 Adachi, H., Gotoh, M., Yasui, J., and Mukoyama, T.
Molecular orbital correlation diagrams by the DVX_a method
- I-111 Tiemann, E. and Wolf, U.
Predissociation of diatomic molecules by tunneling
- I-112 Damburg, R.J. and Martyshchenko, V.V.
Large-order perturbation theory (LOPT) for oblate angular spheroidal functions (OASF)

I.k. Atomic Oscillator Strengths and Optical Properties

- I-113 Oh, S.D. and Pratt, R.H.
Proof that allowed Coulomb dipole matrix elements never vanish
- I-114 Aashamar, K., Luke, T.M., and Talman, J.D.
Calculation of energy levels and transition strengths in the magnesium sequence using the multiconfiguration optimized potential model
- I-115 Lee, Y.T. and Reed, R.J.
Calculation of spectral line intensities for transitions among n=2 to n=3 states of O-like Ar ions
- I-116 Biémont, E.
Energy-level scheme and oscillator strengths for the 3s-3p, 3p-3d, and 3p-4s transitions in silicon sequence for elements potassium through nickel
- I-117 Biémont, E. and Hansen, J.E.
Forbidden transitions in 3p⁴ and 4p⁴ configurations
- I-118 Biémont, E. and Brault, J.W.
The infrared spectrum of magnesium and of aluminium (1800 < σ < 9000 cm⁻¹) and an extension of the term systems of MgI, MgII, AlI, and AlII
- I-119 Tang, A.Z. and Chan, F.T.
Dynamic multipole polarizability of atomic hydrogen
- I-120 Kim, Y.S.
Laser intensity effects on configuration mixing and energy levels of bound states
- I-121 Blagoev, K. and Dimitrov, N.
Radiative lifetimes of 5d¹⁰nl states of Hg⁺
- I-122 Burstein, M.L., Kazantsev, S.A., Penkin, N.P., and Verolainen, Ya.F.
Features of cascade effects in lifetime measurements
- I-123 Wang, M.S.
The real part of X-ray forward Rayleigh scattering amplitude
- I-124 Makdisi, Y., Bhatia, K.S., and Zaidi, A.A.
Absorption spectra of AsI in ultrahigh vacuum

I.l. Fast-Ion Beam Spectroscopy and Inner-Shell Spectroscopy

- I-125 Egan, P.O., Dietrich, D.D., Chandler, G.A., Mokler, P.H., Reusch, S., and Hoffmann, D.H.H.
X-ray spectroscopy of n=3→2 transitions in highly stripped heavy ions

- I-126 Ando, K., Awaya, Y., Kohmoto, S., Kumagai, H., Tonuma, T., Tsurubuchi, S., and Sato, K.
Identification of highly ionized aluminum in beam-foil spectrum
- I-127 Satake, M., Ozawa, K., Kawatsura, K., Octuka, A., Komaki, K., Naramoto, H., Nakai, Y., Fujimoto, F., Kikuchi, A., and Ishii, K.
Beam-foil spectroscopy of multicharged chlorine ions
- I-128 Laakkonen, A., Vuoristo, A., Graeffe, G., and Ohno, M.
High resolution M X-ray emission spectra of the high Z elements
- I-129 Mariot, J.-M. and Ohno, M.
The L₂₃-M₄₅M₄₅ Auger electron spectra of the metallic elements ⁴⁷Ag to ⁵¹Sb
- I-130 Mariot, J.-M. and Ohno, M.
The L₂₃-MM Auger electron spectra of the metallic elements ²⁹Cu and ³⁰Zn
- I-131 Bruch, R., Schneider, D., and Stolterfoht, N.
High resolution zero-degree projectile electron spectroscopy: Resonances of ions
- I-132 Pegg, D.J., Thompson, J.S., Kvale, T.J., Alton, G.D., and Compton, R.N.
The structure of He₂⁻ using fast-beam autodetachment spectroscopy

CONTRIBUTED PAPERS: POSTER SESSION II

II.a. Atomic Photoionization and Photodetachment

- II-1 Becker, U., Hölzel, R., Kerkhoff, H.G., Langer, B., Szostak, D., Wehlitz, R., Heimann, P.A., and Shirley, D.A.
Threshold behavior of photoelectron satellites: A probe of electron correlations
- II-2 Hamdy, H., Beyer, H.-J., Kleinpoppen, H., and West, J.
Photoionization of Ca into excited Ca⁺ states
- II-3 Yoshino, M., Itoh, Y., Hayaishi, T., Itikawa, Y., Koizumi, T., Nagata, T., Sato, Y., Shibata, H., and Yagishita, A.
Photoionization of subvalence p-subshell in alkali atoms
- II-4 Hayaishi, T., Morioka, Y., Yagishita, A., and Nakamura, M.
Multiple photoionization from Kr 3p excitation and Xe 4p excitation
- II-5 Bechler, A. and Pratt, R.H.
Angular distribution of inner-shell photoelectrons
- II-6 Ron, A., Goldberg, I.B., Stein, J., Yin, R.Y., Pratt, R.H., and Manson, S.T.
Cancellation of relativistic, retardation, and higher multipole effects in photoeffect
- II-7 Jannitti, E., Nicolosi, P., Tondello, G., and Zheng, Y.Z.
Photoabsorption experiments on transient laser-excited ions in the extreme ultraviolet
- II-8 Hippel, R., Schwier, H., Humpert, H.-J., and Lutz, H.O.
Photoelectron spectroscopy of above-threshold ionization of xenon with circular and linear polarized light
- II-9 Narazaki, M., Harima, H., Tachibana, K., and Urano, Y.
Ionization mechanism of Sr vapor in a resonant weak laser pulse
- II-10 Teraoka, Y., Murakami, J., and Sato, Y.
Electric-field induced resonances observed by multiphoton ionization
- II-11 Cohen, S., Comtet, G., Butterfield, K.B., Clark, D.A., Donahue, J.B., Gram, P.A.M., MacArthur, D.W., Stewart, J.E., Bryant, H.C., Harvey, C.J., and Smith, W.W.

Observations of the response to external electric fields of the $^1P^o$ resonance near $n=3$ in the H^- continuum

II-12 Comtet, G., Harvey, C.J., Stewart, J.E., Bryant, H.C., Butterfield, K.B., Clark, D.A., Donahue, J.B., Gram, P.A.M., MacArthur, D.W., Yuan, V., Smith, W.W., and Cohen, S.

Stability of the $^1P^o$ shape resonance in H^- in moderate electric fields

II.b. Molecular Photoionization and Photodissociation

II-13 Hara, S. and Nakamura, M.

Determination of photoionization asymmetry parameter

II-14 Becker, U., Kerkhoff, H.G., Kupsch, M., Langer, B., Szostak, D., and Wehlitz, R.

Autoionization spectroscopy of diatomic molecules

II-15 Saito, N. and Suzuki, I.H.

Kinetic energy releases in N_2 dissociative ionization following soft X-ray absorption

II-16 Masuoka, T.

Dissociative single and double photoionization processes of N_2O observed by analytical photoion spectroscopy

II-17 Hitachi, A., Yunoki, A., Suzuki, S., Kikuchi, J., and Doke, T.

Photoionization of molecules in liquid Ar and Xe

II.c. Positron-Atom Collisions

II-18 Srivastava, R., Khurana, I., and Tripathi, A.N.

Correlation effect in elastic scattering of e^\pm from helium atom in n^1S ($n=1$ and 2) states

II-19 Sinha, K.V., Grover, P.S., and Ghosh, A.S.

Positron interaction models for helium gas atoms at low energies

II-20 Gien, T.T.

Total cross sections for electron- and positron-alkali atom collisions

II-21 Brauner, M. and Briggs, J.S.

The formation of positronium in critical angle scattering

II.d. Electron-Atom and Electron-Ion Collisions: Elastic Scattering and Excitation

II-22 Onaga, T., Tsuji, A., and Narumi, H.

A new evaluation of eikonal amplitudes in elastic scattering

II-23 Inokuti, M., Theodosiou, C.E., and Manson, S.T.

Systematics of threshold phase shifts, or quantum defects, for atomic ions

II-24 Bratanov, R.L., Sultanov, R.A., and Zubarev, A.L.

The account of a closed channel contribution to the wave function in the problem of low energy e^-H scattering

II-25 Srivastava, R., and Katiyar, A.K.

A reliable calculation for n^1S and n^1P excitation in heliumlike ions

II-26 Matsuzawa, M., Motoyama, T., Fukuda, H., and Koyama, N.

Collisional properties of atoms in high-lying doubly excited states

- II-27 Msezane, A.Z., Reed, K.J., and Henry, R.J.W.
Close coupling effects in electron impact excitation of Kr⁺²⁸
- II-28 Msezane, A.Z. and Henry, R.J.W.
Generalized oscillator strengths (GOS's) for dipole forbidden and allowed transitions in Cu, ZnII, and MgII
- II-29 Kim, Y.-K. and Desclaux, J.-P.
Relativistic distorted-wave Born cross sections for electron-impact excitation of Li-like ions
- II-30 Wei, C.-M. and Huang, K.-N.
Polarization correlation in elastic electron-atom scattering
- II-31 Chen, M.-K., Hsue, C.-S., Wei, C.-M., and Huang, K.-N.
Electron scattering on hydrogenlike ions
- II-32 Csanak, G. and Cartwright, D.C.
Coherence and correlation parameters and cross sections for the n¹P (n=2-8) excitation of helium in the 25-500 eV energy range
- II-33 Cartwright, D.C. and Csanak, G.
Cross sections and coherence and correlation parameters for electron impact excitation of the n³P states of helium in the 25-500 eV range
- II-34 Silim, H.A., Beyer, H.-J., El-Farrash, A.H., El-Sheikh, A., and Kleinpoppen, H.
Electron-photon polarization correlation measurements on the 3³P state of helium
- II-35 Ichimura, A. and Tsutsumi, T.
Excitation of an ion by simultaneous two-electron impact

II.e. Electron-Atom and Electron-Ion Collisions: Ionization

- II-36 Watanabe, S.
Ridge channels and Wannier's ionization threshold law
- II-37 Popov, Yu.V. and Shabalina, E.K.
On dipolar (e,2e) reaction
- II-38 Ashurov, A.R., Avakov, G.V., Blokhintsev, L.D., and Mukhamedzhanov, A.M.
Determination of asymptotic coefficients of atomic wave functions from (e,2e) reaction data
- II-39 Altick, P.L.
A coupled-channel calculation of electron impact ionization using a model interaction
- II-40 Froelich, P.
Bethe surfaces and Fano line shapes for inelastic electron-atom scattering by means of the complex coordinate method
- II-41 Kuo, T.-Y., Wei, C.-M., Chang, H.-W., and Huang, K.-N.
Electron-impact ionization of heliumlike ions
- II-42 Binder, J., Koslowski, H.R., Huber, B.A., and Wiesemann, K.
Ionization threshold for the production of Ar^{q+} ions by single electron impact
- II-43 Chaudhry, M.A., Duncan, A.J., Hippler, R., and Kleinpoppen, H.
Electron spectroscopy of multiple ionization of rare gas atoms by electron impact
- II-44 Li, G.P., Sumida, F., Takayanagi, T., Wakiya, K., and Suzuki, H.
Ionization of outer shell s-electrons in rare gas atoms
- II-45 Yamaguchi, T., Iketaki, Y., Takayanagi, T., Wakiya, K., Koike, F., and Suzuki, H.
Analysis of the Read (PCI) effect on the profile of Auger electron spectra excited by electron impact

- III-46 Hirayama, T., Matsumoto, A., Ohtani, S., Takayanagi, T., Wakiya, K., and Suzuki, H.
Single and double ionization cross sections for alkali and alkaline earth ions by electron impact
- III-47 Srivastava, R. and Pangantiwar, A.W.
Electron excitation and decay of autoionizing states in alkali atoms
- III-48 Yamada, I., Danjo, A., Matsumoto, A., Ohtani, S., Tawara, H., Suzuki, H., Wakiya, K., and Yoshino, M.
Electron-impact ionization of S^+ and S^{2+}
- III-49 Younger, S.M.
Giant resonances in the electron impact ionization of heavy atoms and ions

II.f. Electron-Ion Recombination

- III-50 Sakimoto, K.
Dielectronic recombination in electric fields
- III-51 Hahn, Y.
Time-dependent field mixing and field shift
- III-52 Lin, Z.-K. and Chen, W.-J.
Radiative recombination of electron-proton in strong laser field

II.g. Electron-Molecule and Electron-Solid Collisions

- III-53 Yagi, S., Ajiro, T., Naganawa, S., Fujita, Y., Kano, S.S., Takuma, H., Takayanagi, T., Wakiya, K., and Suzuki, H.
Vibrational excitation of N_2 by electron impact at $E_i < 2$ eV
- III-54 Ogawa, T., Tomura, H., Nakashima, K., and Kawazumi, H.
Angular difference Doppler profiles of H^* produced in $e\text{-CH}_4$, C_2H_2 collisions and their dissociation dynamics
- III-55 de A E Souza, A.C. and Srivastava, S.K.
Formation of negative ions by dissociative attachment of electrons with CH_4 and SiH_4
- III-56 Souza, A.C.A., Lucas, C.A., and de Souza, G.G.B.
Generalized oscillator strengths for acetylene by 1 keV electron impact
- III-57 Spence, D., DeMille, D., and Dillon, M.A.
Profile index reversal in the $6\sigma \rightarrow np\pi$ window resonances of N_2^0
- III-58 Endo, I., Harada, M., Kasai, S., Niki, K., Sumi, Y., Tobiyama, M., Mutou, M., Tsujikawa, H., Watanabe, K., Yoshida, K., and Baba, K.
Energy spectra of final state electrons for the Bremsstrahlung from a single crystal

II.h. Ion-Atom Collisions: High Energies

- III-59 Briggs, J.S. and Brauner, M.
Break-up and scattering of 3-body Coulomb systems
- III-60 Kim, L. and Pratt, R.H.
Comparison of a classical calculation of atomic Bremsstrahlung in a screened Coulomb potential with a quantum mechanical treatment
- III-61 Hino, K.-I. and Watanabe, T.
Theory of radiative electron capture
- III-62 Kawatsura, K., Ootuka, A., Satake, M., Komaki, K., Naramoto, H.,

- Ozawa, K., Nakai, Y., and Fujimoto, F.
 Radiative electron capture for $\text{Cl}^{16+}, 17+$ ions on He target
- II-63 Tong, X.-M. and Li, J.-M.
 Atomic collision processes with high-energy atomic ions
- II-64 Iwai, M., Shimamura, I., and Watanabe, T.
 Extended Bethe surface: Behavior of the generalized oscillator strength along isoelectronic sequence
- II-65 Mukoyama, T. and Shima, K.
 Excitation and ionization of atoms by heavy charged-particle impact
- II-66 Mizogawa, T., Awaya, Y., Kambara, T., Kanai, Y., Kase, M., Kumagai, H., Mokler, P.H., and Shima, K.
 Target thickness dependence of $\text{K}\alpha$ satellite intensities of Ar ions colliding with thin carbon foils
- II-67 Karashima, S., Watanabe, T., Zhang, X.-X., Ma, Q.-C., and Liu, Y.-Y.
 Electron stripping cross sections of multiply charged ions by neutral atoms
- II-68 Zhou, S.-M., Zhang, X.-X., Ma, Q.-C., Cheng, J.-F., Liu, Y.-Y., and Watanabe, T.
 Calculation of ionization cross sections for multicharged ions by proton impact with BEA and TFD method
- II-69 Dewangan, D.P. and Eichler, J.
 First-order theory of electron capture with Coulomb boundary conditions
- II-70 Chen, W.-J., Song, T.-B., and Narumi, H.
 Differential cross sections for electron capture in proton-hydrogen collisions
- II-71 Rissler, J. and Bruch, R.
 State selective electron capture cross sections: H^+ in collisions with Na
- II-72 Yamazaki, Y., Miller, P.D., Krause, H.F., Pepmiller, P.L., Datz, S., Sellin, I.A., and Stolterfoht, N.
 Strong forward-backward asymmetries in electron emission from overlapping resonance states produced by transfer excitation in fast C^{3+} -He collisions
- II-73 Katayama, I., Fujiwara, M., Noro, T., Ikegami, H., Fukuzawa, F., Yoshida, K., Aoki, A., Haruyama, Y., Sugai, K., and Ogawa, H.
 Electron capture from K shells in Ag and Sn targets by 72 and 52 MeV ${}^3\text{He}^{2+}$ beams
- II-74 Shima, K., Mukoyama, T., Ishihara, T., Kakuta, M., Nagai, S., Momoi, T., Fujioka, S., Yamanouchi, M., and Mikumo, T.
 Charge exchange of fast heavy ions in carbon foils — Small angle scattering —
- II-75 Itoh, A. and Rudd, M.E.
 Production of fast Ar and Kr recoil ions by H^+ impact
- II-76 Il'in, R.N., Sakharov, V.I., and Serenkov, I.T.
 Scattering of fast Cl^- ions on Ar atoms
- II-77 Shiomi, N., Sakamoto, N., Ogawa, H., and Ishiwari, R.
 Geometrical effect on the measurement of stopping power: Angle dependent energy loss of 3- and 5-MeV protons in Cu
- II-78 Kitagawa, M.
 Inelastic response in inhomogeneous many-electron systems

II.i. Ion-Atom Collisions: Low Energies

- II-79 Shingal, R.
 Charge exchange and excitation in $\text{Li}^+ + \text{Li}$ collisions

- II-80 Shingal, R.
Study of homonuclear Na^+ - Na collisions
- II-81 Shimakura, N., Sato, H., Kimura, M., and Watanabe, T.
Electron capture in pseudo-two-electron system O^{6+} - He : Molecular basis expansion method
- II-82 Kobayashi, K., Toshima, N., and Ishihara, T.
A new approach to rearrangement collisions
- II-83 Kimura, M., Kobayashi, N., Ohtani, S., and Tawara, H.
State selective one-electron capture by highly stripped C, N, and O ions from H atoms
- II-84 Lavrov, V.M., Lomsadze, R.A., and Il'in, R.N.
Ionization in H^0 , H^+ , H_2^+ , H_3^+ - Na collisions in energy range 3-16 keV
- II-85 Lavrov, V.M., Lomsadze, R.A., and Kikiani, B.I.
Transition probabilities and ionization in Ne^+ - Na and Ar^+ - Na collisions
- II-86 Asatrian, V.R., Ovchinnikov, S.Yu., and Shergin, A.P.
Continuous electron spectrum in H^+ - He collisions at keV-energies
- II-87 Asatrian, V.R., Afrosimov, V.V., Gordeev, Yu.S., and Shergin, A.P.
Electrons from He^+ - He quasimolecule
- II-88 Sakae, H., Ikezaki, Y., Wakiya, K., Takayanagi, T., Suzuki, H., Koike, F., and Yagishita, A.
Anisotropy of electron emission from aligned states of neon
- II-89 Hippler, R., Harbich, W., Faust, M., Kleinpoppen, H., and Lutz, H.O.
Alignment and orientation of $\text{H}(2\text{p})$ in H, H^+ -rare gas collisions
- II-90 Kimura, M. and Lin, C.D.
Alignment and polarization of $\text{H}(2\text{p})$ following H^+ - He collisions studied using a unified AO-MO matching method
- II-91 Kimura, M. and Lane, N.F.
Theoretical study of alignment and orientation in Li^+ - He collisions
- II-92 Jitschin, W., Osimitsch, S., Reihl, H., Mueller, D.W., Kleinpoppen, H., and Lutz, H.O.
Spin exchange in the Na 3s-3p excitation by Ne^+ ion impact
- II-93 Khatri, M.H.
Retarding potential analyzer in a drift tube
- II-94 Koike, F.
Theory of electron detachment in slow anion impact on atoms

II.j. Ion-Molecule Collisions and Cluster Ions

- II-95 Shiraishi, Y. and Kusunoki, I.
Chemiluminescent and near-resonant charge transfer reaction: $\text{O}^+(^2\text{D}) + \text{HCl}(\text{X}^1\Sigma^+) \rightarrow \text{O}(\text{P}^3) + \text{HCl}^+(\text{A}^2\Sigma^+)$
- II-96 Nakamura, T., Kobayashi, N., and Kaneko, Y.
Ion energy-loss spectroscopy for the collision of $\text{Ar}^+(^2\text{P}_J)$ with H_2 and N_2
- II-97 Latimer, C.J., Simpson, F.R., Lindsay, B.G., McMurray, W.A., and You-sif, F.B.
The energy and angular distribution of fragment protons produced in H^+ - H_2 collisions
- II-98 Itoh, A. and Rudd, M.E.
Production of recoil ions from molecular targets in close collisions with 20 keV H^+ beams
- II-99 Tonuma, T., Matsuo, T., Baba, K., Kase, M., Kambara, T., Be, S.H., Kumagai, H., Kohno, I., and Tawara, H.
Multiply charged Cl^+ and O^+ ions from molecular targets by 1.05

MeV/amu Ar¹²⁺ ion impact

- II-100 Arnold, M., Kowalski, J., zu Putlitz, G., Stehlin, T., and Träger, F.
Charge transfer reactions with mass-selected cluster ions
- II-101 Begemann, W., Dreihöfer, S., Meiws-Broer, K.H., and Lutz, H.O.
Stability of sputtered metal cluster ions
- II-102 Badrinathan, C. and Mathur, D.
On the stability of doubly charged molecular ions

II.k. Collisions between Neutral Species and with Solids

- II-103 Wu, V.W.-K.
Simulation of differential cross sections of reactions K+HBr and
K+DBr
- II-104 Suck Salk, S.H. and Lutrus, C.K.
A 'generalized' perturbation formalism for direct and resonant
rearrangement collision processes involving atomic and molecular
systems
- II-105 Schatz, G.C.
Accurate quantum scattering calculations of cross sections and
rate constants for atom-diatom (A+BC) reactive collisions
- II-106 Waibel, H., Ruf, M.-W., Hotop, H., and Meyer, W.
Improved experimental and theoretical study of He(2³S)+H(2^Σ)
- II-107 Hakuta, K., Nakayama, K., and Takuma, H.
Photo-assisted recombination between Kr and F atoms: Excitation of
the lasing level of KrF excimer
- II-108 Komatsu, H., Kigoshi, T., Shigehara, T., Kano, S.S., Takuma, H., and
Shimizu, T.
Study of KrF* initial state distribution by crossed molecular beam
experiment
- II-109 Matsushima, F., Kajita, M., Shimizu, T., and Yasuhara, N.
IR laser study of "state-to-state" collisional processes of mole-
cules on solid surface
- II-110 Okude, S., Matsushima, F., Kuze, H., and Shimizu, T.
Decomposition of vapor phase glycine (NH₂CH₂COOH) on hot surfaces
- II-111 Hart, M.W., Hammond, M.S., Dunning, F.B., and Walters, G.K.
Spin polarized metastable atom deexcitation spectroscopy (SPMDS):
A sensitive probe of surface electronic and magnetic structure
- II-112 Barskaya, A.Ya., Varshavskii, S.P., Ryazantseva, O.L., and Sena, L.A.
Solid material sputtering by the streams of neutral atoms of ave-
rage energies

II.l. Plasma Spectroscopy

- II-113 Morita, S., Koide, S., and Fujita, J.
X-ray spectroscopy in JIPPT-IIU Tokamak using curved-crystal spec-
trometer
- II-114 Kato, T., Morita, S., and Masai, K.
X-ray spectra of TiXXI-TiXIX ions from JIPPT-IIU Tokamak plasma
- II-115 Masai, K. and Kato, T.
Density dependence of FeXXII line intensity ratio
- II-116 Kondo, K., Terry, J.L., Rice, J.E., and Marmar, E.S.
Precision measurements of the wavelengths of emission lines of Mg-
like and Na-like Kr in Alcator C plasmas
- II-117 Weisheit, J.C.
Spectral line broadening by recombination

- II-118 Fujima, K., Mima, K., and Watanabe, T.
X-ray spectra emitted from high density and high temperature Si
- II-119 Kiyokawa, S., Sasayama, C., and Kagawa, T.
Charge states and energy levels of ions imbedded in hot dense plasmas
- II-120 Mima, K., Kawakami, R., Hattori, F., Takabe, H., Nishihara, K., To-
tsuji, H., and Furutani, Y.
Interaction of X-ray radiation with hot dense plasmas
- II-121 Mochizuki, T., Ikeda, N., Kodama, R., Shiraga, H., Mima, K., and
Yamanaka, C.
Experimental evidence of ionization burn-through and absorption resonance in radiation energy transport in solid-density plasmas
- II-122 Bobashev, S.V., Platonov, Yu.Ya., Salashchenko, N.N., Simanovsky,
D.M., Shmaenok, L.A., and Zabrodin, N.N.
The use of recombination radiation of laser-produced plasma for testing multilayer X-ray mirrors

AUTHOR INDEX

POST-DEADLINE PAPER