

TABLE OF CONTENTS

Foreword	ix
Acknowledgements	xi
Workshop participants	xiv

PART I. CHEMICAL COMPOSITION

The composition of the Crab	
Davidson, K.	1
The helium distribution in the Crab Nebula	
Uomoto, A. K., MacAlpine, G. M. and Henry, R. B. C.	9
Line emission from supernova remnants and charge transfer reactions	
Kafatos, M. C.	13
HeII $\text{Lyman}\alpha$ transfer and bowen fluorescence in a CN filament	
Eastman, R. G. and Henry, R. B. C.	19

PART II. MODELS OF THE CRAB NEBULA RADIATION

Magnetohydrodynamic model of the Crab Nebula and its radiation	
Coroniti, F. V. and Kennel, C. F.	25
Inferences made using data on the pulsed flux from the crab pulsar	
Knight, F. K.	39
A new interpretation of the crab pulsar X-ray interpulse radiation	
Hasinger, G.	47
Relativistic wind termination: Jets and synchrotron nebulae	
Michel, F. C.	55

PART III. EVOLUTION OF THE CRAB NEBULA

Evolution of the Crab Nebula	
Chevalier, R. A.	63
Evolution of the centimetre flux of 3C58 and the Crab Nebula	
Aller, H. D. and Reynolds, S. P.	75
Search for a shock wave around the Crab Nebula	
Mauche, C. W. and Gorenstein, P.	81
A search for a high velocity H α emission in the Crab Nebula	
Fesen, R. A. and Ketelsen, D. A.	89

PART IV. THE PROGENITOR STAR

Evolutionary models of the Crab Nebula's progenitor	
Nomoto, K.	97

PART V. THE CRAB NEBULA JET

Outer structure and the jet in the Crab Nebula Velusamy, T.	115
The Kinematics of the Crab Nebula's jet Shull jr., P., Carsenty, V., Sarcander, M. and Neckel, T.	127
High resolution radio studies of the Crab Nebula Wilson, A. S., Samarasinha, N. H. and Hogg, D. E.	133
Supernova shell structure Kundt, W.	151
The optical morphology of the Crab Nebula's jet Fesen, R. A. and Gull, T. R.	157

PART VI. THE CRAB NEBULA TWIN 0540–693

An introduction to SNR 0540–693 Reynolds, S. P.	159
The 50 millisecond pulsar in the large magellanic cloud and the X-ray pulse emission mechanism Seward, F. D., Harnden jr., F. R. and Elsner, R. F.	165
The Crab's twin: The nature of remnant 0540–693 and its implications for the study of crablike remnants Reynolds, S. P.	173
The optical pulsar in the large magellanic cloud remnant 0540–693 Middleditch, J. and Pennypacker, C.	179

PART VII. X-RAY OBSERVATIONS OF CRAB-LIKE REMNANTS

X-ray observations of crab-like remnants Becker, R. H.	187
X-ray observations of the Crab Nebula Brinkman, W.	197
The X-ray morphology of the vela X region Harnden, jr., F. R., Grant, P.D., and Seward, F. D.	203
X-ray images of W28 and 3C400.2: Two radio shell supernova remnants with centrally-peaked X-ray emission Matsui, Y. and Long, K. S.	211
Exosat spectral observations of crab-like SNR's Davelaar, J. and Smith, A.	219

PART VIII. RADIO AND OPTICAL STUDIES OF CRAB-LIKE REMNANTS

Plerions, regular and deluxe Weiler, K. W.	227
Radio observations of new and used crab-like supernova remnants Helfand, D. J. and Becker, R. H.	24
Optical emission from the plerionic core of CTB 80 Blair, W. P.	247
One arc minute resolution radio observations of W50 Baum, S. A. and Elston, R.	251

PART IX. OVERVIEW

The Crab Nebula and related supernova remnants: An overview Trimble, V. L.	257
Appendix: A catalogue of plerionic and composite supernova remnants Weiler, K. W.	265