

CONTENTS

I.	INTRODUCTION	1
	References to Chapter I	3
II.	SUMMARY	5
1.	Role of INTOR in the fusion programme	5
2.	INTOR objectives	7
3.	Design description	9
3.1.	Overview	9
3.2.	Physics basis	16
3.3.	Mechanical configuration and maintenance	20
	3.3.1. Toroidal magnetic field coil design – access requirements	21
	3.3.2. Poloidal magnetic field coil system	21
	3.3.3. Cryogenic vacuum topology	21
	3.3.4. Plasma chamber vacuum topology	21
	3.3.5. Single-null poloidal divertor	23
	3.3.6. Structural support system	25
	3.3.7. Tokamak radial build	29
	3.3.8. Dedicated torus sectors	29
	3.3.9. Assembly and maintenance	29
3.4.	Magnetic and electrical systems	30
	3.4.1. Toroidal field coil system	30
	3.4.2. Poloidal field coil system	33
	3.4.3. Alternating current power system	34
	3.4.4. TF coil power conversion and protection	34
	3.4.5. PF coil power conversion and protection	35
	3.4.6. Electrical energy storage system	36
	3.4.7. Cryostat	37
	3.4.8. Cryogenic system	37
3.5.	Heating and fuelling systems	38
	3.5.1. Neutral beam injection system	38
	3.5.2. Fuelling system	40
3.6.	First-wall system	41
3.7.	Divertor collector plates	45

3.8.	Tritium-breeding blanket	48		1.4.2.	Ion heat conduction	98
3.9.	Radiation shield system	54		1.4.3.	Ripple-induced losses of runaway electrons	102
3.10.	Tritium and vacuum systems	55		1.4.4.	Losses during neutral beam heating	103
	3.10.1. Tritium systems	55		1.4.5.	INTOR design specifications and conclusions	103
	3.10.2. Vacuum systems	57	2.	Poloidal field configuration	104	
	3.10.2.1. Torus vacuum system	57		2.1.	Introduction	104
	3.10.2.2. Neutral beam injector vacuum system	57		2.2.	Requirements for the poloidal field coil system	104
3.11.	Diagnostics, instrumentation, data acquisition and control .	58		2.3.	Equilibrium configurations	105
3.12.	Site criteria and facility layout	58		2.4.	Time behaviour of poloidal field currents	108
	3.12.1. Site criteria	58		2.5.	Stabilizing coil system for vertical position control	109
	3.12.2. Facility layout	59		2.6.	Conclusions	110
4.	Machine operation and test programme	61	3.	Plasma edge and divertor	111	
5.	Safety and environmental impact	68		3.1.	Plasma-wall interaction: Role and concepts	111
	5.1. Radioactive sources	68		3.2.	INTOR characteristic parameters	112
	5.2. Energy sources and potential accidents	68		3.3.	Experimental status of plasma edge and divertor physics	112
	5.3. Radioactive release and consequences	69		3.4.	Single-null versus double-null poloidal divertor for INTOR .	115
6.	Schedule for design, construction and supporting research and development	71		3.5.	Plasma edge and divertor regimes in INTOR	116
7.	Research and development	71		3.6.	Modelling of plasma edge and divertor	121
8.	Conclusions	73	4.	Operational considerations	124	
9.	Recommendations	74		4.1.	Plasma initiation and Ohmic heating	125
	References to Chapter II	74		4.1.1.	Ionization and current initiation	126
				4.1.2.	Current rise stage	129
				4.1.3.	Limiter	130
				4.1.4.	Conclusions	130
III.	PHYSICS DESIGN BASIS	75	4.2.	Heating to ignition and approach to the operating point....	130	
1.	Plasma performance	75		4.2.1.	Introduction	130
	1.1. Confinement and ignition	75		4.2.2.	Modelling results	131
	1.1.1. Introduction	75		4.2.3.	Beam losses	133
	1.1.2. Experimental data base	76		4.2.4.	Conclusions	133
	1.1.3. Impurity effects	81	4.3.	Burn phase	133	
	1.1.4. Modelling	82		4.3.1.	Burn control by a variable toroidal ripple	134
	1.1.5. Conclusions	84		4.3.2.	Burn control at a beta limit	134
	1.2. Stability limits	85		4.3.3.	Feedback stabilization	135
	1.2.1. Introduction	85		4.3.4.	Diffusion of the current profile	135
	1.2.2. Theory	85		4.3.5.	Conclusions	136
	1.2.3. Experiments	90	4.4.	Shut-down	136	
	1.2.4. Conclusions	93		4.4.1.	Conditions to be satisfied during shut-down	136
	1.3. Disruptions	93		4.4.2.	Burn termination and plasma cooling to the Ohmic heating regime	136
	1.3.1. Disruptions in present-day machines	93		4.4.3.	Plasma current ramp-down	137
	1.3.2. Extrapolation to INTOR	96		4.4.4.	Conclusions	137
	1.3.3. INTOR design specifications and conclusions	97				
	1.4. Toroidal field ripple	98				
	1.4.1. INTOR toroidal field ripple	98				

4.5.	Dwell phase	137
	References to Chapter III	139
IV.	MECHANICAL CONFIGURATION AND MAINTENANCE	141
1.	Maintenance philosophy	141
1.1.	Maintenance approach	141
1.1.1.	Modes of operation	141
1.1.2.	Maintenance technology	142
1.1.3.	Installation of semi-permanent components	143
1.2.	Configuration development based on maintainability	143
1.2.1.	Number and size of TF coils and cryostat window..	143
1.2.2.	External PF coils	144
1.2.3.	Component removal by simple motion	144
2.	Design integration	144
2.1.	Design requirements	144
2.2.	Design alternatives	148
2.2.1.	Vacuum topology	148
2.2.2.	Removable torus sector	149
2.2.3.	TF coil configuration	151
2.2.4.	Divertor configuration	151
2.3.	INTOR design configuration	153
2.3.1.	Magnetic system configuration	153
2.3.2.	Torus configuration	154
2.3.3.	Dedicated torus sectors	157
2.3.4.	Tokamak radial build	157
3.	Structural support system	157
3.1.	Design requirements	157
3.2.	Magnetic loads	158
3.2.1.	TF coil loading conditions	158
3.3.	TF support structure	161
3.3.1.	Alternative design concepts	161
3.3.2.	TF coil structural arrangement design	166
3.4.	TF coil support system structural analysis	166
3.4.1.	Finite-element model	166
3.4.2.	Local stress analysis	173
4.	Torus system	174
4.1.	Design requirements	174
4.2.	Torus design alternatives	175
4.2.1.	Torus resistance concepts	175
4.2.2.	Bolted versus welded joints	177
4.2.3.	Flange seal versus lip seal at the removable torus sector	180

4.3.	Design description	181
4.3.1.	Torus gravity support	181
4.3.2.	Radial frame	182
4.3.3.	Bellows design	182
4.3.4.	Semi-permanent torus sector	183
4.3.5.	Removable torus sector	183
5.	Divertor system	185
5.1.	Major considerations	186
5.1.1.	Possible divertor system design options and choice of the reference solution	188
5.1.2.	Design requirements	189
5.2.	Divertor design features	189
5.2.1.	Divertor module	192
5.2.2.	Collector plates	192
5.2.3.	Connection to the pumping and exhaust system	192
5.2.4.	Cooling headers	193
6.	Assembly and maintenance	193
6.1.	Assembly	193
6.2.	Maintenance	202
6.2.1.	Design conditions	202
6.2.2.	Maintenance procedure	202
6.2.3.	Maintenance equipment requirements	204
6.2.3.1.	General-purpose transport equipment	206
6.2.3.2.	General-purpose manipulators	206
6.2.3.3.	Special-purpose equipment	207
6.2.3.4.	Viewing systems	208
7.	Electromagnetic considerations	209
7.1.	Introduction	209
7.2.	Scenario of plasma discharge and disruption	209
7.2.1.	Discharge scenario	211
7.2.2.	Disruption scenario	211
7.3.	Calculation models of structures	211
7.4.	Brief description of calculation techniques	211
7.5.	Eddy currents in the torus	212
7.5.1.	Torus configuration and requirements	212
7.5.2.	Basic plasma disruption	213
7.5.2.1.	Effects	213
7.5.2.2.	Electromagnetic loads on the torus	214
7.5.2.3.	Dissipation of thermal energy in cryogenic structures	219
7.5.2.4.	Arcing	219
7.5.3.	Start-up	220

4.	Electrical energy storage system	294					
4.1.	Design requirements	294					
4.2.	Alternatives and selected approach	297					
4.3.	Design considerations	298					
5.	Cryostat	299					
5.1.	Major design considerations	299					
5.2.	Design alternatives	301					
5.2.1.	Vacuum vessel topology	301					
5.2.2.	Choice of cold-shield cryogen	301					
5.3.	Technical justification for the base-line approach	301					
5.3.1.	Mechanical design	301					
5.3.2.	Structural analysis	301					
5.3.3.	High electrical resistance in vacuum vessel.....	302					
5.3.4.	Eddy-current loss calculations.....	304					
6.	Cryogenic system	304					
	References to Chapter V	310					
VI.	HEATING AND FUELLING SYSTEMS.....	311					
1.	Neutral beam injection system	311					
1.1.	Design description	311					
1.1.1.	Introduction	311					
1.1.2.	Overview	311					
1.1.3.	Performance characteristics.....	312					
1.1.4.	Design features	313					
1.2.	Technical justification.....	319					
1.2.1.	Interface	319					
1.2.2.	Ion source design	320					
1.2.3.	Pumping	320					
1.2.4.	Effects of radiation	321					
1.3.	Additional design requirements.....	321					
2.	Fuelling system	323					
2.1.	Introduction.....	323					
2.2.	Major considerations	323					
2.3.	Alternatives and selected approach	323					
2.4.	Technical justification.....	324					
2.5.	Fuel system.....	328					
2.5.1.	Fuel gas puffing system	328					
2.5.2.	Fuel pellet injector system	328					
2.6.	Modifications for injecting 4-mm-diameter pellets.....	330					
	References to Chapter VI.....	330					
VII.	FIRST-WALL AND LIMITER SYSTEMS	331					
1.	Description and operating conditions.....	331					
1.1.	Operating parameters	332					
1.2.	Design description.....	334					
1.2.1.	Materials assessment.....	337					
1.2.2.	Disruption effects	339					
1.2.3.	Thermohydraulics	340					
1.2.4.	Stress and lifetime analyses	342					
1.3.	Back-up and alternative designs	343					
2.	Materials assessment	345					
2.1.	Surface properties	345					
2.1.1.	Physical sputtering	345					
2.1.2.	Chemical sputtering.....	347					
2.1.3.	Retention and release of hydrogen.....	348					
2.1.4.	Blistering erosion	348					
2.2.	Bulk material properties	349					
2.2.1.	Structural material properties	349					
2.2.1.1.	Thermophysical properties	349					
2.2.1.2.	Tensile properties	350					
2.2.1.3.	Fatigue.....	351					
2.2.1.4.	Swelling.....	352					
2.2.2.	Graphite data base	354					
2.3.	Coolant compatibility	355					
3.	Neutronics	356					
4.	Thermohydraulic analyses	359					
4.1.	Thermal analysis of stainless steel panels	359					
4.2.	Thermal analysis of the stainless steel tube wall	362					
4.3.	Thermal analysis of the inboard graphite armour	362					
4.4.	Thermal analysis of stainless steel panel with inboard graphite armour	364					
5.	Stress analysis	365					
5.1.	Cyclic stress and lifetime analysis of stainless steel first wall	365					
5.1.1.	Stress analysis	366					
5.1.2.	Allowable stresses	366					
5.1.3.	Notch fatigue	366					
5.1.4.	Results	367					
5.2.	Cyclic thermal stresses of graphite armour tiles	372					
6.	Disruption analysis.....	373					
6.1.	Wall vaporization and melting	373					
6.1.1.	Overview of proposed INTOR first-wall ablation models	373					

6.1.2.	First-wall thermal model	374
6.1.3.	Vacuum vessel vapour dynamics model	374
6.1.4.	First-wall surface vaporization model	375
6.1.5.	Equations of state	376
6.1.6.	Results	378
6.2.	Electromagnetic loading and melt-layer behaviour	378
6.2.1.	Electromagnetic loading	378
6.2.2.	Melt-layer behaviour	380
7.	Lifetime analyses	382
8.	Mechanical design	384
8.1.	Reference first-wall design	386
8.2.	Back-up design	389
8.3.	Design options	390
8.3.1.	Grooved wall	390
8.3.2.	Wall configuration	391
	References to Chapter VII	392

VIII.	DIVERTOR AND DIVERTOR PLATES	395
1.	Operating conditions and proposed concepts	395
1.1.	Operating conditions	395
1.2.	Proposed design concepts for the divertor plate	399
2.	Materials assessment	402
2.1.	Thermophysical and mechanical properties	402
2.1.1.	Tungsten	402
2.1.2.	Molybdenum	406
2.1.3.	Heat sink materials	406
2.2.	Changes of mechanical properties due to irradiation	407
2.2.1.	Tungsten	407
2.2.2.	Molybdenum	407
2.2.3.	Copper	407
2.2.4.	Stainless steel	410
2.3.	Sputtering	410
2.4.	Oxidation/chemical sputtering	412
3.	Neutronics analysis	414
4.	Thermohydraulic analysis	417
4.1.	Cooling system	417
4.1.1.	Heat loads	417
4.2.	Temperature profiles in the armour and heat sink	419
4.2.1.	Brazed concept	419
4.2.2.	Mechanically attached concept	419

5.	Stress analysis	424
5.1.	Design for the brazed concept	424
5.2.	Design for the mechanically attached concept	424
6.	Electromagnetic analysis	426
7.	Lifetime evaluation	427
7.1.	Erosion of the divertor plate	427
7.2.	Embrittlement of the divertor plate	428
7.3.	Fatigue limits of the protection plate	428
7.4.	Embrittlement of the heat sink	428
7.5.	Fatigue limits of the heat sink	429
7.6.	Conclusions	430
8.	Mechanical design	430
8.1.	Direction of the cooling channels	431
8.2.	Integration of plate sub-modules and cooling headers	433
8.3.	Joint between collector tiles and heat sink	433
	References to Chapter VIII	433

IX.	TRITIUM-BREEDING BLANKET	435
1.	Description	435
1.1.	Choice of solid breeder	436
1.2.	Design description	436
2.	Materials	441
2.1.	General	441
2.1.1.	Tritium recovery performance	445
2.1.2.	Physical and chemical stability	445
2.1.3.	Compatibility with structural materials and tritium purge gas	445
2.1.4.	Tritium-breeding capability	446
2.1.5.	Summary of limitations and concerns	446
2.2.	Data base for candidate breeding materials	447
2.3.	Irradiation effects	447
2.3.1.	Swelling	448
2.3.2.	Recrystallization	448
2.3.3.	Trapping	448
2.3.4.	Stability under irradiation	448
2.4.	Breeder fabrication methods	449
2.4.1.	Sintering	449
2.4.2.	Slip casting	449
2.4.3.	Vibratory compaction	450
3.	Neutronics	450
3.1.	Scoping study	451
3.1.1.	Effect of armour/first-wall thickness	451

3.1.2.	Effect of neutron multiplier thickness	451
3.1.3.	Lithium enrichment	455
3.1.4.	Effect of H ₂ O and D ₂ O coolants	455
3.1.5.	Liquid and solid moderators	456
3.1.6.	Blanket concept without moderator	459
3.2.	Reference blanket designs	461
3.2.1.	BOT/SM reference design	465
3.2.2.	BIT/LM reference design	466
3.3.	Time-dependent breeding ratio	469
3.4.	Three-dimensional analysis	473
4.	Thermohydraulic analysis	476
4.1.	First wall and multiplier zone	476
4.2.	Breeding blanket region	477
4.2.1.	BOT/SM reference design	478
4.2.2.	BIT/LM reference design	481
5.	Electromagnetic considerations	481
6.	Stress analysis	483
6.1.	Blanket internal structure	483
6.2.	Coolant tubes in the breeder region	483
6.3.	Module walls	484
7.	Tritium recovery	484
7.1.	General considerations	484
7.1.1.	Continuous tritium recovery	485
7.2.	Kinetic mechanism of tritium recovery	485
7.3.	Radiation effects on tritium recovery	486
7.3.1.	Tritium trapping	486
7.3.2.	Helium trapping	486
7.3.3.	Radiation-induced sintering	486
7.3.4.	Restructuring and grain growth	487
7.4.	Tritium inventory in the blanket	487
8.	Mechanical design	487
8.1.	General arrangement	487
8.2.	BOT/SM reference blanket design	489
8.3.	BIT/LM reference blanket design	490
	References to Chapter IX	491
X.	RADIATION SHIELDING	493
1.	General description of shield configurations	493
2.	General considerations	495
2.1.	Design criteria for superconducting coils	496
2.2.	Personnel access	496

2.3.	General design principles	497
2.4.	Neutron source distribution	497
3.	Torus bulk shield	500
3.1.	Inboard bulk shield	500
3.1.1.	Shield configuration	500
3.1.2.	Neutronics calculations and results	504
3.2.	Outboard bulk shield	504
3.2.1.	Shield configuration	504
3.2.2.	Neutronics calculations and results	506
3.2.3.	Biological dose rate after shut-down	509
4.	Penetration shields	515
4.1.	Geometrical model and calculation method	516
4.2.	Results and analysis	520
5.	General conclusions	527
	References to Chapter X	528
XI.	VACUUM AND TRITIUM SYSTEMS	529
1.	Vacuum system	529
1.1.	Torus vacuum system	529
1.2.	Vacuum system of neutral beam injectors	535
2.	Tritium system	536
2.1.	Introduction	536
2.2.	General design considerations	538
2.3.	Tritium parameters for the INTOR design	538
2.4.	Fuel reprocessing	542
2.5.	Bred tritium processing	546
2.6.	Permeation of tritium through the first wall and divertor plates	547
2.7.	Coolant	549
2.8.	Atmospheric tritium recovery	549
2.9.	Tritium release design goal	552
2.10.	Tritium building	552
	References to Chapter XI	552
XII.	DIAGNOSTICS, INSTRUMENTATION, DATA ACQUISITION AND CONTROL	555
1.	Requirements of the control and diagnostics system	555
2.	System design principles	555
3.	Control and diagnostics system	556
4.	Data processing	559
5.	Diagnostics	561
6.	Conclusions	567

XIII. LAYOUT OF FACILITIES.....	569	6.2. Design verification tests	598
1. Introduction	569	6.3. Demonstration blanket tests	599
2. Layout of the facilities around the torus.....	571	6.4. Tritium recovery tests	600
3. Reactor building	571	6.5. Specialized engineering tests	601
3.1. Reactor room	573	6.6. Special requirements	602
3.2. Heat exchanger room and pump room	573	7. Materials testing – bulk properties	602
3.3. Emergency generator room	575	7.1. Utilization of INTOR data	607
3.4. Duct room and penetrations	575	8. Surface materials tests	609
4. Tritium processing building	575	8.1. Objectives of surface materials tests	609
5. Maintenance and repair building	575	8.2. Test matrix	610
5.1. Maintenance and repair room for unirradiated structures....	575	8.3. Test area and test location requirements	611
5.2. Maintenance and repair room for irradiated structures	575	9. Surveillance tests	614
5.3. Storage area for poloidal field magnets	577	9.1. Tasks of surveillance tests	614
5.4. Transportation in the maintenance and repair building	577	9.2. Pre-service qualification	615
5.5. Transportation between the reactor room and the maintenance and repair rooms	577	9.2.1. Non-destructive control of components	615
6. Site layout	577	9.3. Base materials tests	616
XIV. MACHINE OPERATION AND TEST PROGRAMME	579	9.4. In-service inspection.....	617
1. Role of INTOR tests	579	9.5. Operational history	617
1.1. Plasma physics experiments in INTOR and complementary programme	581	9.6. Lifetime predictions	617
1.2. Technology testing in INTOR and complementary programme	581	10. Nuclear tests	618
1.2.1. Materials	581	10.1. General description	618
1.2.2. First wall/blanket.....	582	10.1.1. Objectives and required neutronics information	618
1.2.3. Plasma heating	582	10.1.2. Experimental methods	619
1.2.4. Magnetism	583	10.2. Nuclear experiments	619
1.2.5. Tritium processing and containment	583	10.3. Other experiments	621
1.2.6. Radiation shielding	583	10.3.1. Machine operation	621
1.2.7. Divertor collector plates, limiters.....	583	10.3.2. Blanket experiments	621
1.2.8. Remote assembly/disassembly and maintenance	584	10.3.3. Engineering experiments	622
1.2.9. Diagnostics, data acquisition and control	584	11. Electricity generation	622
2. Staged operation schedule.....	584	11.1. Electricity generation without tritium breeding	624
3. Major features of the test programme	585	11.2. Electricity generation with tritium breeding	625
4. Plasma operation in Stage I and plasma experiments.....	591	12. Test module installation	626
4.1. Objectives	591	13. Support facilities	629
4.2. Operation plan	594	13.1. Objectives and requirements for support facilities.....	629
5. Plasma engineering tests	594	13.2. Access of support facilities to the tokamak.....	630
6. Blanket engineering tests	595	13.3. Layout of support facilities.....	631
6.1. Description of blanket concepts	598	14. Post-irradiation examination (PIE) facility	632
		14.1. Experiments requiring PIE	632
		14.1.1. Breeder blanket modules	633
		14.1.2. Bulk-material capsules and samples	633
		14.1.3. Surface-effect (first-wall) channel tests	633
		14.2. Functional divisions of the PIE facility	633

14.2.1. PIE divisions that should be located at the INTOR site	634		
14.2.2. PIE divisions that can be remote from the INTOR site	635		
14.3. Equipment	635		
14.3.1. Shielded transfer casks	635		
14.3.2. General-purpose equipment	635		
14.3.3. Special-purpose equipment	635		
15. Operational requirements	635		
15.1. Impact of tests on the selection of operating and design parameters	636		
15.2. Impact of tests on INTOR operation	638		
15.2.1. Tests with severe operational constraints	639		
15.2.2. Tests with minor operational constraints	640		
References to Chapter XIV	641		
XV. RELIABILITY AND AVAILABILITY ASSESSMENT	643		
1. Introduction	643		
2. Availability assessment	643		
2.1. Definition of terms	643		
2.2. INTOR availability assessment	647		
2.2.1. Torus system	647		
2.2.2. Superconducting magnets and associated systems	649		
2.2.3. Neutral beam system	650		
2.3. Availability improvement	651		
References to Chapter XV	654		
XVI. SAFETY AND ENVIRONMENTAL IMPACT	655		
1. Introduction	655		
2. Source terms	656		
2.1. Radioactive inventories	656		
2.1.1. Tritium inventory	656		
2.1.2. Activation product inventory	657		
2.1.2.1. Inventory in structures	657		
2.1.2.2. Inventory in coolant streams	657		
2.1.2.3. Inventory in the reactor building atmosphere	657		
2.2. Toxic materials	658		
2.3. Energy sources	658		
2.3.1. Energy stored in the large superconducting magnets	658		
2.3.2. Energy released if the deuterium and/or tritium in the fuelling systems were to be released into the containment and ignited	659		
		2.3.3. Energy contained in the plasma and energy to be deposited during plasma disruption	659
		2.3.4. Energy due to nuclear heating of the first-wall divertor and blanket	659
		2.3.5. Energy potentially released by expansion of the liquid cryogenics, if these are released into the containment	659
		2.3.6. Energy stored in the coolant for the first wall, blanket and blanket test modules	660
3. Containment philosophy and requirements	660		
3.1. General discussion of layout	660		
3.2. Number of layers	661		
3.3. Vacuum boundaries	661		
3.4. Internal missile protection	662		
3.5. External missile protection	663		
3.6. Natural disasters	663		
3.7. Containment atmosphere	663		
3.8. Containment atmosphere clean-up systems	665		
4. Safety analysis	667		
4.1. Accident analysis	667		
4.1.1. Superconducting magnet accidents	668		
4.1.2. Primary coolant system accidents	669		
4.1.3. Plasma disruptions	671		
4.1.4. Cryogenic system failure	671		
4.1.5. Hydrogen fires	672		
4.1.6. Events external to the facility	673		
4.1.7. Lithium blanket test module failure	673		
4.1.8. Human error	674		
5. Environmental analysis	675		
5.1. Introduction	675		
5.2. Releases in normal operating and maintenance conditions	676		
5.2.1. Tritium release	676		
5.2.2. Activation product release	677		
5.3. Exposure to the magnetic field	677		
5.4. Toxic materials	678		
5.5. Accidental releases	679		
5.6. Dose due to routine and accidental releases	681		
5.7. Long-term risk of activated waste	683		
5.8. Natural phenomena	684		
6. Conclusions	684		
References to Chapter XVI	685		

XVII. SITE CRITERIA	687
1. Introduction	687
2. Main criteria for the choice of a site	687
2.1. Area of land	688
2.2. Land conditions	688
2.3. Electrical power supply for the facility	688
2.4. Water and cooling supplies	688
2.5. Radioactive waste disposal	689
2.6. Manpower resources	689
2.7. Transportation	689
2.8. Industrial base	689
3. Conclusions	690
References to Chapter XVII	690
XVIII. RESEARCH AND DEVELOPMENT	691
1. Introduction	691
2. Research and development programmes	691
P.1. Beta limit scaling with triangularity and asymmetry	691
P.2. High-density divertor operation	693
P.3. Atomic data for plasma edge processes	693
P.4. Ripple-induced hot-ion transport model tests	694
P.5. Ripple-induced thermal-ion transport model tests	694
P.6. Disruption characterization	695
P.7. Low-voltage start-up	695
P.8. Vertical control theory	696
P.9. Pellet fuelling studies	696
P.10. RF heating modelling and experiments	697
P.11. Code development	697
P.12. Current profile control	698
N.1. Stainless steel behaviour during plasma disruptions	699
N.2. Aluminium behaviour during plasma disruptions	699
N.3. Graphite tile attachment	700
N.4. Chemical sputtering of graphite	701
N.5. In-situ recoating	701
N.6. First-wall groove	702
N.7. Solid breeder development	703
N.8. Liquid breeding material development	704
N.9. Solid breeder/coolant tube interfaces with predictable thermal conductance	704
N.10. Tritium permeation	705
N.11. Chemical sputtering of refractory metals (tungsten)	706

N.12. High-temperature fatigue of tungsten and molybdenum	706
N.13. Behaviour of brazing under thermal cycle conditions	707
E.1. Fatigue and fracture mechanics data base for 4 K coil materials	708
Reference to Chapter XVIII	708
XIX. SCHEDULE	709
1. Schedule for INTOR	709
2. Schedule and coverage of required R and D	711
Reference to Chapter XIX	713
XX. DESIGN SPECIFICATIONS	715
INTOR design specifications	715
INTOR major parameters	721
Design basis engineering drawings	726
Design basis for heat and particle fluxes	733
Design basis operating scenario	736
Design basis operation schedule	737
XXI. TECHNICAL APPENDICES	739
1. Radio-frequency heating alternative	740
1.1. Introduction	740
1.2. Updating of the data base assessment and extrapolation to INTOR	741
1.2.1. Ion cyclotron heating	741
1.2.2. Lower hybrid heating	745
1.2.3. Electron cyclotron heating	747
1.3. RF heating for INTOR: Conclusions	753
1.3.1. Heating to ignition	753
1.3.2. Additional heating during start-up	753
1.4. Non-inductive current drive by RF waves	753
2. Torus system alternatives	755
2.1. Introduction	755
2.2. Basic concept	757
2.2.1. Solution with six access ports	757
2.2.2. Solution with twelve reduced access ports	763
2.3. Implications for maintenance and accessibility	766
2.4. Implications for the TF-coil system	767
2.5. Conclusions	767
3. Double-null divertor alternative	773
3.1. Introduction	773

3.2.	Basic concept	773
3.3.	Poloidal field coil configuration	778
3.4.	Overturning forces on the TF coils	779
3.5.	Heat loads on the divertor plates	779
3.6.	Renewal of the divertor plates	779
3.7.	Conclusions	785
4.	Tritium-breeding blanket alternatives	787
4.1.	Lithium oxide blanket	787
4.1.1.	Description	787
4.1.2.	Properties of Li_2O	789
4.1.3.	Neutronics analysis	790
4.1.4.	Thermohydraulic analysis	792
4.1.5.	Electromagnetic considerations	793
4.1.6.	Tritium recovery from Li_2O breeding blanket	793
4.1.6.1.	Tritium solubility in Li_2O	793
4.1.6.2.	Tritium diffusion in Li_2O and tritium release	794
4.1.7.	Conclusions	794
4.2.	Lithium-lead alloys, lithium blankets	794
4.2.1.	General	794
4.2.2.	Materials assessment	795
4.2.2.1.	Physical properties	795
4.2.2.2.	Lithium activity and Sievert's constant	795
4.2.2.3.	Reactivity with water	796
4.2.2.4.	Compatibility with steel	796
4.2.3.	Neutronics	797
4.2.3.1.	Tritium breeding	797
4.2.3.2.	Radioactivity effects	798
4.2.3.3.	Heat deposition	799
4.2.4.	Thermohydraulic parameters	799
4.2.5.	Tritium recovery	799
4.2.6.	Electromagnetic effects	802
4.2.7.	Mechanical design	802
4.2.8.	Conclusions	802
5.	Aluminium first-wall alternative	803
5.1.	General	803
5.2.	Materials assessment	804
5.2.1.	Basic properties	804
5.2.2.	Sputtering data	805
5.2.3.	Bulk radiation damage	805
5.3.	Thermomechanical design	807
5.4.	Tritium permeation into the coolant	808
5.5.	Plasma disruption thermomechanical effects	810

5.5.1.	Eddy currents and electromagnetic stresses in the first-wall structure	811
5.5.2.	Electromagnetic forces on the melted layer	812
5.6.	Lifetime evaluation	813
5.7.	Mechanical designs	814
5.8.	Radioactivity effects	815
5.8.1.	Contamination after reactor shut-down	815
5.8.2.	Activation and decay heat	817
5.9.	Conclusions	818
6.	Safety and environmental protection regulations and standards	819
6.1.	Introduction	819
6.1.1.	Licensing requirements	819
6.1.2.	Siting	820
6.2.	Radiation safety	821
6.2.1.	General	821
6.2.2.	Exposure limits for operating personnel and the general public	822
6.2.3.	Release of radioactive material	825
6.2.3.1.	Activation products	826
6.2.3.2.	Tritium	826
6.3.	Protection from hazardous (toxic) materials	827
6.4.	Protection from exposure to magnetic fields, radio-frequency waves and lasers	827
6.5.	Environmental protection acts and guides	828
6.6.	Protection from natural phenomena	829
	References to Chapter XXI	831
XXII.	ADMINISTRATIVE APPENDICES	835
1.	INTOR Phase-One Workshop sessions	835
2.	INTOR home-base organizations	835
2.1.	Euratom INTOR Workshop teams	835
2.2.	Japan INTOR Workshop teams	841
2.3.	USA INTOR Workshop teams	847
2.4.	USSR INTOR Workshop teams	854