

Contents

| | |
|---|-----------|
| Preface | vii |
| I Introduction | 1 |
| 1 Introduction | 3 |
| 1.1 Models in Mathematical Biology | 3 |
| 1.2 Ordinary Language Models | 5 |
| 1.2.1 Qualifications | 7 |
| 1.2.2 Dale's Principle | 9 |
| 1.3 Weakness of Synaptic Connections | 11 |
| 1.3.1 How Small Is ε ? | 11 |
| 1.3.2 Size of PSP | 12 |
| 1.3.3 A Common Misinterpretation | 15 |
| 1.3.4 Spike Delays | 16 |
| 1.3.5 Changes of Synaptic Efficacy | 17 |
| 1.4 Empirical Models | 18 |
| 1.4.1 Activities of Neurons | 19 |
| 1.4.2 Redundancy of the Brain | 20 |
| 1.4.3 Additive Neural Network | 21 |
| 1.4.4 Wilson-Cowan Model | 23 |
| 2 Bifurcations in Neuron Dynamics | 25 |
| 2.1 Basic Concepts of Dynamical System Theory | 25 |

| | | |
|----------|---|------------|
| 2.1.1 | Dynamical Systems | 26 |
| 2.2 | Local Bifurcations | 32 |
| 2.2.1 | Saddle-Node | 32 |
| 2.2.2 | The Cusp | 38 |
| 2.2.3 | The Pitchfork | 41 |
| 2.2.4 | Andronov-Hopf | 42 |
| 2.2.5 | Bogdanov-Takens | 48 |
| 2.2.6 | Quasi-Static Bifurcations | 50 |
| 2.3 | Bifurcations of Mappings | 54 |
| 2.3.1 | Poincaré Mappings | 55 |
| 2.3.2 | Time- T (Stroboscopic) Mappings | 56 |
| 2.3.3 | Periodically Forced Brain Systems | 57 |
| 2.3.4 | Periodically Forced Additive Neuron | 58 |
| 2.3.5 | Saddle-Node Bifurcation | 60 |
| 2.3.6 | Flip Bifurcation | 61 |
| 2.3.7 | Secondary Andronov-Hopf Bifurcation | 63 |
| 2.4 | Codimension of Bifurcations | 65 |
| 2.5 | Multidimensional Systems | 67 |
| 2.6 | Soft and Hard Loss of Stability | 68 |
| 2.7 | Global Bifurcations | 71 |
| 2.7.1 | Saddle-Node on Limit Cycle | 72 |
| 2.7.2 | Saddle Separatrix Loop | 76 |
| 2.7.3 | Double Limit Cycle | 79 |
| 2.8 | Spiking | 82 |
| 2.8.1 | Class 1 Neural Excitability | 85 |
| 2.8.2 | Class 2 Neural Excitability | 88 |
| 2.8.3 | Amplitude of an Action Potential | 89 |
| 2.9 | Bursting | 90 |
| 2.9.1 | Slow Subsystem | 91 |
| 2.9.2 | Parabolic Bursting | 93 |
| 2.9.3 | Square-Wave Bursting | 96 |
| 2.9.4 | Elliptic Bursting | 96 |
| 2.9.5 | Other Types of Bursting | 99 |
| 3 | Neural Networks | 103 |
| 3.1 | Nonhyperbolic Neural Networks | 103 |
| 3.1.1 | The Olfactory Bulb | 105 |
| 3.1.2 | Generalizations | 106 |
| 3.2 | Neural Network Types | 108 |
| 3.2.1 | Multiple Attractor NN | 109 |
| 3.2.2 | Globally Asymptotically Stable NN | 109 |
| 3.2.3 | Nonhyperbolic NN | 110 |
| 4 | Introduction to Canonical Models | 111 |
| 4.1 | Introduction | 112 |

| | | |
|-------|---|-----|
| 4.1.1 | Families of Dynamical Systems | 112 |
| 4.1.2 | Observations | 114 |
| 4.1.3 | Models | 114 |
| 4.1.4 | Canonical Models | 117 |
| 4.1.5 | Example: Linear Systems | 118 |
| 4.1.6 | Example: The VCON | 119 |
| 4.1.7 | Example: Phase Oscillators | 120 |
| 4.2 | Normal Forms | 122 |
| 4.2.1 | Example: Normal Form for Andronov-Hopf Bifurcation | 125 |
| 4.2.2 | Normal Forms Are Canonical Models | 126 |
| 4.3 | Normally Hyperbolic Invariant Manifolds | 126 |
| 4.3.1 | Invariant Manifolds | 126 |
| 4.3.2 | Normal Hyperbolicity | 127 |
| 4.3.3 | Stable Submanifolds | 130 |
| 4.3.4 | Invariant Foliation | 131 |
| 4.3.5 | Asymptotic Phase | 131 |
| 4.3.6 | Center Manifold Restrictions Are Local Models . . . | 135 |
| 4.3.7 | Direct Product of Dynamical Systems | 135 |
| 4.3.8 | Weakly Connected Systems | 138 |

II Derivation of Canonical Models 141

| | | |
|-------|--|-----|
| 5 | Local Analysis of WCNNs 143 | |
| 5.1 | Hyperbolic Equilibria | 144 |
| 5.2 | Nonhyperbolic Equilibrium | 146 |
| 5.2.1 | The Center Manifold Reduction | 146 |
| 5.3 | Multiple Saddle-Node, Pitchfork, and Cusp Bifurcations . | 151 |
| 5.3.1 | Adaptation Condition | 151 |
| 5.3.2 | Multiple Saddle-Node Bifurcation | 152 |
| 5.3.3 | Multiple Cusp Bifurcation | 154 |
| 5.3.4 | Multiple Pitchfork Bifurcation | 155 |
| 5.3.5 | Example: The Additive Model | 155 |
| 5.3.6 | Time-Dependent External Input ρ | 159 |
| 5.3.7 | Variables and Parameters | 161 |
| 5.3.8 | Adaptation Condition | 162 |
| 5.4 | Multiple Andronov-Hopf Bifurcation | 164 |
| 5.4.1 | Ginzburg-Landau (Kuramoto-Tsuzuki) Equation . | 169 |
| 5.4.2 | Equality of Frequencies and Interactions | 169 |
| 5.4.3 | Distinct Frequencies | 171 |
| 5.4.4 | Distance to an Andronov-Hopf bifurcation | 174 |
| 5.4.5 | Time-Dependent External Input ρ | 175 |
| 5.5 | Multiple Bogdanov-Takens Bifurcations | 181 |
| 5.5.1 | Violation of Adaptation Condition | 183 |
| 5.5.2 | Other Choices of λ and ρ | 185 |

| | |
|---|------------|
| 5.6 Codimensions of Canonical Models | 187 |
| 6 Local Analysis of Singularly Perturbed WCNNs | 189 |
| 6.1 Introduction | 190 |
| 6.1.1 Motivational Examples | 190 |
| 6.2 Reduction to the Regular Perturbation Problem | 192 |
| 6.3 Center Manifold Reduction | 193 |
| 6.4 Preparation Lemma | 195 |
| 6.5 The Case $\mu = \mathcal{O}(\varepsilon)$ | 197 |
| 6.5.1 The Case $\dim y_i = 1$ | 198 |
| 6.6 Multiple Quasi-Static Andronov-Hopf Bifurcations | 199 |
| 6.7 The Case $\mu = \mathcal{O}(\varepsilon^2)$ | 200 |
| 6.7.1 Multiple Quasi-Static Saddle-Node Bifurcations | 200 |
| 6.7.2 Multiple Quasi-Static Pitchfork Bifurcations | 202 |
| 6.7.3 Multiple Quasi-Static Cusp Bifurcations | 204 |
| 6.8 The Case $\mu = \mathcal{O}(\varepsilon^k)$, $k > 2$ | 204 |
| 6.9 Conclusion | 205 |
| 6.9.1 Synaptic Organizations of the Brain | 205 |
| 7 Local Analysis of Weakly Connected Maps | 209 |
| 7.1 Weakly Connected Mappings | 210 |
| 7.2 Hyperbolic Fixed Points | 211 |
| 7.3 Nonhyperbolic Fixed Points | 211 |
| 7.3.1 Multiple Saddle-Node Bifurcations | 212 |
| 7.3.2 Multiple Flip Bifurcations | 214 |
| 7.3.3 Multiple Secondary Andronov-Hopf Bifurcations | 215 |
| 7.4 Connection with Flows | 216 |
| 8 Saddle-Node on a Limit Cycle | 219 |
| 8.1 One Neuron | 220 |
| 8.1.1 Saddle-Node Point on a Limit Cycle | 220 |
| 8.1.2 Saddle-Node Bifurcation on a Limit Cycle | 225 |
| 8.1.3 Analysis of the Canonical Model | 227 |
| 8.1.4 Parabolic Burster | 229 |
| 8.2 Network of Neurons | 231 |
| 8.2.1 Size of PSP | 232 |
| 8.2.2 Adaptation Condition Is Violated | 234 |
| 8.2.3 Parabolic Bursting Revisited | 237 |
| 8.3 Adaptation Condition Is Satisfied | 241 |
| 8.3.1 Integrate-and-Fire Model | 242 |
| 9 Weakly Connected Oscillators | 247 |
| 9.1 Introduction | 248 |
| 9.2 Phase Equations | 253 |
| 9.2.1 Malkin's Theorem for Weakly Connected Oscillators | 255 |

| | | |
|-------|--|-----|
| 9.2.2 | Example: Coupled Wilson-Cowan Neural Oscillators | 260 |
| 9.3 | Averaging the Phase Equations | 262 |
| 9.3.1 | Averaging Theory | 263 |
| 9.3.2 | Resonant Relations | 265 |
| 9.3.3 | Generalized Fourier Series | 267 |
| 9.3.4 | Nonresonant Ω | 269 |
| 9.3.5 | Resonant Ω | 271 |
| 9.3.6 | A Neighborhood of Resonant Ω | 273 |
| 9.4 | Conventional Synaptic Connections | 273 |
| 9.4.1 | Synaptic Glomeruli | 274 |
| 9.4.2 | Phase Equations | 275 |
| 9.4.3 | Commensurable Frequencies and Interactions | 277 |
| 9.4.4 | Example: A Pair of Oscillators | 279 |
| 9.4.5 | Example: A Chain of Oscillators | 282 |
| 9.4.6 | Oscillatory Associative Memory | 285 |
| 9.4.7 | Kuramoto's Model | 287 |
| 9.5 | Time-Dependent External Input ρ | 288 |
| 9.5.1 | Conventional Synapses | 290 |
| 9.6 | Appendix: The Malkin Theorem | 292 |

| | | |
|------------|-------------------------------------|------------|
| III | Analysis of Canonical Models | 295 |
|------------|-------------------------------------|------------|

| | | |
|-----------|--|------------|
| 10 | Multiple Andronov-Hopf Bifurcation | 297 |
| 10.1 | Preliminary Analysis | 297 |
| 10.1.1 | A Single Oscillator | 298 |
| 10.1.2 | Complex Synaptic Coefficients c_{ij} | 300 |
| 10.2 | Oscillator Death and Self-Ignition | 302 |
| 10.3 | Synchronization of Two Identical Oscillators | 305 |
| 10.4 | Oscillatory Associative Memory | 308 |
| 11 | Multiple Cusp Bifurcation | 311 |
| 11.1 | Preliminary Analysis | 311 |
| 11.1.1 | Global behavior | 312 |
| 11.1.2 | Strong Input from Receptors | 314 |
| 11.1.3 | Extreme Psychological Condition | 314 |
| 11.2 | Canonical Model as a GAS-Type NN | 316 |
| 11.3 | Canonical Model as an MA-Type NN | 317 |
| 11.4 | Learning | 319 |
| 11.4.1 | Learning Rule for Coefficient c_{ij} | 319 |
| 11.4.2 | Learning Rule for Matrix C | 320 |
| 11.5 | Multiple Pitchfork Bifurcation | 321 |
| 11.5.1 | Stability of the Origin | 322 |
| 11.5.2 | Stability of the Other Equilibria | 323 |
| 11.6 | Bifurcations for $r \neq 0$ (Two Memorized Images) | 326 |

| | | |
|-------------------|---|------------|
| 11.6.1 | The Reduction Lemma | 327 |
| 11.6.2 | Recognition: Only One Image Is Presented | 329 |
| 11.6.3 | Recognition: Two Images Are Presented | 331 |
| 11.7 | Bistability of Perception | 332 |
| 11.8 | Quasi-Static Variation of a Bifurcation Parameter | 334 |
| 12 | Quasi-Static Bifurcations | 337 |
| 12.1 | Stability of the Equilibrium | 337 |
| 12.2 | Dale's Principle and Synchronization | 339 |
| 12.3 | Further Analysis of the Andronov-Hopf Bifurcation | 342 |
| 12.4 | Nonhyperbolic Neural Networks | 343 |
| 12.5 | Problem 1 | 344 |
| 12.6 | Problems 2 and 3 | 346 |
| 12.7 | Proofs of Theorems 12.4 and 12.6 | 347 |
| 12.7.1 | Proof of Theorem 12.4 | 348 |
| 12.7.2 | Proof of Theorem 12.6 | 349 |
| 13 | Synaptic Organizations of the Brain | 353 |
| 13.1 | Introduction | 353 |
| 13.2 | Neural Oscillators | 355 |
| 13.3 | Multiple Andronov-Hopf Bifurcation | 356 |
| 13.3.1 | Converted Synaptic Coefficients | 358 |
| 13.3.2 | Classification of Synaptic Organizations | 359 |
| 13.3.3 | Synchronization of Two Identical Neural Oscillators | 362 |
| 13.4 | Learning Dynamics | 365 |
| 13.4.1 | Memorization of Phase Information | 367 |
| 13.4.2 | Synaptic Organizations and Phase Information . . . | 372 |
| 13.5 | Limit Cycle Neural Oscillators | 375 |
| 13.5.1 | Phase Equations | 375 |
| 13.5.2 | Synchronization of Two Identical Oscillators | 377 |
| References | | 381 |
| Index | | 395 |

