Contents of Part III (Poster Session 3)

| Title | Presenting Author | Page |
|---|------------------------|------|
| • ITER fusion performance predictions | Boucher, D. | 953 |
| Effects of helium ash on the dynamics of ITER-like plasmas | Kamelander, G. | 957 |
| • An analysis of the H-mode threshold in ITER | Snipes, J.A. | 961 |
| Bootstrap fraction in TFTR, Tore Supra, and TEXTOR | Budny, R.V. | 965 |
| Neutral beam injection and rotation in ITER plasmas | Budny, R.V. | 969 |
| Simulation of ITER discharge rampdown by injection of impurity pellet | Kuteev, B.V. | 973 |
| • ITER poloidal field scenario, error fields and correction coils | Gribov, Y. | 977 |
| Results from 2D radiation magnetohydrodynamics calculations of the interaction of ITER disruptive plasma with the slot divertor | Würz, H. | 981 |
| Runaway generation during disruptions in ITER taking account of particle trapping | Schittenhelm, M. | 985 |
| MHD ballooning stability of ITER equilibria | Igitkhanov, Yu. | 989 |
| • ITER operation space in terms of T _e and n _e at the plasma edge | Janeschitz, G. | 993 |
| Modelling of wall pumping, fuelling and associated density behaviour in tokamaks | Sugihara, M. | 997 |
| • Effect of light impurities on the divertor performance in ITER | Kukushkin, A.S. | 1001 |
| • Kinetic simulation of parallel electron transport in ITER | Kukushkin, A.S. | 1005 |
| • Dimensional analysis of turbulent transport at the edge: the role of electro-magnetic effects in the L-H transition | Chankin, A.V. | 1009 |
| Particle-in-cell simulations of parasitic absorption of lower hybrid power in ITER | Pättikangas, T.J.H. | 1013 |
| Prospects for electron cyclotron current drive stabilization of neoclassical tearing modes in ITER | Perkins, F.W. | 1017 |
| ITER 2D X-ray imaging system based on Kumakhov optics | Sushkov, A.V. | 1021 |
| Compact tokamak and stellarator reactors | Wootton, A.J. | 1025 |
| Parameter dependence of the operating regime and performance of D-T tokamak reactors in a current- versus-size diagram | Vieth, U. | 1029 |
| On the distribution function of fast fusion products in a tokamak with elongated plasma | Yavorskij, V.A. | 1033 |

| | Title | Presenting Author | Page |
|---|--|----------------------|------|
| • | Simulations of standard and high-temperature L-mode pulses with a general empirical microinstability based transport model | Vlad, G. | 1037 |
| • | The Alfvén drift-wave instability and the scaling of the edge temperature at the L-H transition | Pogutse, O. | 1041 |
| • | ρ* scaling in radiative plasma regimes | Matthews, G.F. | 1045 |
| • | Multimachine simulations of divertor pumping and its dependency on target geometry and plasma conditions | Loarte, A. | 1049 |
| ٠ | Plasma parameters and detachment in divertor simulators | Soboleva, T.K. | 1053 |
| • | Effect of radial electric field shear on tokamak transport: Flow shear and magnetic field scaling | Batha, S.H. | 1057 |
| • | SOL currents for feedback stabilization of MHD modes | Goldston, R.J. | 1061 |
| • | Dynamics of core transport barriers, poloidal flow, and the radial electric field in TFTR reserve shear plasmas | Synakowski, E.J. | 1065 |
| • | Alpha particle loss in TFTR Deuterium-Tritium plasmas with reversed magnetic shear | Redi, M.H. | 1069 |
| ٠ | Experiments with ion Bernstein waves on TFTR | Schilling, G. | 1073 |
| ٠ | Analysis of radio-frequency sheath interactions in TFTR | D'Ippolito, D.A. | 1077 |
| ٠ | Transport model testing and comparisons using the ITER and DIII-D profile database | Kinsey, J.E. | 1081 |
| • | Understanding transport through dimensionless parameter scaling experiments | Petty, C.C. | 1085 |
| • | H-mode threshold power scaling and the ∇B drift effect | Carlstrom, T.N. | 1089 |
| • | Improved energy confinement with neon injection in the DIII-D tokamak | Staebler, G.M. | 1093 |
| ٠ | Core turbulence and transport reduction in DIII-D discharges with weak or negative magnetic shear | Staebler, G.M. | 1097 |
| • | Scaling of ELM and H-mode pedestal characteristics in ITER shape discharges in the DIII-D tokamak | Osborne, T.H. | 1101 |
| • | Comparison of discharges with core transport barriers on DIII-D and JET | Luce, T.C. | 1105 |
| • | Energy and particle transport in the radiative divertor plasmas of DIII-D | Leonard, A.W. | 1109 |
| ٠ | Recent H-mode density limit experiments on DIII-D | Mahdavi, M.A. | 1113 |
| • | Impact of edge current density and pressure gradient on the stability of DIII-D high performance discharges | Lao, L.L. | 1117 |
| ٠ | Metastable beta limit in DIII-D | La Haye, R.J. | 1121 |
| • | Real time equilibrium reconstruction for control of the discharge in the DIII-D tokamak | Ferron, J.R. | 1125 |

| Title | Presenting Author | Page |
|---|---------------------------|-------|
| Effects of divertor geometry and pumping on plasma performance on DIII-D | Allen, S.L. | 1129 |
| • Modeling of DIII-D noble gas puff and pump experiments | Hogan, J. | 1133 |
| Energy balance, radiation and stability during rapid plasma termination via impurity pellet injections on DIII-D | Whyte, D.G. | 1137 |
| • A study of edge turbulence by phase contrast imaging on DIII-D | Porkolab, M. | 1141 |
| • On the possible role of the impurity driven turbulence in the scrape-off layer in DIII-D double-null discharges | Nedospasov, A. | 1145 |
| • UEDGE simulation of detached divertor operation in DIII-D with a chemically sputtered carbon source | Porter, G. H. | 1149 |
| • The importance of the radial electric field (E _t) on interpre- tation of motional Stark effect measurements of the q-profile in DIII-D high-performance plasmas | Rice, B.W. | 1153 |
| Current drive experiments at high density in the FTU tokamak | Pericoli Ridolfini, V. | 1157 |
| Analysis of shear reversal formation scenarios on FTU by lower hybrid current drive | Barbato, E. | 1161 |
| • First neutron emission profiles in FTU plasmas | Esposito, B. | 1165 |
| Influx of metal impurities from toroidal and poloidal limiter in FTU | Apruzzese, G. | 1169 |
| • Sawtooth stabilisation on the FTU tokamak | Buratti, P. | 1173 |
| Improved confinement on FTU sustained by multiple pellet injection | Frigione, D. | 1177 |
| • Linear frequency response of reconnecting perturbations | Lazzaro, E. | 1181 |
| Runaway electron transport and sheath transmission inferences from edge heat flux measurements in TEXT | Gentle, K.W. | 1185 |
| • Nonlinear dynamics of the fishbone | Candy, J. | 1189 |
| • Evidence for curvature as a source of turbulence in the scrape-off layer | Rowan, W. L. | 1193 |
| Investigation of resistive MHD physics and high harmonic fast wave heating on CDX-U spherical torus | Choe, W. | 1 197 |
| • Consideration on pellet ablation characteristics and its relation with plasma rotation in the JIPP T-IIU tokamak | Ohdachi, S. | 1201 |
| Monte Carlo simulations of ripple-trapped beam ions in the presence of a non-uniform radial electric field | Kurki-Suonio, T. | 1205 |
| • Ion orbit loss flux in the presence of a radial electric field | Kiviniemi, T.P. | 1209 |
| Temporal behavior of detached divertor plasmas | Rognlien, T.D. | 1213 |

| | Title | Presenting Author | Page |
|---|--|-------------------------|------|
| • | Long mean free path electron heat conduction modifications | Catto, P.J. | 1217 |
| • | On structural stability of impurity radiation front | Krasheninnikov, S.I. | 1221 |
| • | Studies on plasma-gas interactions in powerful high heat flux plasma device NAGDIS-II | Ezumi, N. | 1225 |
| • | Interaction of a plasma beam with neutral hydrogen in the UMIST Linear System | Randewich, A. | 1229 |
| • | A model of hydrogen recycling and glow discharge conditioning with graphite wall | Larsson, D. | 1233 |
| • | An efficient Gaussian-beam powered quasi-optical grill for lower hybrid waves | Schettini, G. | 1237 |
| • | Radiation characteristics of waveguide antennas for ICRF heating | Heikkinen, J.A. | 1241 |
| ٠ | Nonlinear density profile changes and energy dissipation in Helicon wave plasmas | Petrzílka, V. | 1245 |
| • | Antenna coupling for non-circular plasma | Källbäck, J. | 1249 |
| • | Parasitic cyclotron absorption by fusion born alpha particles | Hedin, J. | 1253 |
| • | Self-consistent ray description of electron cyclotron waves | Pesic, S. | 1257 |
| • | Investigation of the 5290 Å line in C ⁵⁺ from radially resolved spectroscopy on the EXTRAP-T2 RFP | Sallander, J. | 1261 |
| • | Experiments with externally controlled field errors on Extrap T2 | Hedin, G. | 1265 |
| • | 1-D neutral, particle and energy transport simulations for RFP plasmas | Hokin, S. | 1269 |
| ٠ | Electrostatic fluctuations and edge transport in Extrap T2 | Möller, A. | 1273 |
| • | Numerical simulations of induced toroidal rotation in the reversed field pinch | Sätherblom, HE. | 1277 |
| • | Ion temperature anisotropy and toroidal rotation of impurities in Extrap-T2 RFP plasma | Brzozowski, J.H. | 1281 |
| • | Results from Thomson scattering measurements in the Extrap T2 | Welander, A. | 1285 |
| • | Magnetic field fluctuations in turbulent plasmas | Zagorodny, A.G. | 1289 |
| • | Chaotic dynamics and structure formation in the plasma diode with virtual cathode | Anfinogentov, V. | 1293 |
| ٠ | Bistable upper hybrid solitons | Davydova, T.A. | 1297 |
| • | Wave mode conversion due to the linear plasma echo in non-uniform magnetic fields | Kasilov, S.V. | 1301 |
| • | Dissipative saturation structure and transport effects of self-excited microislands in tokamaks | Minardi, E. | 1305 |

| | Title | Presenting Author | Page |
|---|--|----------------------|------|
| ٠ | Ponderomotive coupling of lower hybrid waves with low frequency plasma oscillations | Lontano, M. | 1309 |
| • | Propagation of femtosecond laser pulses in gases and the ionization induced self-guiding effect | Lontano, M. | 1313 |
| ٠ | Control of the chaotic regimes of nonlinear drift waves in a magnetized plasma | Klinger, Th. | 1317 |
| • | Nonlinear condensation of the KAWs spectra and the origin of gyro-Bohm transport in tokamaks | Voitenko, Yu.M. | 1321 |
| ٠ | Composite transport coefficients for well confined plasmas | Coppi, B. | 1325 |
| ٠ | The Weibel instability in inhomogeneous plasmas | Pegoraro, F. | 1329 |
| • | Computer modelling of expanding plasmas with dust particles | Chutov, Yu.I. | 1333 |
| ٠ | Non-linear sheaths with dust particles | Chutov, Yu.I. | 1337 |
| • | Measurement of anomalous transport produced by electrostatic fluctuations in a plasma | Chiodini, G. | 1341 |
| • | Dependence of the electrostatic fluctuations on a static radial electric field | Chiodini, G. | 1345 |
| • | Forced magnetic field line reconnection in electron magnetohydrodynamics | Pegoraro, F. | 1349 |
| • | Finite temperature effects on collisionless magnetic reconnection | Grasso, D. | 1353 |
| ٠ | Debye length in a neutral-beam-heated plasma | Wolle, B. | 1357 |
| ٠ | Generally covariant plasma equations | Popel, S.I. | 1361 |
| • | New theory of transition from weak to strong turbulent plasma state | Popel, S.I. | 1365 |
| • | Radiative transfer in anisotropic, weakly inhomogeneous media with internal sources | Bornatici, M. | 1369 |
| ٠ | Role of ion dynamics on magnetic electron drift vortex modes | Mirza, A. | 1373 |
| ٠ | Electrical conductivity of strongly coupled model plasmas | Tkachenko, I.M. | 1377 |
| ٠ | On the theory of microfields and fusion rates for dense plasmas | Romanovsky, M. | 1381 |
| ٠ | Monte-Carlo simulations of strongly coupled plasmas | Bystrenko, O. | 1385 |