

TABLE OF CONTENTS

Volume 1

Preface	v
Committee members	vii
Industrial exhibitors	viii
<i>Invited Talks</i>	
Nuclear fusion, an energy source <i>R. Toschi</i>	1
ITER overview <i>R. Aymar</i>	9
The ITER magnet system <i>M. Huguet</i>	23
Design of in-vessel components for ITER <i>R.R. Parker</i>	33
Management of waste from the International Thermonuclear Experimental Reactor and from future fusion power plants <i>K. Brodén, M. Lindberg, S. Nisan, P. Rocco, M. Zucchetti, N. Taylor, C. Forty</i>	49
Status of European breeding blanket technology <i>L. Giancarli, M. Dalle Donne, W. Dietz</i>	57
Recent results on vacuum pumping and fuel clean-up <i>R.-D. Penzhorn, D. Murdoch, R. Haange</i>	75
Remote handling on fusion experiments <i>A.C. Rolfe</i>	91
Possible divertor solutions for a fusion reactor. Part I. Physical aspects based on present day divertor operation <i>A. Kallenbach, H.-S. Bosch, S. de Peña Hempel, R. Dux, M. Kaufmann, V. Mertens, J. Neuhauser, W. Suttrop, H. Zohm</i>	101
Possible divertor solutions for a fusion reactor. Part II. Technical aspects of a possible divertor <i>Ph. Chappuis, F. Escourbiac, M. Lipa, R. Mitteau, J. Schlosser</i>	109
Engineering experience in JET operations <i>E. Bertolini</i>	119

D-T operation on TFTR <i>M.D. Williams</i>	135
Development of high current negative ion source <i>T. Kuroda</i>	143
Advances in techniques for diagnosing fusion plasmas <i>P.E. Stott</i>	157
On-site developed components for control and data acquisition on next generation fusion devices <i>C.A.F. Varandas, B.B. Carvalho, C. Correia, C. Loureiro, J.L. Malaquias, A.P. Rodrigues, J. Sousa</i>	167
Oral Presentations	
Industrial experience in manufacturing the superconducting CIC conductors in EU for the ITER CS model coil <i>G. Bevilacqua, E. Salpietro, H. Krauth, A. Szulczyk, M. Thoener, S. Angius, P. Gagliardi, A. Laurenti, R. Garré, S. Rossi, M.V. Ricci, M. Spadoni</i>	179
The ITER-QUELL, a QUENCH propagation experiment on long length CIIC with central channel <i>A. Anghel, Y. Takahashi, S. Smith, S. Pourrahimi, M. Zhelamskij, B. Blau, A. Fuchs, B. Heer, K. Hamada, H. Fujisaki, C. Marinucci, G. Vecsey</i>	185
The plasma shield in ITER plasma wall interactions <i>H. Würz, B. Bazylev, F. Kappler, I. Landman, S. Pestchanyi, G. Piazza</i>	191
In-situ repair concepts for the ITER first wall components <i>R. Matera, S. Chiocchio, G. Federici, K. Ioki, R. Raffray, A. Cardella, A. Lodato, F. Saint-Antonin, G. Le Marois, R. Castro, M. Akiba, S. Suzuki, D. Karpov, L. Moreschi</i>	197
High performance results with the LHCD system on TORE-Supra and new Launcher design for quasi continuous operation <i>P. Froissard, P. Bibet, G. Agarici, S. Berio, C. Deck, L. Garampon, M. Goniche, D. Guilhem, P. Hertout, T. Hoang, J.Y. Journeaux, F. Kazan-Vibert, X. Litaudon, G. Martin, M. Mattioli, Y. Peysson, C. Portafaix, G. Rey, F. Surle, M. Tareb, G. Tonon, J.G. Wegrowe</i>	203
Mathematical model and results of calculations for poloidal magnetic field system and stress analysis for toroidal field system of the TEXTOR 94 <i>I. Baturo, N. Berkov, H. Bohn, E. Bondarchuk, V. Filatov, B. Giesen, N. Doinikov, M. Korol'kov, B. Kitaev, N. Kozhukhovskaja, N. Maximenkova, B. Mingalev, O. Neubauer, T. Obidenko, A. Panin, A. Simakov</i>	209
Research progress on JT-60U in advanced steady-state operation <i>O. Naito (for the JT-60 Team)</i>	215

An overview of the DIII-D program <i>J.L. Luxon for the DIII-D Team</i>	221
Commissioning tests and enhancements to the JET active gas handling plant <i>R. Lässer, A. Bell, N. Bainbridge, D. Brennan, B. Grieveson, J.L. Hemmerich, G. Jones, S. Knipe, J. Lupo, J. Mart, A. Perevezentsev, N. Skinner, R. Stagg, K. Walker, R. Warren, J. Yorkshades</i>	227
Neutronics shield experiment for ITER at the Frascati Neutron Generator FNG <i>R. Batistoni, M. Angelone, W. Daenner, U. Fischer, L. Petrizzi, M. Pillon, A. Santamarina, K. Seidel</i>	233
Contributed Papers	
Section A: First Wall, Divertors and Vacuum Systems	
Experimental validation of the liquid lithium divertor concept <i>N.V. Antonov, V.B. Petrov, A.S. Pleshakov, A.S. Rupyshev, Y.A. Sokolov, B.I. Khripunov, V.V. Shapkin, A.V. Vertkov, V.A. Evtikhin, I.E. Lublinsky, V.I. Pistunovich, L.G. Golubchikov</i>	243
Feasibility of liquid gallium cooling for ITER divertor cassette <i>P.V. Romanov, Yu. Shpanskij, A.V. Klischenko, V.S. Petrov, S.A. Moshkin, A.V. Beznosov</i>	247
Review of liquid metal divertor concepts for Tokamak reactors <i>I.R. Kirillov, E.V. Muraviev</i>	251
Helium retention of B ₄ C or SiC converted graphite <i>T. Hino, Y. Yamauchi, Y. Hirohata, K. Mori</i>	255
ITER outboard Baffle design and small-scale mock-ups test programme <i>L. Giancarli, B. Bielak, P. Chappuis, C. Cheron, G. Le Marois, Y. Poitevin, J. Quintric-Bossy, J.-F. Salavy, Y. Severi, J. Szczepanski</i>	259
Comparison between various thermal hydraulic tube concepts for the ITER divertor <i>I. Smid, J. Schlosser, J. Boscar, F. Escourbiac, G. Vieider</i>	263
ITER Baffle small-size mock-ups fabrication and testing <i>G. Le Marois, F. Bernier, D. San Filippo, F. Saint-Antonin, F. Moret</i>	267
High heat flux performance of divertor modules for ITER with beryllium and carbon armor <i>J. Linke, G. Breitbach, R. Duwe, A. Gervash, M. Rödig, B. Wiechers</i>	271
Manufacture and testing of small-scale mock-ups for the ITER divertor <i>G. Vieider, P. Chappuis, R. Duwe, R. Jakeman, M. Merola, H.D. Pacher, L. Plöchl, F. Rainer, M. Rödig, N. Reheis, I. Smid</i>	275

Engineering design of the ITER divertor <i>R. Tivey, M. Akiba, A. Antipenkov, S. Chiocchio, D. Driemeyer, R. Jakeman, G. Janeschitz, I. Mazul, M. Ulrickson, G. Vieider</i>	279
Manufacturing feasibility study for the ITER divertor vertical target and wing <i>G. Cai, M. Grattarola, G.B. Ottonello, F. Zacchia</i>	283
Thermal and structural analysis of the ITER divertor outboard channel <i>B. Riccardi, A. Pizzuto, R.A. Palmieri</i>	287
The outline design of the ITER divertor outboard vertical target dump plate and wing <i>A. Pizzuto, G. Vieider, M. Baldarelli, G. Brolatti, B. Riccardi, M. Roccella, I. Smid</i>	291
Development and construction of a high efficiency divertor mock-up using a semi-solid thixotropic alloy as thermal bond layer <i>L.F. Moreschi, E. Visca, S. Storai, M. Sacchetti, F. Salvi</i>	295
Neutron exposure characterisation of ITER divertor materials for source terms evaluation <i>D.G. Cepraga, G. Cambi, L. Di Pace, M. Vaccari</i>	299
Thermal analysis of sacrificial components <i>F. Andritsos, A. Inzaghi</i>	303
Development of plasma-facing components for fusion experimental reactors at JAERI <i>M. Akiba, M. Araki, K. Nakamura, S. Satoh, S. Suzuki, M. Dairaku, K. Yokoyama, Y. Ohara</i>	307
Boiling crisis at heat transfer intensification on divertor surfaces under resistive and e-stream heating condition <i>V.A. Divavin, S.A. Grigoriev, A.V. Lipko</i>	311
Three dimensional neutronic and activation analysis for the ITER design <i>J.-Ch. Sublet</i>	315
Creep-fatigue damage in OFHC coolant tubes for plasma facing components <i>E.E. Reis, R.H. Ryder</i>	319
Radiation-induced desorption of hydrogen and deuterium from candidate plasma-facing materials <i>R.G. Macaulay-Newcombe, D.A. Thompson</i>	323
Evaluation of an advanced silicon doped CFC for plasma facing material <i>C.H. Wu, C. Alessandrini, P. Bonal, A. Caso, H. Grote, R. Moormann, A. Perujo, M. Balden, H. Werle, G. Vieider</i>	327
Fracture mechanics investigations of molybdenum alloys <i>M. Rödig, H. Derz, G. Pott, B. Werner</i>	331

Oxidation of carbon-based plasma facing materials in accident-like temperature transients <i>H.-K. Hinszen, M. Hofmann, A.-K. Krüssenberg, R. Moermann, C.H. Wu</i>	335
Thermal fatigue behaviour of first wall mock-ups with defects <i>G. Hofmann, E. Diegele, M. Kamlah, S. Müller</i>	339
Development of plasma facing components with ceramic armour <i>R. Vaßen, A. Yehia, R. Lison, R. Duwe, D. Stöver</i>	343
Materials aspects of ITER in-vessel components <i>V. Barabash, J. Dietz, K. Ioki, G. Janeschitz, G. Kalinin, R. Matera, K. Mohri and ITER Home Teams</i>	347
Analysis of plasma shield formation and graphite target erosion in disruption simulation experiments with high power quasistationary plasma streams <i>V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, S.E. Pestchanyi, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko, H. Würz</i>	351
Tribological behaviour of CFC material <i>A. Orsini, E. Di Pietro, S. Libera, L. Verdini, E. Visca, G. Vieider</i>	355
Development of 3D-based CFC with high thermal conductivity for fusion application <i>M. Araki, Y. Kude, Y. Sohda, K. Nakamura, K. Sato, S. Suzuki, M. Akiba</i>	359
Evaluation of hydrogen sorption and desorption for Ti-6Al-4V alloy as a vacuum vessel material <i>Y. Hirohata, Y. Aihara, T. Hino, N. Miki, S. Nakagawa</i>	363
Crack propagation test under cyclic thermal stress by irradiation of electron beam <i>H. Kogawa, S. Kimura, T. Teramoto, M. Saito</i>	367
Creep analysis of first wall in fusion reactor <i>K. Hatamoto, T. Teramoto, M. Saito</i>	371
Behaviour of sub-surface defects under thermal fatigue loading in a 316L first wall mock-up <i>F. Sevini, M. Merola</i>	375
Erosion damage of nearby plasma-facing components during a disruption on the divertor plate <i>A. Hassanein, I. Konkashbaev</i>	379
The study of CVD thick B ₄ C and SiC coatings on graphites of different types in DIII-D divertor <i>O.I. Buzhinskij, I.V. Opimach, V.A. Barsuk, P.W. West, N. Brooks, D. Whyte</i>	383

Mechanical study of JET MKI beryllium tiles after ELMs and deliberate melting <i>E.B. Deksnis, A. Chankin, F. Hurd, W. Parsons, B. Tubbing</i>	387
Design, fabrication and testing of helium-cooled vanadium module for fusion applications <i>C.B. Baxi, E. Chin, B. Laycock, W.R. Johnson, R.J. Junge, E.E. Reis, J.P. Smith</i>	391
Characterization of copper-stainless steel EXW joints <i>S. Tähtinen, P. Moilanen, P. Karjalainen-Roikonen</i>	395
Development and characterization of Be/Cu joint obtained by hot isostatic pressing <i>F. Saint-Antonin, D. Barberi, G. Le Marois, A. Laillé</i>	399
Development of mechanically joined divertor plate for large helical device <i>Y. Kubota, N. Noda, A. Sagara, Y. Kato, T. Morisaki, N. Ohyabu, O. Motojima</i>	403
Reactivity test between beryllium and dispersion strengthened copper <i>N. Sakamoto, H. Kawamura, R.R. Solomon</i>	407
Fabrication of ITER first wall modules from powder by hot isostatic pressing <i>A. Lind, J. Collén</i>	411
Development of silver-free bonding techniques and an investigation of the effect of cadmium in brazed joints made with silver based brazing alloys <i>A.T. Peacock, M.R. Harrison, D.M. Jacobson, M. Pick, S.P.S. Sangha, G. Vieider</i>	415
Thermal fatigue test of a Cu/ss primary wall mock-up <i>M. Merola, P. Fenici, R. Scholz, B. Weckermann, S. Tähtinen</i>	419
Technologies of joining between ITER reference grade beryllium and copper alloys by diffusion bonding process <i>E. Visca, G. Ceccotti, B. Riccardi, G. Mercurio</i>	423
In-vessel cryo pump for the ASDEX Upgrade divertor II <i>B. Streibl, S. Deschka, O. Gruber, B. Jüttner, P. Lang, K. Mattes, G. Pautasso, J. Perchermeier, K. Schippl, H. Schneider, U. Seidel, W. Suttrop, G. Teller, M. Weissgerber</i>	427
The model and experimental basis for the design parameters of the JET divertor cryopump protection system including variations in divertor geometry and first wall materials <i>P. Ageladarakis, S. Papastergiou, D. Stork, H. van der Beken</i>	431
Upgrading of the TORE Supra ergodic divertor <i>L. Doceul, A. Grosman, P. Deschamps, B. Bertrand, J.P. Cocat, J.J. Cordier, L. Garampon, L. Gargiulo, Ph. Ghendrih, M. Lipa, R. Mitteau, H. Viallet</i>	435
Development and fabrication of improved CFC-brazed components for the inner first wall of TORE Supra <i>M. Lipa, Ph. Chappuis, G. Chaumat, D. Guilhem, R. Mitteau, L. Ploechl</i>	439

Non destructive testing of actively cooled plasma facing components by means of thermal transient excitation and infrared imaging <i>R. Mitteau, S. Berrebi, P. Chappuis, Ph. Darses, A. Dufayet, L. Garampon, D. Guilhem, M. Lipa, V. Martin, H. Roche</i>	443
Developments for an actively cooled toroidal pump limiter for TORE Supra <i>J. Schlosser, Ph. Chappuis, L. Doceul, M. Chatelier, J.P. Cocat, L. Garampon, P. Garin, R. Mitteau, A. Moal, L. Plöchl, G. Tonon, E. Tsitrone</i>	447
The TORE Supra vented limiter: an alternative concept for heat and particle exhaust <i>E. Tsitrone, T. Loarer, B. Pégourié, H. Roche, P. Chappuis, D. Guilhem</i>	451
Divertor II plasma facing components for ASDEX Upgrade <i>S. Deschka, S. Schweizer, B. Streibl, ASDEX Upgrade Team, C. Garcia-Rosales, G. Hofmann, J. Linke</i>	455
Actively cooled test limiter for TEXTOR <i>W. Hohenauer, H. Bolt, T. Koppitz, J. Linke, R. Lison, W. Malléner, V. Philippss, M. Sauer, R. Uhlemann, J.H. You, H. Nickel</i>	459
Divertor engineering for the Stellarator Wendelstein W 7-X <i>H. Greuner, H. Bitter, R. Holzthüm, O. Jandl, F. Kerl, J. Kisslinger, H. Renner</i>	463
Design, manufacturing and testing of the W 7-X target element plate prototypes <i>H. Greuner, T. Huber, J. Kisslinger, E. Parteder, L. Plöchl, H. Renner</i>	467
Design of a compact W-shaped pumped divertor in JT-60U <i>S. Sakurai, N. Hosogane, K. Kodama, K. Masaki, T. Sasajima, K. Kishiya, S. Tsurumi, S. Takahashi, M. Saidoh</i>	471
Structural design of the DIII-D radiative divertor <i>E.E. Reis, J.P. Smith, C.B. Baxi, A.S. Bozek, E. Chin, M.A. Hollerbach, G.J. Laughon, D.L. Sevier</i>	475
Fabrication development and usage of vanadium alloys in DIII-D <i>J.P. Smith, W.R. Johnson, E.E. Reis</i>	479
The MkII gas box divertor — A new design concept <i>H. Altmann, E. Deksnis, C. Froger, S. Lawson, C. Lowry, A. Peacock, M. Pick</i>	483
Advances in porous media heat exchangers for fusion applications <i>J.H. Rosenfeld, J.E. Lindemuth, M.T. North, R.D. Watson, D.L. Youchison, R.H. Goulding</i>	487
Evolution of framatone and CEA high thermal flux station for fusion technology experiments needs <i>M. Diotallevi, M. Febvre, P. Chappuis</i>	491

Xenon pellet production and acceleration in a pipe-gun <i>P.V. Reznichenko, I.V. Viniar, B.V. Kuteev</i>	495
Disruption simulations on tungsten specimens in a plasma accelerator <i>A. Gervash, E. Wallura, I. Ovchinnikov, A.N. Makhankov, J. Linke, G. Breitbach</i>	499
Void swelling in proton irradiated Fe-Cr-Ni ternary alloys <i>Y. Murase, N. Yamamoto, J. Nagakawa, H. Shiraishi</i>	503
Study of plasma target interactions with plasma streams of power density of 40 MW/cm ² <i>N.I. Arkhipov, V.P. Bakhtin, S.M. Kurkin, S.E. Pestchanyi, V.M. Safronov, D.A. Toporkov, S.G. Vasenin, H. Würz, A.M. Zhitlukhin</i>	507
Post-mortem analysis of HIP bonded first wall panel made from SS316 and DS-Cu after high heat flux testing <i>T. Hatano, K. Fukaya, M. Dairaku, T. Kuroda, H. Takatsu</i>	511
Ohmic baking system upgrade for wall conditioning of Tokamak-15 discharge chamber <i>V.N. Garnov, S.V. Kabanovsky, V.A. Khrabrov, P.P. Khvostenko, V.A. Kochin, A.I. Nikonorov, P.N. Orlov, I.A. Posadsky, A.N. Vertiporokh</i>	515
GlidCop® DSC extruded plus cross-rolled plate tensile properties in the temperature range of 20–500°C <i>R.R. Solomon, J.D. Troxell, A.V. Nadkarni</i>	519
Section B: Plasma Heating and Control	
The 110 GHz ECR system for TdeV <i>R. Magne, G.A. Chaudron, R. Cool, Y. Demers, Ph. Cumyn, R. Décoste, A. Dubé, J.M. Guay, D. Larose, A. Robert, C. Trudel, L. Vachon</i>	525
Low power radiation field pattern measurements of main components of the TORE Supra ECRH transmission line <i>G. Berger-By, J.P. Crenn, R. Levy, P. Garin, D. Roux, M. Pain</i>	529
Status of the 118 GHz-Quasi CW gyrotron for the TORE Supra and TCV tokamaks <i>M. Pain, P. Garin, M.Q. Tran, S. Alberti, M. Thumm, O. Braz, E. Giguet, P. Thouvenin, C. Tran</i>	533
The 140 GHz-2MW-2 s ECRH system for ASDEX-Upgrade <i>H. Brinkschulte, A. Fix, W. Förster, G. Ganzenbein, W. Kasparek, F. Leuterer, F. Monaco, M. Münich, A. Peeters, F. Ryter, P. Schüller, V. Sigalaev, E. Tai</i>	537
Conceptual design of the 140 GHz/10MW CW ECRH system for the stellarator W7-X <i>L. Empacher, W. Förster, G. Ganzenbein, W. Kasparek, H. Kumrić, G.A. Müller, P.G. Schüller, K. Schwörer, U. Schumacher, D. Wagner, V. Erckmann, T. Geist, H. Laqua</i>	541

Advanced high power gyrotrons for ECW application <i>B. Piosczyk, E. Borie, O. Braz, G. Dammertz, C.T. Iatrou, S. Illy, S. Kern, M. Kuntze, M.V. Kartikeyan, G. Michel, A. Möbius, M. Thumm</i>	545
Development of 170GHz long pulse gyrotron with depressed collector <i>A. Kasugai, K. Sakamoto, M. Tsuneoka, K. Takahashi, S. Maebara, T. Imai, T. Kariya, K. Hayashi, Y. Mitsunaka, Y. Hirata</i>	549
Development of an ECRH system for large helical device <i>T. Shimozuma, M. Sato, Y. Takita, S. Kubo, H. Idei, K. Ohkubo, T. Watari, S. Yasutomi, Y. Suzuki, F. Saito, S. Sasaki, Y. Saito, T. Okamoto</i>	553
New developments in the 110 GHz system on the RTP tokamak <i>O.G. Kruijt, W.A. Bongers, A.B. Sterk, F.J. van Amerongen, A. Bijker, G.G. Denisov, W. Kooijman, S. Kuyvenhoven, G. Land, A. Montvai, A.A.M. Oomens, R.W. Polman, F.C. Schüller, A.G.A. Verhoeven, D. Vinogradov and the RTP team</i>	557
Present status of the 1MW, 130–260 GHz free electron maser <i>A.B. Sterk, B.S.Q. Elzendoorn, W.A. Bongers, P. Manintveld, P.R. Prins, A.G.A. Verhoeven, W.H. Urbanus, the VE team and the FEM team</i>	561
Design and installation of the electron cyclotron wave system for the TCV tokamak <i>T.P. Goodman, S. Alberti, M.A. Henderson, A. Pochelon, M.Q. Tran</i>	565
Design and operation of the power installation for the TCV ECR additional heating <i>D. Fasel, J. Alex, A. Favre, T. Goodman, M. Henderson, P.-F. Isoz, A. Perez, M-Q. Tran</i>	569
High-power corrugated waveguide components for mm-wave fusion heating systems <i>R.A. Olstad, J.L. Doane, C.P. Moeller, R.C. O'Neill, M. DiMartino</i>	573
ICRF power feedback regulation of the plasma diamagnetic energy content of the tokamak TEXTOR <i>C. Königs, F. Durodié, M. Vervier</i>	577
Generating system for Alfvén waves in TCA/BR <i>L. Ruchko, R. Galvão, I.C. Nascimento, E. Ozono, F. Degasperis, E. Lerche</i>	581
Negative ion extraction physics <i>M. Bacal, F. El Balghiti-Sube, A.A. Ivanov, A.B. Sionov</i>	585
Effect of cesium seeding in volume negative ion sources <i>M. Bacal, F. El Balghiti-Sube, L.I. Elizarov, A.J. Tontegode</i>	589
First results of automatic matching system on Tore Supra ICRH antennas: fast matching network for ICRH systems <i>L. Ladurelle, G. Agarici, B. Beaumont, S. Bremond, H. Kuus, G. Lombard</i>	593

ICRF operation during H-mode with ELMs development status at ASDEX Upgrade <i>F. Wesner, W. Becker, F. Braun, H. Faugel, R. Fritsch, F. Hofmeister, J.-M. Noterdaeme, Th. Sperger</i>	597
An ARC detection system for ICR-heating <i>F. Braun, Th. Sperger</i>	601
Matching fast ICRF antenna coupling variations by frequency change <i>F. Hofmeister and ICRH team</i>	605
Progress on radio frequency auxiliary heating system designs in ITER <i>M. Makowski, G. Bosia, F. Elio and the Home Teams</i>	609
The 1.8 MW-433 MHz RF system for the ion Bernstein waves experiments on FTU <i>P. Papitto, R. Cesario, A. Cucchiaro, A. Marra, G.L. Ravera, P. Zampelli</i>	613
Achievement of 1.6MW/5000sec operation of RF oscillator on the large helical device <i>R. Kumazawa, T. Mutoh, T. Watari, T. Seki, F. Shinbo, G. Nomura, S. Masuda, T. Ido, T. Kuroda</i>	617
Operation of high power ICRH with ELMY plasmas at JET <i>M. Schmid, V. Bhatnagar, C. Gormezano, P.U. Lamalle, A. Sibley, M. Simon, M. Timms, T. Wade</i>	621
Improved tuning and matching of ion cyclotron systems <i>D.W. Swain, R.H. Goulding, F.W. Baity, R.I. Pinsker, J.S. deGrassie, C.C. Petty, D.J. Hoffman</i>	625
Development of fast wave systems tolerant of time-varying loading <i>R.I. Pinsker, C.P. Moeller, C.C. Petty, D.A. Phelps, T. Ogawa, Y. Miura, H. Ikezi, J.S. deGrassie, R.W. Callis, R.H. Goulding, F.W. Baity</i>	629
Flexible N _z Launcher for lower hybrid wave injection in the first operation phase of ITER <i>G. Rey, P. Bibet, P. Froissard, J.G. Wegrowe, S. Bério, M. Goniche, G.T. Hoang, F. Kazarin-Vibert, X. Litaudon, M. Tareb, G. Tonon</i>	633
Development of a new lower hybrid antenna module using a poloidal power divider <i>S. Maebara, M. Seki, K. Suganuma, T. Imai, M. Goniche, Ph. Bibet, S. Bério, J. Brossaud, G. Rey, G. Tonon</i>	637
Upgrading of the injection power of the W7-AS neutral beam system <i>W. Ott, F.-P. Penningsfeld, W. Melkus, F. Probst, E. Speth, R. Süss and W7-AS Team</i>	641
Development of a novel compact RF-source <i>B. Heinmann, J.-H. Feist, W. Kraus, F. Probst, R. Riedl, E. Speth, M. Busch, W. Szcepaniak</i>	645

Optimization of a large-area RF plasma generator <i>W. Kraus, J.-H. Feist, E. Speth</i>	649
Modelling of the TEXTOR-94 neutral-injection power supply system in the search of parasitic currents <i>C.-C. Hering, U. Braunsberger, M. Sauer, W. Schalt</i>	653
Neutral beam injector for steady state superconducting tokamak <i>A.K. Chakraborty, N. Bisai, M.R. Jana, P.K. Jayakumar, U.K. Baruah, P.J. Patel, K. Rajasekar, S.K. Mattoo</i>	657
Beam properties of the enhanced JET PINIs <i>D. Ceric, C.D. Challis, H.P.L. de Esch, H.-D. Falter, D. Godden, A.J.T. Holmes, D. Stork, E. Thompson</i>	661
Upgrading of the neutral beam power supplies from 80KV/60A to 140KV/60A <i>F. Jensen, R. Claesen, H. McBryan, J. Mills, R. Öström, A.P. Vadgama</i>	665
Operations with tritium neutral beams on TFTR <i>L.R. Grisham, J. Kamperschroer, T. O'Connor, M.E. Oldaker, T.N. Stevenson, A. von Halle and TFTR Group</i>	669
The BEL: a test bed for the positive ions based neutral beam injectors with energy recovery system for TORE Supra <i>P. Bayetti, F. Bottiglioni, H. Dougnac, F. Imbeaux, J.Y. Journeaux, Ph. Lotte, G. Mayaux</i>	673
Negative D ⁻ ion source relevant for application to ITER neutral beam injectors <i>C. Jacquot, D. Riz, R. Trainham, K. Miyamoto, Y. Okumura, M.B. Hopkins</i>	677
Extraction system development and stray electron study for high intensity negative ion based NBI <i>A. Simonin, K. Miyamoto, Y. Fujiwara</i>	681
Results of the Cadarache 1 MeV D ⁻ "SINGAP" experiment <i>J. Bucalossi, C. Desgranges, M. Fumelli, P. Massmann, J. Paméla, A. Simonin</i>	685
Development of a large RF-driven negative ion source for neutral beam injector <i>T. Takanashi, Y. Takeiri, O. Kaneko, Y. Oka, K. Tsumori, M. Osakabe, T. Kuroda</i>	689
Initial beam operation of 500KeV negative-ion based NBI system for JT-60U <i>M. Kuriyama, N. Akino, T. Aoyagi, N. Ebisawa, Y. Fujiwara, N. Isozaki, A. Honda, T. Inoue, T. Itoh, M. Kawai, M. Kazawa, J. Koizumi, K. Miyamoto, N. Miyamoto, K. Mogaki, Y. Ohara, T. Ohga, Y. Okumura, H. Oohara, K. Ohshima, F. Satoh, H. Seki, T. Takenouchi, Y. Toyokawa, K. Usui, K. Watanabe, M. Yamamoto, T. Yamazaki</i>	693

General design of the neutral beam injection system and integration with ITER <i>A. Krylov, E. Di Pietro, M. Hanada, R. Hemsworth, C. Holloway, S. Stoner, E. Alexandrov, M. Barinov, E. Dlougach, V. Kulygin, V. Naumov, A. Panasenkov, V. Petrov, Y. Fujiwara, T. Inoue, K. Miyamoto, N. Miyamoto, Y. Ohara, Y. Okumura, K. Shibata, M. Tanii, K. Watanabe, J.-H. Feist, B. Heinemann, E. Kussel, P. Lotte, P. Massmann, J. Paméla, M. Watson</i>	697
Design and R&D of high power negative ion source/accelerator for ITER NBI <i>T. Inoue, Y. Okumura, Y. Fujiwara, K. Miyamoto, N. Miyamoto, Y. Ohara, K. Watanabe, B. Heinemann, M. Tanii</i>	701
Experimental results using the JET real time power control system <i>N.H. Zornig, H.E.O. Brelen, A. Browne, M.L. Browne, C. Gormezano, T. Dobbing, J.A. How, F.A. Jensen, T.T.C. Jones, F.B. Marcus, Q.A. King, F.G. Rimini, J.A. Romero, A.G.H. Sibley, F. Söldner, B.J.D. Tubbing</i>	705
E.C.R.H. system for TJ-II experiment <i>R. Martin, K. Likin, A. Fernández, M. Sorolla, A. Sánchez, C. del Río Bocio, N. Matveev</i>	709
Sliding contact tests at high RF current under vacuum <i>G. Agarici, B. Beaumont, L. Ladurelle, G. Lombard, P. Mollard, H. Kuus</i>	713
Section C: Plasma Engineering and Control	
Loads on the ITER in-vessel components from electromagnetic transients <i>S. Chiocchio, K. Ioki, M. Araki, P. Barabaschi, J.B. Bialek, V. Kokotov, M. Roccella, R.S. Sayer, J. Wesley, D. Williamson</i>	719
3-D electromagnetic model and electromagnetic analysis of the ITER in-vessel components <i>M. Roccella, A. Capriccioli, M. Ferrari, M. Gasparotto, A. Pizzuto, S. Chiocchio, F. Lucca</i>	723
Modelling and analysis of plasma-first wall contact during vertical instabilities in Next-Step tokamaks with a 3D eddy current code <i>S. Fantechi, Y. Crutzen</i>	727
Control of the magnetic configuration in ITER <i>A. Portone, Y. Gribov, Y. Mitrishkin, P.L. Mondino, J. Wesley, R. Albanese, G. Ambrosino, D. Ciscato, E. Coccorese, D. Humphreys, S. Jardin, A. Kavin, C. Kessel, J. Lister, D. Pearlstein, A. Pironti, I. Senda, M. Walker, D. Ward</i>	731
Modelling and engineering aspects of the plasma shape control in ITER <i>R. Albanese, G. Ambrosino, E. Coccorese, J.B. Lister, A. Pironti, D.J. Ward</i>	735
Enhancement of the JET vacuum vessel supports <i>A. Miller, J.L. Hemmerich</i>	739

Effects of high frequency disruptions on the JET divertor cryopump, including potential JET toroidal field upgrades <i>S. Papastergiou, P. Ageladarakis</i>	743
Enhancement of JET machine instrumentation and coil protection systems <i>V. Marchese, T. Businaro, M. Buzio, E. De Marchi, N. Dolgetta, J. Howie, J. Last, T. Raimondi, L. Scibile, J. van Veen</i>	747
Present understanding of electromagnetic behaviour during disruptions in JET <i>P. Noll, P. Andrew, M. Buzio, R. Litunovsky, T. Raimondi, V. Riccardo, M. Verrecchia</i>	751
Axisymmetric and non-axisymmetric structural effects of disruption-induced electromechanical forces on the JET tokamak <i>M. Buzio, P. Noll, T. Raimondi, V. Riccardo, L. Sonnerup</i>	755
Scientific basis and engineering design to accommodate disruption and halo current loads for the DIII-D tokamak <i>P.M. Anderson, A.S. Bozek, M.A. Hollerbach, D.A. Humphreys, J.L. Luxon, E.E. Reis, M.J. Schaffer</i>	759
Effects of plasma behaviour on in-vessel components in JT-60 operation <i>H. Hiratsuka, T. Sasajima, K. Kodama, T. Arai, K. Masaki, Y. Neyatani, J. Yagyu, A. Kaminaga, M. Saidoh</i>	763
Numerical and experimental evaluation of halo currents in RFX plasma facing components <i>S. Peruzzo, A. Masiello, N. Pomaro, P. Sonato, G. Zollino</i>	767
Feasibility analysis of an active local field control at the poloidal gap of RFX <i>F. Bellina, G. Chitarin, P. Fiorentin, E. Gaio, G. Marchiori, P. Sonato, V. Toigo, P. Zaccaria, G. Zollino</i>	771
Eddy currents in the RFX shell after short-circuiting one poloidal and one equatorial gap <i>G. Chitarin, G. Marchiori, A. Masiello, N. Pomaro, G. Zollino</i>	775
Plasma-material interaction during high transient heat loads in fast probe experiments at TEXTOR <i>T. Scholz, A. Hassanein, H. Bolt, K.H. Finken, J. Linke</i>	779
Minimizing the first wall and blanket loading caused by plasma disruptions by tuning first wall's resistivity <i>T. Jordan, D. Schneider</i>	783
Joining technology and material and shape optimization for the ICRF vacuum transmission line dielectric window <i>P. Auerkari, L. Heikinheimo, J.A. Heikkilä, J. Linden, M. Kemppainen, K. Kotikangas, S. Nuutinen, S. Orivuori, M. Peräniitty, S. Saarelma, M. Sirén, S. Tähtinen, F. Wasastjerna, G. Bosia, E. Hodgson</i>	787

Design study on high Tc superconducting plasma stabilizer <i>T. Uchimoto, K. Miya</i>	791
Development of a precise long-time digital integrator for magnetic measurements in a tokamak <i>K. Kurihara, Y. Kawamata</i>	795
Section D: Experimental Systems	
Simulation of the magnetic field penetration in the structure material of the dynamic ergodic divertor coils of TEXTOR-94 <i>D. Styhler, M. Lindmayer, U. Braunsberger, B. Giesen, O. Neubauer</i>	801
Design of vacuum system and support structure for plasma facing components of SST1 tokamak <i>M.K. Bhise, P. Chaudhuri, D. Chenna Reddy, R. Gangradey, S. Jacob, S. Khirwadkar, C. Muralidaran, H.A. Pathak, E. Rajendra Kumar, T. Ranga Nath, N. Ravipragash, P. Sinha and SST1 Team</i>	805
Electromagnetics aspects in ITER: impact on magnet cryogenics, plasma diagnostics and control system <i>R. Albanese, G. Ambrosino, E. Coccorese, R. Fresa, R. Martone, C. Morabito, A. Pironti, G. Reitano, G. Rubinacci</i>	809
Plasma engineering in the IGNITOR experiment <i>B. Coppi, R. Andreani, C. Ferro, M. Gasparotto, C. Rita, A. Pizzuto, M. Roccella, G. Cenacchi, A. Bianchi, G. Galasso, L. Lanzavecchia</i>	813
Design characteristics of KT-2 tokamak for advanced tokamak operation <i>B.G. Hong, S.H. Jeong, S.K. Kim</i>	817
Numerical simulation of plasma equilibrium and shape control in tight tokamak GLOBUS-M <i>A.A. Kavin, V.A. Belyakov, S.A. Bulgakov, Y.A. Kostsov, E.N. Rumyntsev, S.A. Galkin, L.M. Degtyarev, A.A. Ivanov, Y.Y. Poshekhanov, V.A. Yagnov</i>	821
Thermal and structural analysis of vacuum and in-vessel components for low aspect ratio tokamak Globus-M <i>V.A. Divavin, S.A. Grigoriev, A.V. Lipko, V.A. Bykov, V.N. Komarov, E.G. Kuzmin, I.A. Mironov</i>	825
Globus-M tokamak magnets <i>A.B. Alekseev, A.F. Arneman, V.A. Belyakov, S.A. Boulgakov, V.A. Bykov, V.A. Divavin, K.E. Egorov, S.A. Grigoriev, V.K. Gusev, A.A. Kavin, V.A. Korotkov, Y.M. Krivchenkov, E.G. Kuzmin, A.A. Malkov, A.G. Panin, N.V. Sakharov, V.F. Soikin</i>	829

Joint upgraded spherical tokamak (JUST) and support installation – 2 MA spherical tokamak "Selena": concept and status <i>E.A. Azizov, N.Ya. Dvorkin, O.G. Filatov, G.P. Gardymov, I.S. Garypov, V.E. Golant, V.A. Glukhikh, V.I. Logansen, V.A. Iagnov, I.A. Kadi-Ogly, R.R. Khayrutdinov, V.V. Korshakov, V.K. Krylov, I.N. Leykin, V.E. Lukash, A.B. Mineev, G.E. Notkin, A.R. Polevoy, K.G. Shakhovets, S.V. Tsaun, E.P. Velikhov, N.I. Vinogradov, G.M. Vorobiev</i>	833
Application of seismic isolation for ITER <i>D. Dilling, C.E. Ahlfeld, P. Barabaschi, V. Chuyanov, K. Ishimoto, E. Tanaka</i>	837
Calorimetric measurements of energy deposition in TORE Supra <i>F. Surle, G. Mayaux, J.J. Cordier</i>	841
Application of FIR polarimetry for real-time density control on TEXTOR-94 <i>H.R. Koslowski, B. Giesen, P. Hüttemann, H.T. Lambertz, K.P. Pelzer, W. Schalt, E. Zimmermann</i>	845
Engineering aspects of ITER plasma diagnostic systems <i>C.I. Walker, T. Ando, A. Costley, L. deKock, K. Ebisawa, G. Janeschitz, L. Johnson, V. Mukhovatov, G. Vayakis, M. Yamada, S. Yamamoto</i>	849
Tracer-encapsulated cryogenic pellet for particle transport diagnostics <i>S. Sudo, H. Itoh, K. Khlopchenkov</i>	853
Experiment of 14MeV neutron induced luminescence on window materials <i>F. Sato, Y. Oyama, T. Iida, F. Maekawa, J. Date michi, A. Takahashi, Y. Ikeda</i>	857
Status and characteristics of diagnostics on Korea superconducting tokamak research (KSTAR) <i>S.G. Lee, S.M. Hwang, H.Y. Chang, G.S. Lee, H.K. Park, J. Kim, D.I. Choi, S.G. Oh, K.K. Choh, J.H. Choi, J.W. Choi, Y.S. Chung, J.H. Han, J. Hong, B.C. Kim, W.C. Kim, Y.J. Kim, H.G. Lee, H.K. Na, Y.K. Oh, H.L. Yang, J.G. Yang, N.S. Yoon</i>	861
High performance drivers for fast sweep microwave reflectometry <i>L. Cupido, A. Silva, M.E. Manso, F. Serra</i>	865
Engineering aspects of an advanced heavy ion beam diagnostic for the TJ-II stellarator <i>A. Malaquias, C. Varandas, J.A.C. Cabral, L.I. Krupnik, S.M. Khrebtov, I.S. Nedzelskij, Yu.V. Trofimenko, A. Melnikov, C. Hidalgo, I. Garcia-Cortes</i>	869
Two-frequency correlation reflectometer <i>J. Fernandes, A. Silva, L. Cupido, M.E. Manso, P. Varela</i>	873
Plasma density profile evaluation in broadband reflectometry using a neural network <i>F.D. Nunes, J. Santos, M.E. Manso</i>	877

Time resolved energy dispersive X-ray diagnostic for the TCV tokamak <i>J. Sousa, P. Amaro, P. Amorim, B. Duval, C.A.F. Varandas</i>	881
Experimental tests of an ion source for the diagnostic neutral beam injector of the TEXTOR tokamak <i>G.F. Abdrazhitov, A.A. Ivanov, V.V. Mishagin, A.A. Podyminogin, A.I. Rogozin, I.V. Shikhovtsev</i>	885
Heavy ion beam probing for ITER <i>A.V. Melnikov, L.G. Zimeleva, K.N. Tarasyan, L.G. Eliseev, L.I. Krupnik, I.S. Nedzelskij, Yu.V. Trofimenko, Y. Hamada, H. Iguchi, K. Connor, T. Crowley, C.A.F. Varandas, A. Malaquias</i>	889
Remote sensing of a capacitance manometer pressure measurement head <i>A. Browne, D. Cooper, J.F. Davies, L. Hackett, L. Svensson, D. Young</i>	893
Engineering design of the JET edge Thomson scattering system <i>D.J. Wilson, P. Nielsen, C.W. Gowers, R.J. Eagle</i>	897
A PC based real-time imaging system for the TdeV tokamak <i>F. Meo, P. de Villers, F. Brunet, G. Ratel</i>	901
Design of an optimal control system for Tore Supra <i>S. Brémond, J.-M. Ané</i>	905
Evolution of the Tore Supra data acquisition system: towards the steady state <i>B. Guillerminet, D. Elbèze, J.F. Artaud, S. Balme, Y. Buravand, B. Couturier, L. Ducobu, B. Gagey, M. Leluyer, R. Masset, D. Moulin, B. Rothan, J. Signoret</i>	909
The Tore Supra control computer system: evolutions <i>E. Chatelier, F. Hennion, M. Hernandez, J.Y. Journeaux, P. Lebourg</i>	913
First results of the new plasma feed-back control for TORE-SUPRA <i>G. Martin, D. Moulin, D. van Houtte, T. Wijnands</i>	917
A data acquisition, control and visualization system for the upgraded TOSKA facility at FZK <i>A. Augenstein, H. Barthel, I. Donner, H. Frankrone, P. Gruber, G. Hellmann, P. Klingenstein, U. Padligur, K. Rietzschel, T. Specht, G. Würz</i>	921
Plasma regime guided discharge control at ASDEX Upgrade <i>T. Zehetbauer, P. Franzen, G. Neu, V. Mertens, G. Raupp, W. Treutterer, D. Zasche and ASDEX Upgrade Team</i>	925
Structure for next generation discharge control systems <i>G. Raupp, K. Lüddecke, G. Neu, W. Treutterer, D. Zasche, T. Zehetbauer and ASDEX Upgrade Team</i>	929

Plasma shape control design in ASDEX Upgrade <i>W. Treutterer, J. Gernhard, O. Gruber, P. McCarthy, G. Raupp, U. Seidel and ASDEX Upgrade Team</i>	933
The use of fuzzy curves for the reconstruction of the plasma shape and the selection of the magnetic sensors <i>F.C. Morabito, M. Versaci</i>	937
Measument and control of error field driven magnetic islands in a tokamak reactor by electron cyclotron current drive <i>E. Lazzaro, S. Cirant, G. D'Antona, S. Nowak, G. Ramponi</i>	941
Design of central control and man-machine interface systems for large helical device <i>H. Yamada, K. Yamazaki, K.Y. Watanabe, S. Yamaguchi, K. Nishimura, Y. Taniguchi, H. Ogawa, N. Yamamoto, S. Sakakibara, M. Shoji, O. Motojima</i>	945
Real time control of the plasma boundary in JET <i>S. Puppin, M.E. Angoletta, D.J. Campbell, J.J. Ellis, M. Garribba, M. Lennholm, F. Milani, D. O'Brien, F. Sartori, R. Sartori</i>	949
Implementation and initial operation of an adaptive plasma density controller at JET <i>H.E.O. Brelén, T. Budd, J. Ehrenberg, M. Gadeberg, C. Ryle</i>	953
Real time software for the control and monitoring of DIII-D system interlocks <i>J.D. Broesch, B.G. Penaflor, R.M. Coon, J.J. Harris, J.T. Scoville</i>	957
An introduction to FASTCAMAC (60 Megabytes/sec in CAMAC?) <i>S. Dhawan, C. Hubbard, T. Radway, R. Sumner</i>	961
A structured architecture for advanced plasma control experiments <i>B.G. Penaflor, J.R. Ferron, M.L. Walker</i>	965
Availability analysis of five years of operation of the superconducting tokamak Tore Supra <i>D. van Houtte, B. de Gentile, C. Grisolia, J.Y. Journeaux, P. Joyer, J.M. Laurens, G. Martin, F. Parlange, T. Wijnands</i>	969
The Frascati Tokamak Upgrade machine: plant and operation status <i>S. Ciattaglia, B.M. Angelini, G. Buceti, F. Crisanti, F. Gravanti, G. Mazzitelli, M. Panella, E. Sternini, A. Tuccillo, V. Zanza</i>	973
Operation of the tokamak ISTTOK in an alternating current regime <i>H. Fernandes, H. Figueiredo, J. Sousa, C.J. Freitas, J.A.C. Cabral, C.A.F. Varandas</i>	977
Monitoring and digital control system for the 130 MVA pulse generator system of the Spanish Stellarator TJ-II <i>L. Kirpitchev, L. Almoguera, M. Blaumoser, P. Mendez, L. Pacios, A. de la Peña, F. Lapayese, R. Carrasco, I. Labrador, A. Pérez, B. Alberdi, J.M. del Río, E. Jauregi</i>	981

Final assembly and present status of the Spanish Stellarator TJ-II <i>J. Botija, M. Blaumoser, J. Doncel, J.R. Knaster, J. Alonso and TJ-II Team</i>	985
Operational experience with the JET saddle coil system <i>A. Santagustina, H. Altmann, M. Buzio, D.J. Campbell, R. Claesen, G. D'Antona, M. De Benedetti, A. Fasoli, G. Israel, R. Ostrom, S. Peruzzo, T. Raimondi, L. Rossi, F. Sartori, M. Tabellini, A. Tanga, G. Zullo</i>	989
Compatibility analysis of the magnet system of the KT-2 tokamak for long-pulse operation <i>K.W. Lee, J.M. Han, B.G. Hong, B.J. Yoon, Y.D. Bae, W.S. Song, D.E. Kim, N.S. Shin, J.E. Milburn</i>	993