

Contents

Subvolume B2β: Linear Triatomic Molecules

$^{12}\text{C}^{16}\text{O}^{17}\text{O}$ (^{16}O $^{12}\text{C}^{17}\text{O}$) ... $^{14}\text{C}^{18}\text{O}^{18}\text{O}$ (^{18}O $^{14}\text{C}^{18}\text{O}$)

| | |
|--|-----------|
| Introduction | IX |
| (Specific comments related to some of the molecules considered in Chaps. 1...39 of subvolume II/20B1 are retained in the present introduction due to their possible general applicability) | |
| I Energy level designations | IX |
| II Effective Hamiltonians | X |
| II.1 Energy matrix | X |
| II.1.1 Diagonal elements | X |
| II.1.2 Off-diagonal elements | XII |
| II.2 Energy expressions referred to the ground state | XII |
| II.2.1 Vibrational states | XIII |
| II.2.2 Rotational states | XIII |
| II.3 Conversion table for energy-related units and selected fundamental constants | XIV |
| III Formulas for determining rotational constants | XV |
| III.1 Effective parameters | XV |
| III.2 Band center and band origin | XVI |
| III.3 Comments on BHO (HBO) (see Chap. 6 of subvolume II/20B1) | XVII |
| III.4 Some specifics related to COS (OCS) (see Chap. 38 of subvolume II/20B1) | XVIII |
| III.4.1 Diagonalizing the energy matrix | XVIII |
| III.4.2 Effective molecular parameters | XVIII |
| III.4.3 Unperturbed vibrational states | XIX |
| III.4.4 Effects of perturbations | XIX |
| III.5 Quadrupole coupling | XXI |
| IV Potential energy function (PEF) | XXI |
| IV.1 PEF expanded as a Taylor series | XXI |
| IV.2 Curvilinear valence coordinates and Morse functions | XXII |
| IV.3 Dimensionless normal coordinates | XXII |
| IV.4 Specific forms of the PEF | XXII |
| V Dipole moment | XXIV |
| V.1 General equations | XXIV |
| V.2 Specifics related to COS (OCS) (see Chap. 38 of subvolume II/20B1) | XXV |
| VI Intensities | XXVII |
| VI.1 Intensities of spectral lines | XXVII |
| VI.2 Integrated absorption intensities | XXVII |
| VI.3 Total internal partition sum | XXIX |
| VI.4 F-factors (Herman-Wallis factors) | XXIX |
| VI.5 Intensity expressions | XXX |
| VI.6 Intensity units and conversion table | XXXI |

| | | |
|-----------------------|---|-------------------------------|
| VI.7 | Line profiles | XXXVIII |
| VI.7.1 | Lorentz profile | XXXVIII |
| VI.7.2 | Doppler profile | XXXVIII |
| VI.7.3 | Voigt profile | XXXVIII |
| VI.7.4 | Galatry profile | XXXIX |
| VI.8 | Miscellaneous topics | XXXIX |
| VI.8.1 | Some definitions related to collisions | XXXIX |
| VI.8.2 | Foreign gas broadening | XXXIX |
| VI.8.3 | Line coupling | XL |
| VI.8.4 | Temperature dependence of broadening | XL |
| VI.9 | Einstein coefficient of spontaneous emission | XLI |
| VI.10 | Rotational state transfer | XLI |
| VII | Renner-Teller effect (some aspects) | XLII |
| VIII | Some functional relations specially applicable to the molecular constants of CO ₂ | XLIV |
| VIII.1 | Designations of the energy levels of CO ₂ | XLIV |
| VIII.2 | Resonances in CO ₂ | XLIV |
| VIII.3.1 | Potential-energy function (PEF) | XLVIII |
| VIII.3.2 | Interaction potential | XLVIII |
| VIII.4.1 | Dipole moment | XLVIII |
| VIII.4.2 | Transition dipole moment | XLIX |
| VIII.5 | HITELOR (High Temperature Low Resolution data base) | XLIX |
| VIII.6 | Line mixing | XLIX |
| VIII.7 | Several functional relations in which effects of collisions are included | LI |
| VIII.7.1 | Collisional broadening | LI |
| VIII.7.2 | Binary absorption coefficient | LI |
| VIII.7.3 | Normalized absorption coefficient | LI |
| VIII.7.4 | Collision induced contribution in the band intensity | LII |
| VIII.8 | Self broadening and its temperature dependence | LII |
| VIII.9 | Foreign gas broadening | LII |
| VIII.10 | Transmittance at the center of a spectral line | LII |
| VIII.11 | Line mixing (temperature and pressure dependence) | LIII |
| VIII.11.1 | Temperature dependence of line mixing | LIII |
| VIII.11.2 | Pressure dependence of line mixing | LIII |
| VIII.12 | Some formulas for the absorption coefficient $k(n)$ | LIII |
| VIII.12.1 | Impact approximation | LIII |
| VIII.12.2 | First order theory of Rosenkranz | LIV |
| VIII.13 | CO ₂ laser wave guide amplification and power saturation | LIV |
| IX | List of symbols | LVI |
| 1 | BCIH⁺ (HClI⁺) ... 39 COSe (OCSe) | see subvolume II/20B1 |
| 40 | COO (OCO) | 1 |
| 40.1 | ¹²C¹⁶O¹⁶O (¹⁶O¹²C¹⁶O) | see subvolume II/20B2α |
| 40.2 ... 40.14 | ¹²C¹⁶O¹⁷O (¹⁶O¹²C¹⁷O) ... ¹⁴C¹⁸O¹⁸O (¹⁸O¹⁴C¹⁸O) (survey) | 1 |
| References | | 319 |

