

# CONTENTS

## CHAPTER I. GENERAL DESCRIPTION OF THE STRUCTURES AND PHASE TRANSITIONS IN LYOTROPIC COMPLEX FLUIDS

|                                                                          |           |
|--------------------------------------------------------------------------|-----------|
| <b>1. Phase Transitions in Lyotropic Liquid Crystals. I</b>              | <b>3</b>  |
| <i>J. Charvolin and A.M. Levelut</i>                                     |           |
| <b>1. Introduction</b>                                                   | <b>3</b>  |
| <b>2. Structures and sequences in phase diagrams</b>                     | <b>5</b>  |
| 2.1. Structure ordered along one dimension                               | 5         |
| 2.2. Structures ordered along two dimensions                             | 5         |
| 2.3. Structures ordered along three dimensions                           | 6         |
| 2.4. Structures with orientational order                                 | 7         |
| 2.5. Disordered structures                                               | 8         |
| 2.6. Direct and inverted structures                                      | 8         |
| 2.7. Typical sequences and phase transitions                             | 9         |
| 2.8. Comments                                                            | 13        |
| <b>3. Observations in the vicinity of phase transitions</b>              | <b>14</b> |
| 3.1. Transition along the lamellar-bicontinuous cubic-hexagonal sequence | 14        |
| 3.2. Transitions along the lamellar-rectangular-hexagonal sequence       | 16        |
| 3.3. Sequences involving nematic structures                              | 18        |
| 3.4. Other transitions and questions                                     | 19        |
| 3.5. Comments                                                            | 21        |
| <b>4. Theoretical frame</b>                                              | <b>21</b> |
| 4.1. Geometrical basis of liquid crystalline structures and sequences    | 22        |
| 4.2. Statistical thermodynamics of self-assembly                         | 24        |
| <b>5. Conclusion</b>                                                     | <b>25</b> |
| <b>References</b>                                                        | <b>26</b> |
| <b>2. Phase Transitions in Lyotropic Liquid Crystals. II</b>             | <b>29</b> |
| <i>M.C. Holmes and M.S. Leaver</i>                                       |           |
| <b>1. Introduction</b>                                                   | <b>29</b> |

|                                                                                                 |               |
|-------------------------------------------------------------------------------------------------|---------------|
| <b>2. Phase diagrams</b>                                                                        | <b>32</b>     |
| 2.1. Principle phases                                                                           | 34            |
| 2.2. Subsidiary phases                                                                          | 35            |
| 2.2.1. Nematic phases                                                                           | 35            |
| 2.2.2. Cubic phases, $I_1$ and $I_2$                                                            | 36            |
| 2.2.3. Cubic phases, $V_1$ and $V_2$                                                            | 36            |
| 2.2.4. Intermediate phases                                                                      | 37            |
| 2.2.5. Other isotropic phases                                                                   | 38            |
| 2.3. Chromonic phases                                                                           | 39            |
| <b>3. Experimental identification of phases and phase transitions</b>                           | <b>40</b>     |
| 3.1. Optical polarizing microscopy                                                              | 41            |
| 3.2. $^2\text{H}$ NMR spectroscopy                                                              | 42            |
| 3.3. Other techniques                                                                           | 42            |
| <b>4. Phase transitions</b>                                                                     | <b>44</b>     |
| 4.1. Types of phase transitions                                                                 | 44            |
| 4.2. Disorder-order transitions                                                                 | 44            |
| 4.2.1. Examples                                                                                 | 44            |
| 4.2.2. Models for disorder-order transitions                                                    | 47            |
| 4.3. Aggregate structural changes                                                               | 47            |
| 4.3.1. Examples                                                                                 | 47            |
| 4.3.2. Models of Interfacial curvature                                                          | 49            |
| <b>5. Summary</b>                                                                               | <b>50</b>     |
| <b>References</b>                                                                               | <b>51</b>     |
| <br><b>3. Light Scattering and Electric Birefringence Experiments<br/>on Micellar Solutions</b> | <br><b>57</b> |
| <i>V. Degiorgio and R. Piazza</i>                                                               |               |
| <b>1. Introduction</b>                                                                          | <b>57</b>     |
| <b>2. Light scattering</b>                                                                      | <b>59</b>     |
| 2.1. Critical behaviour of nonionic and cationic micellar solutions                             | 59            |
| 2.2. Spinodal decomposition                                                                     | 61            |
| 2.3. Sponge phase                                                                               | 64            |
| 2.4. Block copolymers                                                                           | 67            |
| 2.5. Biological micelles                                                                        | 67            |
| <b>3. Electric birefringence</b>                                                                | <b>69</b>     |
| 3.1. Nonionic micellar solutions                                                                | 70            |
| 3.2. Ionic and reverse micelles                                                                 | 73            |

|                                                                                            |            |
|--------------------------------------------------------------------------------------------|------------|
| <b>4. Conclusions</b>                                                                      | <b>76</b>  |
| <b>References</b>                                                                          | <b>77</b>  |
| <b>4. NMR Studies of Lyotropic Liquid Crystals</b>                                         | <b>81</b>  |
| <i>B. Halle and I. Furó</i>                                                                |            |
| <b>1. Introduction</b>                                                                     | <b>81</b>  |
| <b>2. NMR observables</b>                                                                  | <b>83</b>  |
| 2.1. Lineshapes                                                                            | 83         |
| 2.2. Relaxation rates                                                                      | 86         |
| 2.3. Diffusion coefficients                                                                | 90         |
| <b>3. Canonical phases</b>                                                                 | <b>92</b>  |
| 3.1. Hexagonal phases                                                                      | 92         |
| 3.2. Rectangular phases                                                                    | 93         |
| <b>4. Lamellar phases</b>                                                                  | <b>93</b>  |
| 4.1. Structural defects                                                                    | 93         |
| 4.2. Bending rigidity and bilayer interactions                                             | 95         |
| <b>5. Nematic phases</b>                                                                   | <b>98</b>  |
| 5.1. Micelle size and orientational order                                                  | 99         |
| 5.2. Nematic director fluctuations                                                         | 102        |
| <b>6. Cubic phases</b>                                                                     | <b>103</b> |
| <b>7. Related Studies</b>                                                                  | <b>105</b> |
| <b>References</b>                                                                          | <b>106</b> |
| <b>5. Symmetry Aspects of Reconstructive Phase Transitions in Lyotropic Complex Fluids</b> | <b>111</b> |
| <i>P. Tolédano and B. Mettout</i>                                                          |            |
| <b>1. Introduction</b>                                                                     | <b>111</b> |
| <b>2. The lamellar-tetragonal reconstructive transition</b>                                | <b>113</b> |
| 2.1. Symmetry aspects of the model                                                         | 113        |
| 2.2. The effective thermodynamic potential                                                 | 118        |
| <b>3. Transitions between direct and reversed mesophases: Fluid Reversal Symmetry</b>      | <b>119</b> |
| 3.1. Fluid Reversal symmetry                                                               | 119        |
| 3.2. F-Non-invariant systems                                                               | 121        |
| 3.3. F-Invariant systems                                                                   | 122        |
| <b>4. Lyotropic complex fluids systems with oriented interfaces</b>                        | <b>126</b> |
| 4.1. Symmetry breaking undulation mechanism                                                | 126        |

|                                                            |            |
|------------------------------------------------------------|------------|
| 4.2. Field lines and oriented domains                      | 128        |
| 4.3. Symmetry of mesophases with oriented interfaces       | 131        |
| <b>5. The lamellar-cubic reconstructive transition</b>     | <b>133</b> |
| 5.1. Lamellar-simple cubic transformation                  | 133        |
| 5.2. Transitions to cubic phases with other symmetries     | 136        |
| <b>6. The lamellar-hexagonal reconstructive transition</b> | <b>139</b> |
| 6.1. Phenomenological description of the transition        | 140        |
| 6.2. Tilted hexagonal phases                               | 143        |
| <b>References</b>                                          | <b>147</b> |

## CHAPTER II. STRUCTURES AND PHASE TRANSITIONS IN ORIENTATIONALLY ORDERED LYOTROPIC SYSTEMS

|                                                                                   |            |
|-----------------------------------------------------------------------------------|------------|
| <b>1. Structure of Lyotropic Nematic Complex Fluids</b>                           | <b>151</b> |
| <i>A.M. Figueiredo Neto</i>                                                       |            |
| 1. Introduction                                                                   | 151        |
| 2. The symmetry of the micelles                                                   | 153        |
| 3. The uniaxial-to-biaxial phase transition                                       | 160        |
| 4. Concluding remarks                                                             | 169        |
| References                                                                        | 170        |
| <b>2. Conductivity and Rotational Viscosity Measurements in Lyotropic Systems</b> | <b>173</b> |
| <i>P. Photinos</i>                                                                |            |
| 1. Introduction                                                                   | 173        |
| 2. Conductivity model                                                             | 175        |
| 3. Conductivity experiments                                                       | 176        |
| 3.1. Systems and Phases                                                           | 176        |
| 3.2. Sample alignment                                                             | 177        |
| 3.3. Cell design                                                                  | 178        |
| 4. Experimental results                                                           | 179        |
| 4.1. Conductance across the $N_d$ to lamellar transition in $C_sPFO$              | 179        |
| 4.2. Conductance across the $N_d$ - $N_{bx}$ - $N_c$ phases in the KL system      | 181        |
| 4.3. Measurement of relaxation times and rotational viscosity                     | 184        |
| <b>5. Numerical calculations of the conductance in model systems</b>              | <b>187</b> |

|                                                                                                                                                   |                |
|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 5.1. Outline of the numerical calculations                                                                                                        | 187            |
| 5.2. Comparison to experimental results                                                                                                           | 188            |
| <b>6. Discussion and Conclusions</b>                                                                                                              | <b>189</b>     |
| <b>Appendix</b>                                                                                                                                   | <b>193</b>     |
| <b>References</b>                                                                                                                                 | <b>194</b>     |
| <br><b>3. A Small Angle Neutron Scattering Investigation of the Effects of Simple and Oscillatory Shear on the CSPFO/<math>H_2O</math> System</b> | <br><b>197</b> |
| <i>J.T. Mang and S. Kumar</i>                                                                                                                     |                |
| <b>1. Introduction</b>                                                                                                                            | <b>197</b>     |
| <b>2. Theoretical Background</b>                                                                                                                  | <b>199</b>     |
| 2.1. Rod-like Systems                                                                                                                             | 201            |
| 2.2. Disk-like Systems                                                                                                                            | 203            |
| <b>3. Experimental</b>                                                                                                                            | <b>205</b>     |
| <b>4. Results and Discussion</b>                                                                                                                  | <b>207</b>     |
| 4.1. Simple Shear                                                                                                                                 | 207            |
| 4.2. Oscillatory shear                                                                                                                            | 213            |
| <b>5. Summary</b>                                                                                                                                 | <b>216</b>     |
| <b>References</b>                                                                                                                                 | <b>217</b>     |
| <br><b>4. Phenomenological Approach to Phase Transitions in Complex Fluids</b>                                                                    | <br><b>219</b> |
| <i>L. Longa, H-R. Trebin and M. Zelazna</i>                                                                                                       |                |
| <b>1. Introduction</b>                                                                                                                            | <b>219</b>     |
| <b>2. Concept of order parameter</b>                                                                                                              | <b>223</b>     |
| 2.1. Intrinsic properties of $Q$                                                                                                                  | 225            |
| 2.2. Spatially varying tensors $Q$ . Cholesterics                                                                                                 | 227            |
| <b>3. Landau - Ginzburg theory of phase transitions involving orientational degrees of freedom</b>                                                | <b>229</b>     |
| 3.1. Nematic phases and related phase transitions                                                                                                 | 231            |
| 3.2. Isotropic-cholesteric phase transition and the cholesteric wave vector                                                                       | 234            |
| <b>4. Final remarks</b>                                                                                                                           | <b>239</b>     |
| <b>References</b>                                                                                                                                 | <b>242</b>     |

## CHAPTER III. PHASE TRANSITIONS IN BILAYER SYSTEMS AND SURFACE EFFECTS

|                                                                          |            |
|--------------------------------------------------------------------------|------------|
| <b>1. Critical Role of Fluctuations in Lipid Bilayers</b>                | <b>247</b> |
| <i>J.F. Nagle</i>                                                        |            |
| <b>1. Introduction</b>                                                   | <b>247</b> |
| 1.1. Precritical behaviour of D(T)                                       | 250        |
| <b>2. Structure of lipid bilayers</b>                                    | <b>252</b> |
| 2.1. Precritical behaviour of D(T) (continued)                           | 261        |
| <b>3. Interbilayer interactions</b>                                      | <b>262</b> |
| 3.1. Precritical behaviour (continued)                                   | 264        |
| <b>4. Precritical behaviour of D(T) (concluded)</b>                      | <b>265</b> |
| References                                                               | <b>268</b> |
| <b>2. Phase Transitions in Tilted Mesophases</b>                         | <b>271</b> |
| <i>G. Chidichimo and F.P. Nicoletta</i>                                  |            |
| 1. Biological membranes                                                  | 271        |
| 2. Experimental methods of investigation                                 | 273        |
| 3. Polymorphism of lipid mixtures                                        | 277        |
| 4. Structure of lamellar membranes                                       | 278        |
| 5. Model membrane systems                                                | 282        |
| 6. Relevance of model membranes                                          | 290        |
| References                                                               | 291        |
| <b>3. Orientational Frederiks-Like Transitions in Ferronematics</b>      | <b>295</b> |
| <i>Yu.L. Raikher</i>                                                     |            |
| <b>Introduction</b>                                                      | <b>295</b> |
| 1. Collective behaviour of FN                                            | 296        |
| 2. Magnetic particle arrangements in FN                                  | 298        |
| 2.1. Pronouncedly uniaxial (rodlike) particles                           | 298        |
| 2.2. Slightly uniaxial particles                                         | 299        |
| 3. Reorientational transition in a FN with strong longitudinal anchoring | 300        |
| 3.1. Free energy density                                                 | 301        |
| 3.2. Variations of the transition character                              | 302        |
| 4. The Frederiks transition in a FN with soft transversal anchoring      | 304        |
| 4.1. Free energy density                                                 | 304        |

|                                                                             |            |
|-----------------------------------------------------------------------------|------------|
| 4.2. The Frederiks transition threshold                                     | 306        |
| <b>5. The Frederiks transition in a FN with superparamagnetic particles</b> | <b>309</b> |
| 5.1. Magnetic energy density of the particles                               | 309        |
| 5.2. Free energy density and the transition threshold                       | 311        |
| <b>Conclusions</b>                                                          | <b>313</b> |
| <b>References</b>                                                           | <b>314</b> |
| <b>4. Elements of Phenomenological Continuum Theory</b>                     | <b>317</b> |
| <i>G. Barbero and G. Durand</i>                                             |            |
| <b>1. Introduction</b>                                                      | <b>317</b> |
| 1.1. Landau description of ordered systems                                  | 317        |
| <b>2. Landau theory for homogeneous systems</b>                             | <b>320</b> |
| 2.1. Magnetic materials                                                     | 320        |
| 2.2. Thermal capacity of a magnetic material                                | 323        |
| 2.3. First order phase transitions                                          | 325        |
| 2.4. Entropy and latent heat                                                | 328        |
| 2.5. Critical points                                                        | 330        |
| 2.6. Landau theory for nematic liquid crystals                              | 332        |
| <b>3. Landau-Ginzburg theory</b>                                            | <b>335</b> |
| 3.1. Non uniform media                                                      | 335        |
| 3.2. Order profile imposed by a surface                                     | 338        |
| 3.3. Geometrical surface tension                                            | 341        |
| <b>4. Interfacial energy</b>                                                | <b>344</b> |
| 4.1. Surface energy                                                         | 344        |
| 4.2. Surface energy of a nematic liquid crystal                             | 348        |
| 4.3. Critical behaviour of passive surface ordering                         | 350        |
| 4.4. Critical behaviour of active surface ordering                          | 351        |
| 4.5. A junction model of surface energy                                     | 352        |
| <b>5. Non local surface energies</b>                                        | <b>355</b> |
| 5.1. Generalized surface energy                                             | 355        |
| 5.2. Sub-surface variations: rigorous analysis                              | 358        |
| 5.3. Sub-surface deformation: approximated analysis                         | 360        |
| 5.4. Effective surface energy                                               | 363        |
| <b>6. Concluding remarks</b>                                                | <b>366</b> |

## CHAPTER IV. THEORIES OF PHASE TRANSITIONS IN MICROEMULSIONS

|                                                                                 |            |
|---------------------------------------------------------------------------------|------------|
| <b>1. Kinetics of Phase Ordering in Microemulsions and Micellar Solutions</b>   | <b>371</b> |
| <i>D. Chowdury and P.K. Maiti</i>                                               |            |
| <b>1. Introduction</b>                                                          | <b>371</b> |
| <b>2. Kinetics of ordering in ternary microemulsions and micellar solutions</b> | <b>373</b> |
| 2.1. Molecular dynamics simulations of molecular models on a continuum          | 373        |
| 2.2. Microscopic lattice models                                                 | 374        |
| 2.3. Hybrid models                                                              | 382        |
| 2.4. Purely phenomenological models                                             | 384        |
| <b>3. Summary and Conclusion</b>                                                | <b>385</b> |
| References                                                                      | <b>386</b> |
| <b>2. Landau-Ginzburg Theories of Microemulsions</b>                            | <b>391</b> |
| <i>K. Chen, C. Jayaprakash, R. Pandit and W. Wenzel</i>                         |            |
| <b>1. Introduction</b>                                                          | <b>391</b> |
| <b>2. Landau-Ginzburg free-energy functional</b>                                | <b>393</b> |
| <b>3. Density functional theory</b>                                             | <b>396</b> |
| <b>4. Phase diagram</b>                                                         | <b>400</b> |
| <b>5. Concluding remarks</b>                                                    | <b>405</b> |
| References                                                                      | <b>405</b> |

## CHAPTER V. POTENTIAL EXPERIMENTAL TECHNIQUES FOR INVESTIGATING PHASE TRANSITIONS IN COMPLEX FLUIDS

|                                                                                                  |            |
|--------------------------------------------------------------------------------------------------|------------|
| <b>1. Potential Applications of Field Cycling NMR Spin-Lattice Relaxation Dispersion Studies</b> | <b>411</b> |
| <i>D.J. Pusiol</i>                                                                               |            |
| <b>1. Introduction</b>                                                                           | <b>411</b> |
| <b>2. Molecular reorientational fluctuation and spin-lattice relaxometry</b>                     | <b>414</b> |
| 2.1. Fast field cycling instrument                                                               | 415        |
| 2.2. Applications to homonuclear proton $T_1$ dispersion                                         | 417        |

|                                                                            |            |
|----------------------------------------------------------------------------|------------|
| 2.3. Applications to lyotropic liquid crystals and other complex systems   | 420        |
| 2.4. Heteronuclear protons $T_1$ -dispersion: the quadrupole dips          | 422        |
| <b>3. Nuclear quadrupole resonance spectra analysis</b>                    | <b>424</b> |
| <b>4. Summary</b>                                                          | <b>425</b> |
| References                                                                 | 425        |
| <b>2. Z-Scan Measurements of Optical Nonlinearities in Liquid Crystals</b> | <b>429</b> |
| <i>P. Palffy-Muhoray</i>                                                   |            |
| 1. Introduction                                                            | 429        |
| 2. The intensity dependent susceptibility                                  | 429        |
| 3. The Z-Scan method                                                       | 433        |
| 4. The origins of intensity dependent nonlinearities in liquid crystals    | 437        |
| 5. Results of Z-Scan measurements on thermotropic liquid crystals          | 439        |
| 6. Future directions                                                       | 441        |
| References                                                                 | 443        |
| <b>AUTHORS INDEX</b>                                                       | <b>445</b> |
| <b>SUBJECT INDEX</b>                                                       | <b>446</b> |