

CONTENTS

| | |
|---|----|
| Series Introduction | xv |
| I. General Introduction | 1 |
| II. The Forward Trip: From the Hamiltonian to the Vibration–Rotation Spectrum | 4 |
| A. Introduction | 4 |
| B. The Forward Trip: An <i>Ab Initio</i> Approach | 5 |
| 1. Exact Quantum Mechanical Formulation | 5 |
| a. Full Molecular Hamiltonian | 5 |
| b. Born–Oppenheimer Separation | 6 |
| c. Translation-Free Hamiltonian | 8 |
| d. Vibration–Rotation Separation | 9 |
| 1. MOLECULAR AXIS SYSTEM (MAS) | 9 |
| 2. ROTATION COORDINATES | 9 |
| 3. ECKART FRAME | 11 |
| 4. VIBRATION COORDINATES | 12 |
| e. Exact Vibration–Rotation Hamiltonian | 12 |
| 1. VIBRATION–ROTATION KINETIC ENERGY OPERATOR | 12 |
| 2. POTENTIAL-ENERGY SURFACE | 12 |
| 3. EXACT VIBRATION–ROTATION SCHRÖDINGER EQUATION | 13 |
| f. Variational Resolution of the Vibration–Rotation Schrödinger equation | 13 |
| 1. VARIATIONAL PRINCIPLE | 13 |
| 2. LINEAR VARIATIONAL METHOD | 14 |
| 3. CONFIGURATION INTERACTION METHOD | 16 |
| 4. DIAGONALISATION OF THE VIBRATION–ROTATION HAMILTONIAN | 16 |
| 5. ENERGY SPECTRUM OF THE VIBRATION–ROTATION HAMILTONIAN | 17 |
| 6. VIBRATION–ROTATION TRANSITION ENERGIES | 19 |
| g. Vibration–Rotation Lines Intensities | 21 |
| 1. OPTICAL VIBRATION–ROTATION TRANSITION PROBABILITIES | 21 |
| 2. ELECTRIC DIPOLE TRANSITION PROBABILITIES | 22 |
| 3. DIPOLE MOMENT SURFACE | 24 |
| h. Full <i>Ab Initio</i> Forward Trip | 25 |
| 2. Towards a Converged <i>Ab Initio</i> Approach | 25 |
| a. Setting the <i>Ab Initio</i> Approach | 25 |

CONTENTS

| | |
|---|-----------|
| 1. NEED FOR A PES | 25 |
| 2. GENERAL PROBLEMS WITH PES AND DMS | 26 |
| b. Choice of a Coordinate System | 27 |
| 1. CRITERIA | 27 |
| 2. RECTILINEAR VERSUS CURVILINEAR COORDINATES | 27 |
| c. Selected Curvilinear Coordinates | 29 |
| 1. CURVILINEAR BOND-ANGLE COORDINATES | 29 |
| 2. LOCAL-MODE COORDINATES | 29 |
| 3. HELIOCENTRIC-TYPE COORDINATES | 30 |
| 4. ADAPTED STRETCHING COORDINATES | 30 |
| 5. POTENTIAL-ADAPTED COORDINATES | 30 |
| 6. ADAPTED BENDING COORDINATES | 32 |
| 7. OPTIMISED COORDINATES | 32 |
| 8. CURVILINEAR NORMAL COORDINATES | 33 |
| 9. TRANSFORMATION OF COORDINATES | 33 |
| d. Approximate PES from Quantum Chemistry | 34 |
| 1. <i>AB INITIO</i> LEVEL OF CALCULATION | 34 |
| 2. ANALYTICAL EXPRESSION FOR THE PES | 38 |
| 3. ADJUSTMENT OF AN ANALYTICAL FUNCTION TO <i>AB INITIO</i> CALCULATED POINTS | 39 |
| 4. ANALYTICAL VERSUS NUMERICAL DERIVATIVES CALCULATIONS | 42 |
| 5. <i>AB INITIO</i> DVR APPROACH | 44 |
| e. <i>Ab initio</i> Electric Dipole Moment Surfaces | 44 |
| f. Variational Methods | 45 |
| 1. CONTRACTION OR DIAGONALIZATION-TRUNCATION | 45 |
| 2. GENERAL MEAN-FIELD OPTIMIZATIONS | 47 |
| 3. THE VIBRATIONAL MULTICONFIGURATIONAL SCF METHOD | 49 |
| 4. DISCRETE-VARIABLE REPRESENTATION (DVR) | 50 |
| 5. ADIABATIC APPROACHES | 52 |
| 6. MORSE OSCILLATOR RIGID BENDER INTERNAL DYNAMICS (MORBID) APPROACH | 52 |
| g. Perturbation Theory Methods | 53 |
| 1. BASIC FORMULAS | 53 |
| 2. TREATMENT OF RESONATING STATES | 54 |
| 3. HIGH ORDER CANONICAL VAN VLECK PERTURBATION THEORY (CVPT) | 54 |
| C. Acetylene: A Laboratory for Intramolecular Advances | 56 |
| 1. The Acetylene Molecule | 56 |
| a. Both Simple and Complex | 56 |
| b. Symmetry Properties | 57 |
| c. Topology of the Ground-State PES | 58 |

| | |
|---|----|
| <i>d.</i> Calculated Properties | 62 |
| <i>e.</i> Coordinate Systems | 63 |
| 1. 9D SYSTEMS | 63 |
| 2. 6D SYSTEMS | 63 |
| 3. SYMMETRY-ADAPTED COORDINATES | 66 |
| 4. RECTILINEAR NORMAL COORDINATES | 66 |
| 5. PLANAR 5D SYSTEMS | 67 |
| <i>f.</i> Vibration–Rotation Hamiltonian for Acetylene | 67 |
| 1. CHOICE OF A COORDINATE SYSTEM | 67 |
| 2. KINETIC-ENERGY OPERATOR | 69 |
| 3. POTENTIAL-ENERGY SURFACE | 71 |
| 2. Forward and Backward Trips Applied to Acetylene | 73 |
| <i>a.</i> Refined Quartic Force Fields in Valence Internal Coordinates | 73 |
| 1. REFINEMENT FROM SECOND-ORDER PERTURBATION THEORY: THE STREY–MILLS POTENTIAL | 73 |
| 2. VARIATIONAL CALCULATIONS WITH A MODIFIED SM POTENTIAL | 74 |
| 3. SIXTH-ORDER CVPT WITH THE SM POTENTIAL | 75 |
| 4. REFINEMENT FROM VARIATIONAL CALCULATIONS: THE BRAMLEY–CARTER–HANDY–MILLS POTENTIAL | 76 |
| 5. VARIATIONAL CALCULATIONS WITH THE BCHM POTENTIAL | 78 |
| <i>b.</i> <i>Ab initio</i> Quartic Force Fields | 79 |
| 1. SCF QUARTIC FORCE FIELD FROM ANALYTICAL DERIVATIVES | 79 |
| 2. SD(Q)CI QUARTIC FORCE FIELD AND SDCI CUBIC ELECTRIC FIELD FROM GRID CALCULATIONS | 80 |
| 3. TESTING THE QUALITY OF THE SDCI AND SD(Q)CI FORCE FIELDS | 80 |
| 4. OVERTONE SPECTRUM OF STRETCHING MODES | 81 |
| 5. ANALYSIS OF STRETCH–BEND INTERACTIONS FROM THE VCASSCF APPROACH | 87 |
| 6. CCSD(T) QUARTIC FORCE FIELD FROM NUMERICAL DIFFERENCES | 87 |
| <i>c.</i> Bending Dynamics | 89 |
| 1. DVR VARIATIONAL CALCULATIONS | 89 |
| 2. ADIABATIC VARIATIONAL REFINEMENT | 91 |
| <i>d.</i> Classical and Semiclassical Approaches of Intramolecular Dynamics | 92 |
| 1. CLASSICAL TRAJECTORIES | 92 |
| 2. SEMICLASSICAL APPROACH | 93 |

| | |
|--|--------|
| 3. NORMAL, LOCAL, AND PRECESSIONAL BENDING MODES | 93 |
| e. Algebraic Approaches | 94 |
| III. The Backward Trip: From the Vibration–Rotation Data to the Hamiltonian | 95 |
| A. Introduction | 95 |
| 1. Strategy | 95 |
| a. Aim | 95 |
| b. Selection of Coordinates | 95 |
| c. Matrix Image of the Molecule | 96 |
| d. Matrix Treatment | 97 |
| 2. Watsonian | 98 |
| a. General Form | 98 |
| b. Fractionation | 102 |
| B. Vibrational Terms | 102 |
| 1. Basic Features | 102 |
| 2. Diagonal Terms | 105 |
| a. The Harmonic Oscillator (\hat{H}_v^{har}) | 105 |
| b. The Anharmonic Oscillator ($\hat{H}_v^{\text{anh diag}}$) | 108 |
| 1. ONE DIMENSIONAL DUNHAM EXPANSION | 109 |
| 2. MULTIDIMENSIONAL DUNHAM EXPANSION | 113 |
| 3. Off-Diagonal Terms | 115 |
| a. Anharmonic Resonances ($\hat{H}_v^{\text{anh off-diag}}$) | 115 |
| 1. TERMINOLOGY | 115 |
| 2. MATRIX ELEMENTS | 117 |
| 3. BRIGHT AND DARK STATES | 118 |
| b. Quartic Resonances | 122 |
| 1. DETAILED CONTENT | 122 |
| 2. $x-K$ RELATIONS | 123 |
| 3. UNUSUAL QUARTIC RESONANCES | 126 |
| 4. Linear Tops | 128 |
| a. General Features | 128 |
| b. Diagonal Terms | 129 |
| 1. HARMONIC CONTRIBUTIONS ($\hat{H}_v^{\text{har(lin)}}$) | 129 |
| 2. l SUBLVELS | 131 |
| 3. DIAGONAL ANHARMONIC TERMS | 133 |
| c. Off-Diagonal Terms ($\hat{H}_v^{\text{anh(lin)}}{}^{\text{off-diag}}$) | 135 |
| 1. l RESONANCE | 135 |
| 2. ANHARMONIC RESONANCES | 136 |
| 3. ANHARMONIC AND l RESONANCES | 139 |
| C. Level Clustering | 142 |
| 1. Vibrational Polyads | 142 |

| | |
|---|-----|
| <i>a.</i> One-Resonance Polyads | 142 |
| <i>b.</i> Multiresonance Polyads | 142 |
| <i>c.</i> Pseudo-Quantum Numbers | 145 |
| 1. CONSTANTS OF THE MOTION | 145 |
| 2. GENERAL PROCEDURE | 145 |
| 2. Examples | 147 |
| <i>a.</i> Introduction | 147 |
| <i>b.</i> Nitrous Oxide | 148 |
| 1. LEVEL CLUSTERING | 148 |
| 2. BAND INTENSITIES | 149 |
| <i>c.</i> Acetylene | 151 |
| 1. ANHARMONIC RESONANCES | 151 |
| 2. CLUSTER STRUCTURE | 152 |
| 3. PARAMETERS | 156 |
| 4. $^{12}\text{C}_2\text{D}_2$ | 157 |
| <i>d.</i> Ethylene | 157 |
| 3. Giant Clusters | 160 |
| <i>a.</i> V/l -Clusters | 160 |
| 1. QUANTUM NUMBERS | 160 |
| 2. SPECTRA | 161 |
| <i>b.</i> $V/l/C$ -Clusters | 161 |
| D. Vibration-Rotation Terms | 165 |
| 1. General Picture | 165 |
| 2. Rigid Rotor Hamiltonian (\hat{H}_{rig}) | 166 |
| <i>a.</i> Symmetric Tops | 166 |
| <i>b.</i> Asymmetric Tops | 167 |
| <i>c.</i> Linear Tops | 171 |
| 1. l DOUBLING | 171 |
| 2. e/f LEVELS | 173 |
| 3. Vibration-Rotation Hamiltonian | 178 |
| <i>a.</i> General Picture | 178 |
| <i>b.</i> Diatomic Species | 179 |
| <i>c.</i> Linear Polyatomic Species | 181 |
| <i>d.</i> Asymmetric Tops | 183 |
| <i>e.</i> Coriolis Coupling | 184 |
| 1. ASYMMETRIC TOPS | 184 |
| 2. ACETYLENE | 187 |
| 4. Vibration-Rotation Fits in Acetylene | 188 |
| <i>a.</i> MIME for Lower Bending Levels in $^{12}\text{C}_2\text{H}_2$ | 188 |
| <i>b.</i> Vibration-Rotation Wavefunctions in $^{12}\text{C}_2\text{H}_2$ | 193 |
| 1. LOWER-ENERGY BENDING ENERGY LEVELS | 193 |
| 2. FUNDAMENTAL CH STRETCHING VIBRATION, ν_3 | 195 |

CONTENTS

| | |
|--|-----|
| c. Lower Bending Levels in $^{12}\text{C}_2\text{D}_2$ | 195 |
| d. Rotational Constants in $^{12}\text{C}_2\text{H}_2$ Overtone Levels | 197 |
| E. Molecular Vibration–Rotation Spectra | 198 |
| 1. Spectral Intensity | 198 |
| 2. Transition Probabilities | 199 |
| 3. Light Absorption | 200 |
| a. Absorption Induced by Electric Dipole Interactions | 200 |
| b. Absorption Coefficient: Beer's Law | 202 |
| c. Absorption Line Shape | 203 |
| d. Line Intensity | 205 |
| e. Population Factors | 207 |
| 1. THERMAL DISTRIBUTION OVER THE ENERGY LEVELS | 207 |
| 2. TOTAL INTERNAL PARTITION FUNCTION | 207 |
| 3. DEGENERACY OF THE LEVELS | 208 |
| 4. STATISTICAL WEIGHT OF THE ROVIBRONIC LEVELS | 209 |
| f. Integrated Absorption Coefficient and Cross Section | 209 |
| 4. Emission | 211 |
| 5. Dipole Moment Matrix Elements for Vibration–Rotation Transitions | 212 |
| 6. Molecular Symmetry | 213 |
| 7. Vibrational Spectra | 214 |
| a. Harmonic Selection Rules | 214 |
| 1. NON DEGENERATE VIBRATIONS | 214 |
| 2. DEGENERATE VIBRATIONS | 216 |
| b. Vibrational Bands in the Harmonic Oscillator Approximation | 217 |
| c. Application to Linear Molecules | 219 |
| d. Vibrational Bands for the Anharmonic Oscillator | 220 |
| 1. INFLUENCE OF MECHANICAL ANHARMONICITY | 220 |
| 2. RESONANCES AND INTENSITY BORROWING | 221 |
| 8. Vibration–Rotation Spectra | 222 |
| a. Rigid Rotor Selection Rules | 222 |
| b. Vibration–Rotation Transitions | 223 |
| 1. SYMMETRIC TOP | 223 |
| 2. ASYMMETRIC TOP | 229 |
| 3. LINEAR MOLECULE | 234 |
| c. Vibration–Rotation Interaction | 243 |
| 1. THE EFFECTIVE DIPOLE MOMENT OPERATOR | 243 |
| 2. INFLUENCE OF VIBRATION–ROTATION RESONANCES ON INTENSITIES | 246 |
| 3. HERMAN–WALLIS EFFECTS IN LINEAR MOLECULES | 248 |

| | |
|---|-----|
| IV. Experimental Overtone Spectroscopy | 253 |
| A. Introduction | 253 |
| B. Fourier Transform Spectroscopy (FTS) | 255 |
| 1. Introduction | 255 |
| 2. Overtone Spectroscopy Using FTS | 257 |
| C. Laser Overtone Spectroscopy | 262 |
| 1. Frequency Modulation with Diode Lasers (FMDL) | 263 |
| a. Method | 263 |
| b. Application of FMDL to Spectroscopy | 264 |
| 2. Cavity Ringdown Spectroscopy (CRDS) | 265 |
| a. Pulsed CRDS | 265 |
| b. CW-CRDS | 267 |
| c. Capabilities of CRDS | 270 |
| 1. SPECTROSCOPY | 270 |
| 2. DIAGNOSTICS | 270 |
| 3. Intracavity Laser Absorption Spectroscopy (ICLAS) | 271 |
| a. Principles | 271 |
| b. Sensitivity Limitations | 274 |
| c. Seeding Noise | 275 |
| d. Spectral Resolution and Calibration | 276 |
| e. Capabilities of ICLAS | 277 |
| 1. OVERTONE SPECTROSCOPY | 278 |
| 2. DIAGNOSTICS | 280 |
| 4. Optoacoustic (OA) Spectroscopy | 281 |
| a. Basic Principles | 281 |
| b. Application to Overtone Spectroscopy | 282 |
| 5. Optothermal (OT) Spectroscopy | 284 |
| 6. Comparison of FMDL, CRDS, ICLAS, and OA Methods | 285 |
| 7. Other Laser Investigations of Vibration–Rotation Levels | 288 |
| a. Laser Labelling | 289 |
| b. Photofragment Spectroscopy | 290 |
| c. Stimulated Emission Pumping and Dispersed Fluorescence | 290 |
| Acknowledgments | 292 |
| References | 293 |
| Appendix A. Abbreviations and Symbols | 331 |
| Appendix B. Bibliography on acetylene in the ground electronic state | 340 |
| Appendix C. Vibrational Energy Levels of $^{12}\text{C}_2\text{H}_2(\tilde{X}^1\Sigma_g^+)$ | 363 |

| | |
|---------------|-----|
| Author Index | 389 |
| Subject Index | 415 |