



# Contents

Preface	xiii
Acknowledgments	xv
Acronyms	xvii
1 Mode Conversion and Model Equations	1
1.1 Introduction	1
1.1.1 Early Tunneling Theory	2
1.1.2 Early Mode Conversion Theory	2
1.1.3 Phase-Space Analysis of Mode Conversion	4
1.2 Mode Conversion with Tunneling	6
1.2.1 Tunneling Equations	6
1.2.2 The Mode Conversion Theorem	8
1.3 Order-Reduction Methods	9
1.3.1 Phase-Space Method for Tunneling	9
1.3.1.1 Outline of Method	10
1.3.1.2 Applications and Extensions of the Method	12
1.3.2 Method of Cairns and Lashmore-Davies	12
1.3.3 Fast-Wave Approximation Methods	16

1.3.3.1	The Direct Substitution Method of Fuchs et al.	16
1.3.3.2	The Method of Kay, Cairns, and Lashmore-Davies	17
1.3.3.3	The WKB Method of Smithe et al.	17
1.3.3.4	The Global Cross-Section Method of Jaeger et al.	18
1.3.4	A Slow-Wave Approximation Method	18
1.3.5	Exact Order-Reduction Method	18
1.4	Absorption and Emission	19
2	Applications of Tunneling Equations	21
2.1	Tunneling Equations from Dispersion Relations	21
2.1.1	Ion Cyclotron Harmonics	22
2.1.1.1	Second Ion Cyclotron Harmonic with $k_{\parallel} = k_y = 0$	22
2.1.1.2	Second Ion Cyclotron Harmonic with $k_{\parallel} \neq 0$ and $k_y \neq 0$	24
2.1.1.3	Higher Ion Cyclotron Harmonics	26
2.1.2	Electron Cyclotron X-Mode	27
2.1.2.1	Nonrelativistic X-Mode	27
2.1.2.2	The Quasi X-Mode	28
2.1.2.3	Weakly Relativistic X-Mode	29
2.1.3	Electron Cyclotron O-Mode	30
2.1.4	X-Mode–O-Mode Coupling	30
2.1.5	Two-Ion Hybrid Resonance	33
2.1.5.1	Pure Two-Ion Hybrid Resonance	34
2.1.5.2	Degenerate Minority Resonance	35
2.1.5.3	Isolated Minority Resonance	37
2.2	Tunneling Equations from the Vlasov Equations	40
2.2.1	Ion Cyclotron Harmonics	42
2.2.2	Electron Cyclotron Harmonics	46
2.2.3	Conservation of Power Flux Density	47
3	The Tunneling Equation	49
3.1	Introduction	49
3.2	Analytic Solutions	50
3.3	Saddle-Point Analysis for $1 + \gamma > 0$	54
3.3.1	Case I, $\lambda^2 z < -\gamma$	55

3.3.2	Case IIA, $-\gamma < \lambda^2 z < 2(1 - \sqrt{1 + \gamma})$ , $0 < 1 + \gamma < 1$	57
3.3.3	Case IIB, $-\gamma < \lambda^2 z < 2(1 - \sqrt{1 + \gamma})$ , $\gamma > 0$	58
3.3.4	Case III, $2(1 - \sqrt{1 + \gamma}) < \lambda^2 z < 2(1 + \sqrt{1 + \gamma})$	60
3.3.5	Case IV, $\lambda^2 z > 2(1 + \sqrt{1 + \gamma})$	61
3.3.6	Transitions	62
3.3.7	Rationale for the General Contours of Physical Interest, $1 + \gamma > 0$	63
3.3.7.1	Incoming and Outgoing Waves	64
3.3.7.2	Starting and Stopping the Contours	65
3.3.7.3	Solution $f_1$ , an Incoming Fast Wave on Branch 1	65
3.3.7.4	Solution $f_2$ , an Incoming Fast Wave on Branch 2	67
3.3.7.5	Solution $f_3$ , an Incoming Slow Wave on Branch 3	67
3.3.7.6	Solution $f_4$ , an Exponentially Growing Solution	68
3.4	Evaluation of the Asymptotic Solutions	68
3.4.1	General Gambier-Schmitt-Swanson Theory	69
3.4.2	Fast-Wave Asymptotic Solution from Hankel's Integral	70
3.4.2.1	Using Hankel's Contour Integral	71
3.4.2.2	Estimating the Error	71
3.4.3	Fast-Wave Asymptotic Expressions	72
3.4.4	Slow-Wave Asymptotic Expressions	75
3.5	Saddle-Point Analysis for $1 + \gamma < 0$	78
3.5.1	Case I, $\lambda^2 z < -\gamma$	78
3.5.2	Case II, $\lambda^2 z > -\gamma$	80
3.5.3	Rationale for the General Contours of Physical Interest, $1 + \gamma < 0$	81
3.5.3.1	Incoming and Outgoing Waves	82
3.5.3.2	Starting and Stopping the Contours	82
3.5.3.3	Solution $f_1$ , an Incoming Fast Wave on Branch 1	82
3.5.3.4	Solution $f_2$ , an Incoming Fast Wave on Branch 2	84

3.5.3.5	Solution $f_3$ , an Incoming Slow Wave on Branch 3	85
3.5.3.6	Solution $f_4$ , an Exponentially Growing Solution	85
3.6	Conservation Law ( $\alpha = 0$ )	86
3.6.1	Case I, $1 + \gamma > 0$	86
3.6.2	Case II, $1 + \gamma < 0$	87
3.7	Conservation Laws and the Conservation of Energy	87
4	Green's Function Method for Including Absorption	89
4.1	Motivation	89
4.2	The Green's Function for $1 + \gamma > 0$	90
4.2.1	Applying the Boundary Conditions	91
4.2.2	Evaluating the Determinants for $0 \leq \alpha < 2$	93
4.2.2.1	Evaluating the Wronskian	94
4.2.2.2	Evaluating the $D_{ijk}$	95
4.2.2.3	Final Evaluation of the Coefficients	97
4.2.3	Final Forms of the Integral Equation for $1 + \gamma > 0$	97
4.2.4	Identities for $1 + \gamma > 0$	98
4.3	The Green's Function for $1 + \gamma < 0$	99
4.3.1	Final Forms of the Integral Equation for $1 + \gamma < 0$	101
4.3.2	Identities for $1 + \gamma < 0$	102
4.4	Scattering Parameters	102
4.4.1	Scattering Parameters for $1 + \gamma > 0$	102
4.4.2	Scattering Parameters for $1 + \gamma < 0$	104
4.5	Reciprocity	104
4.5.1	Three-Branch Problems	105
4.5.2	Five-Branch Problems	106
4.5.3	Power Reciprocity	107
5	Numerical Solutions for the Green's Function Method	109
5.1	Steepest-Descent Path Integrals	109
5.1.1	The Angle of Steepest Descent	110
5.1.2	Evaluating the Path Integrals with a Modified Simpson's Rule	111

5.1.2.1	The Approximation Method in Local Coordinates	112
5.1.2.2	Conversion to Absolute Coordinates	113
5.1.2.3	Error Estimates	114
5.1.3	Difficulties in Integrating along the Paths	114
5.1.3.1	Ending at a Saddle Point	114
5.1.3.2	$\lambda^2$ and $\gamma$ Large	114
5.1.3.3	Merging Saddle Points	115
5.2	General Strategy for Integrating in $z$	115
5.2.1	Description of Strategy	115
5.2.2	Error Control	116
5.3	End-Point Corrections	117
5.3.1	End-Point Integrals	117
5.3.2	Asymptotically Dominant Corrections	118
5.3.3	Evaluating the $\Delta_{jk}^{\pm}$ with $\alpha = 0$	119
5.3.4	Evaluating the $\Delta_{jk}^{\pm}$ with $\alpha \neq 0$ and $1 + \gamma < 0$	122
5.3.5	Exponentially Growing and Decaying Terms	123
5.4	Effects of Absorption on Scattering Parameters	124
5.4.1	An Ion Case with $1 + \gamma > 0$	124
5.4.2	An Electron Case with $1 + \gamma < 0$	126
5.5	Example Wave Solutions	129
5.5.1	An Ion Case with $1 + \gamma > 0$	129
5.5.2	An Electron Case with $1 + \gamma < 0$	134
5.6	Comparison with Other Full-Wave Numerical Methods	140
5.6.1	Method of Romero and Scharer	140
5.6.2	Method of Imre and Weitzner	140
5.6.3	Method of Colestock and Kashuba	141
5.6.4	Method of Jaeger, Batchelor, and Weitzner	142
5.6.5	A Global Wave Code by Brambilla	142
5.6.6	Integro-Differential Equation Method of Sauter and Vaclavik	143
6	Exact Order-Reduction Method	145
6.1	Diagonalizing the Wave Equation	145
6.2	Conversion to a Pair of Integral Equations	150
6.3	The Scattering Coefficients	154

6.4	Conservation of Flux Density	155
6.5	Numerical Techniques	156
6.5.1	Integrating the Fast-Wave Basis Set	156
6.5.1.1	Asymptotic Forms	157
6.5.1.2	Initial Conditions and Scattering Parameters	157
6.5.2	Integrating the Slow-Wave Basis Set	160
6.5.3	Integrating Along a Complex Semicircular Path	161
6.6	Numerical Results	163
7	Emission Theory	169
7.1	Generalized Kirchhoff's Law	169
7.1.1	Three-Branch Problems	169
7.1.2	Five-Branch Problems	170
7.1.3	Opacity and the Effects of Indirect Sources	172
7.1.3.1	Independence of Tunneling and Absorption	173
7.1.3.2	Effects of Indirect Emission	177
7.1.3.3	Effects of Cold Reflecting Walls	180
7.1.4	Electron Cyclotron Emission Diagnostic Summary	182
7.2	The Source Distribution Function	183
7.2.1	Integral Expressions for Absorption	185
7.2.1.1	Case I, $1 + \gamma > 0$	185
7.2.1.2	Case II, $1 + \gamma < 0$	186
7.2.2	Integral Expressions for Emission	186
7.2.3	Discrete Absorbers and Emitters	188
7.2.4	Source Distribution Function from an Extremum Principle	189
7.2.5	The Cauchy-Schwartz Analysis	190
7.2.6	Variational Analysis	191
7.3	Numerical Examples	196
7.3.1	Ion Cyclotron Emission Source	197
7.3.2	Electron Cyclotron Emission Source	197
8	Analytic Behavior of Solutions	201
8.1	Analyticity of Solutions	202

8.1.1	Analyticity of Solutions Without Absorption	202
8.1.2	Analyticity of Solutions With Absorption	202
8.2	Analytic Continuation for $1 + \gamma < 0$	203
8.2.1	The Upper Half of the $z$ -Plane	203
8.2.2	Saddle-Point Movement	204
8.2.3	Critical Angles and Stokes' Phenomena	204
8.2.3.1	Region 1, $0 \leq \theta \leq \theta_1^+$	205
8.2.3.2	Region 2, $\theta_1^+ \leq \theta \leq \theta_2^+$	207
8.2.3.3	Region 3, $\theta_2^+ \leq \theta \leq \theta_3^+$	208
8.2.3.4	Region 4, $\theta_3^+ \leq \theta \leq \theta_4^+$	208
8.2.3.5	Region 5, $\theta_4^+ \leq \theta \leq \theta_5^+$	210
8.2.3.6	Region 6, $\theta_5^+ \leq \theta \leq \pi$	210
8.2.4	Summary of Solutions for $0 < \theta < \pi$	211
8.2.5	Asymptotic Behavior as $R \rightarrow \infty$	212
8.2.5.1	Solution $f_1$	212
8.2.5.2	Solution $f_2$	212
8.2.5.3	Solution $f_3$	212
8.3	Analytic Continuation for $1 + \gamma > 0$	213
8.3.1	Critical Angles and Stokes' Phenomenon	213
8.3.1.1	Critical Angle $\theta_1^-$	213
8.3.1.2	Critical Angle $\theta_2^-$	213
8.3.1.3	Critical Angle $\theta_3^-$	214
8.3.1.4	Critical Angle $\theta_4^-$	214
8.3.1.5	Critical Angle $\theta_5^-$	214
8.3.1.6	Critical Angle $\theta_6$	214
8.3.2	Summary of Solutions in the Lower Half-Plane	214
8.3.3	Asymptotic Behavior as $R \rightarrow \infty$	215
8.3.3.1	Solution $f_1$	215
8.3.3.2	Solution $f_2$	215
8.3.3.3	Solution $f_3$	216
8.4	The $I_{jk}$ Integrals	216
8.4.1	Case I, $1 + \gamma > 0$	216
8.4.2	Case II, $1 + \gamma < 0$	216
8.4.3	The $I_{22}$ Integral and Reflection	216
Appendix A: Higher-Order Equations		221
A.1	Gambier-Schmitt-Swanson Theory	221



A.1.1	Outline of the Theory	221
A.1.2	Higher-Order FLR Expansions	223
A.1.2.1	Analysis of the Zero-Order Equation	224
A.1.2.2	Analysis of the First-Order Equation	224
A.2	Three-Branch Solutions	227
A.2.1	Third Ion Cyclotron Harmonic	227
A.2.2	General Ion Cyclotron Harmonics	230
A.3	Five-Branch Solutions	230
A.4	Conservation Laws	231
A.4.1	Three Propagating Branches	232
A.4.2	Five Propagating Branches	232
Appendix B:	Special Functions	233
B.1	Plasma Dispersion Function $Z(\zeta)$	233
B.1.1	Properties of the Plasma Dispersion Function	233
B.1.2	Relation to the Error Function for Complex Argument	234
B.1.3	Relation to the $Y$ Function	235
B.1.4	Relation to the $W$ Function	236
B.2	Weakly Relativistic Dispersion Function $F_q(z)$	236
B.2.1	Relation to Other Functions	237
B.2.2	Properties of $F_q(z)$	237
B.3	Generalized Relativistic Plasma Dispersion Function $\mathcal{F}_q(z, a)$	238
B.3.1	Useful Relations for $\mathcal{F}_q(z, a)$	238
B.3.2	Asymptotic Properties of $\mathcal{F}_q(z, a)$	239
B.4	Gamma Function, $\Gamma(z)$	239
References		241
Index		247

