

Contents

Preface	
Enome, S. and Hirayama, T.	i
Contents	ii
Program	ix
Yohkoh Reviews:	
Thermal Plasmas in the Solar Corona: the Yohkoh Soft X-Ray Observations	
Hudson, H. S.	1
High-energy Solar Flare Observations by Yohkoh: A Review	
Kosugi, T.	11
The Nobeyama Radioheliograph Introductions:	
The Nobeyama Radioheliograph – Hardware System –	
Nishio, M., Nakajima, H., Enome, S., Shibasaki, K., Takano, T., Hanaoka, Y., Torii, C., Shiomi, Y., Sekiguchi, H., Bushimata, T., Kawashima, S., Shinohara, N., Koshiishi, H., Kosugi, T., Sawa, M., Kai, K., Irimajiri, Y., Nohmi, H., Honda, K., Shinohara, H., Ito, T., Miyawaki, M., Imoto, A., Takabayashi, T., Nishikawa, K., Futagawa, N., Tanaka, S., Morikawa, H., Kitahara, Y., Harakawa, K., and Mishima, K.	19
Processing of the Nobeyama Radioheliograph Data	
Hanaoka, Y., Shibasaki, K., Nishio, M., Enome, S., Nakajima, H., Takano, T., Torii, C., Sekiguchi, H., Bushimata, T., Kawashima, S., Shinohara, N., Irimajiri, Y., Koshiishi, H., Kosugi, T., Shiomi, Y., Sawa, M., and Kai, K.	35
The Nobeyama Radioheliograph Data use	
Shibasaki, K., Enome, S., Nakajima, H., Nishio, M., Takano, T., Hanaoka, Y., Torii, C., Sekiguchi, H., Kawashima, S., Bushimata, T., Shinohara, N., Koshiishi, H., and Shiomi, Y.	45
I. Coronal Dynamics and Quiet Corona	
Observations of the structure and dynamics of coronal loops.	
Strong, K. T.	53
The X-ray intensity distribution of the solar corona and its variability.	
Hara, H.	57
Active-region transient brightenings and the heating of active region corona.	
Shimizu, T.	61
Microflaring at the feet of large active region loops.	
Porter, J., Moore, R. T., Roumeliotis, G., Shimizu, T., Tsuneta, S., Sturrock, P. A., and Acton, L. W.	65
Observational signatures of nanoflare heating	
Poletto, G. and Kopp, R.	71

Contents

iii

Coronal X-ray jets Shibata, K., Yokoyama, T., and Shimojo, M.	75
Observation of 17 GHz radio emission from X-ray bright points. Kundu, M. R., Shibasaki, K., Enome, S., and Nitta, N.	79
Injection of heated mass into helix-like structure from active region NOAA 7172 on May 21-27, 1992. Uchida Y., Fludra, A., Khan, J., and McAllister, A.	83
Observations of enhanced coronal heating in sheared magnetic fields. Moore, R. T., Porter, J., Roumeliotis, G., Tsuneta, S., Shimizu, T. Sturrock, P. A., and Acton, L. W.	89
Dynamic coronal heating by magnetic flux interaction. Priest, E. R.	93
Characteristics of microflares seen in helium-like sulphur spectra: GOES A-class flare during the minimum activity phase. Watanabe, Te.	99
Low-speed solar winds observed at distances of 20-60 Rs and coronal structure of their source regions. Kojima, M., Misawa, H., Kozuka, Y., Yamauchi, Y., Watanabe, H., and Manoharan, P. K.	105
Real time prediction and observation of interplanetary events. Manoharan, P. K., Ananthakrishnan, S., Detman, T. R., Dryer, M., Lein- bach, H., Kojima, M., Watanabe, Ta., and Khan, J.	109
Spectroscopic observations of coronal emission lines and their relation to soft X-ray images. Ichimoto, K., Kumagai, K., Sakurai, T., Hara, H., Takeda, A., and Yokkoh SXT Team	113

II. Flares

Energy transport mechanisms and the event of 16th December 1991. Culhane, J. L., Phillips, A. T., Kosugi, T., Inda-Koide, M., and Pike, C. D. .	117
Positron annihilation line from the 15 November 1991 Flare. Kawabata, K., Yoshimori, M., Suga, K., Morimoto, K., Hiraoka, T., Sato, J., and Ohki, K.	123
Hard and soft X-ray observations of a super-hot thermal flare of 6 February, 1992. Kosugi, T., Sakao, T., and Masuda, S., Hara, H., Shimizu, T, and Hudson, H. S.	127
Yokkoh Bragg Crystal Spectrometer (BCS) observations of the 6-Feb-1992 Limb Flare. Sterling, A. C.	131
A very small two-ribbon flare of GOES X- ray class B6.7. Suematsu Y.	135

Temperature analysis of the post-flare loops of June 25-26, 1992. Anwar, B., Hiei, E., Hudson, H. S., Acton, L. W., Lemen, J. R., and Metcalf, T. R.	137
Alignment of radio, soft X-ray and hard X-ray images of sources in impulsive and gradual phases of the flare of 1992 August 17-18. Enome, S., Nakajima, H., Shibasaki, K., Nishio, M., Takano, T., Hanaoka, Y., Torii, C., Shiomi, Y., Sekiguchi, H., Bushimata, T., Kawashima, S., Shinohara, N., Irimajiri, Y., Koshiishi, H., Choi, Y.-S., Sakai, J., Takahashi, M., Takakura, T., Sakao, T., and Kosugi, T.	141
A comparison of hard X-ray, soft X-ray and microwave sources in solar flares. Yaji, K., Kosugi, T., Sakao, T., Masuda, S., Inda-Koide, M. and Hanaoka, Y.	143
Flares on September 6, 1992. Kitai R., Kurokawa, H., Funakoshi, Y., Nakai, Y., Shibata, K., Yaji, K., Nitta, N., and Yokoh Team and NAOJ Flare Telescope Team	147
Evolution and radio activity of a flare productive active region NOAA 7321. Nishio, M., Takakura, T., Ikeda, H., Nakajima, H., Enome, S., Shibasaki, K., Takano, T., Hanaoka, Y., Choi, Y.-S., and Koshiishi, H.	151
Evolution of flare source inferred from hard X-ray and radio observation: Solar burst on 27 October 1992. Takakura, T., and HXT Group: Nishio, M., and the Radioheliograph Group	157
Yokoh HXT/SXT observations of a two-loop interaction solar flare on 9 December 1992. Inda-Koide, M.	161
OVRO and NRO observations of the solar flare on 1993 June 3. Gary, D., Enome, S., and Bruner, M.	165
Hard X-ray imaging observations of footpoint sources in impulsive solar flares. Sakao, T., Kosugi, T., Masuda, S., Yaji, K., Inda-Koide, M., and Makishima, K.	169
The electron density in the localized bright regions at the tops of flare loops. Doschek, G. A.	173
Morphology of the 10 million degree plasma in solar flares and the failure of the chromospheric evaporation model. Seely, J. F., Feldman, U., Doschek, G. A., Strong, K. T., Acton, L. W., Uchida, Y., and Tsuneta, S.	177
Long duration events observed with the Nobeyama Radioheliograph. Hanaoka, Y.	181
Morphological development of gradual nonthermal microwave flares. Nakajima, H., Enome, S., Shibasaki, K., Nishio, M., Takano, T., Hanaoka, Y., Torii, C., Shiomi, Y., Sekiguchi, H., Bushimata, T., Kawashima, S., Shinohara, N., and Koshiishi, H.	185
BCS spectra from flares on 6th September 1992. Kato, T., and Fujiwara, T., BCS Group	191
H α and X-ray signatures of chromospheric heating observed in solar flares. Wülser, J.-P., Canfield, R. C., Sakao, T., Masuda, S., Kosugi, T., and Tsuneta, S.	195

Energy transport during a solar flare: VLA observations of the M1.9 flare of 20 Aug. 1992.
 Bastian, T. S., Nitta, N., Kiplinger, A. L., and Dulk, G. A. 199

Multiwavelength observations of a solar flare.
 White, S. M., Silva, A. S., Pater, I. de, Lin, R. P., Gary, D. E., Hudson, H. S., Doyle, J. G., Hagyard, M. J., and Kundu, M. R. 203

Structural changes of radio sources during early phase of small bursts.
 Shibasaki, K., Enome, S., Nakajima, H., Nishio, M., Takano, T., Hanaoka, Y., Torii, C., Sekiguchi, H., Kawashima, S., Bushimata, T., Shinohara, N., Koshiishi, H., and Shiomi, Y. 205

Vertical structure of hard X-ray sources in solar flares.
 Masuda, S. 209

Thermal and nonthermal energizations in solar flares: Soft X-ray spectroscopic and hard X-ray observations.
 Cheng, C.-C., Rilee, M., and Uchida, Y. 213

Evidence for both electron acceleration and direct heating in solar flares.
 Dennis, B. R., Holman, G. D., Hudson, H. S., Kosugi, T., Strong, K. T., and Zarro, D. 217

Studying solar flares with Yohkoh and the Compton Gamma-Ray Observatory.
 Zarro, D. M., Mariska, J. T., and Dennis, B. R. 221

DC electric fields in solar flares: Theory meets observation.
 Benka, S. 225

Stochastic acceleration in the diffusion region and the structure of slow shocks in solar flares.
 Hirayama, T. 231

The current profile and energy release in solar flares.
 Melrose, D. B. 235

Impulsive acceleration and bulk heating of flare plasma by plasma turbulence.
 Petrosian, V. 239

Experimental investigation of three dimensional magnetic reconnection by use of two colliding spheromaks.
 Ono, Y., Akao, T., Morita, A., Katsurai, M., and Yamada, M. 243

Computer simulations on the fast reconnection mechanism.
 Ugai, M. 247

Particle dynamics in two colliding plasmas.
 Takeuchi, S. 251

Coalescence of two current loops with a kink instability simulated by a 3-D EM particle code.
 Nishikawa, K., Sakai, J.-I., Zhao, J., Neubert, T., and Buneman, O. 255

Evolution of coronal mm-wave sources.
 Krüger, A., Hildebrandt, J., Urpo, S., and Pohjolainen, S. 259

Energetic electrons and magnetic field structures in the corona.
 Pick, M., Raoult, A., Trottet, G., Vilmer, N., Strong, K., and Magalhaes, A. 263

Solar neutron events of June 4th and 6th, 1991. Muraki, Y., Sakakibara, S., Shibata, S., Murakami, K., Takahashi, K., Pyle, K. R., Sakai, T., and Mitsui, K.	267
Properties of energetic particles studied from Gamma-ray observations. Yoshimori, M., Suga, K., Morimoto, K., Hiraoka, T., Sato, J., Kawabata, K., and Ohki, K.	271
On the origin of long lasting gamma ray emission from solar flares. Ramaty, R. and Mandzhavidze, N.	275
Ionization states of solar-flare particles. Sakurai, K.	279

III. Active Regions

A morphological study of magnetic shear development in a flare-productive region NOAA 7270. Kurokawa, H., Kitai, R., Kawai, G., Shibata, K., Yaji, K., Ichimoto, K., Nitta, N., and Zhang, H.	283
HRTS observations of explosive events in a flaring active region. Dere, K. P. and Martin, S. F.	289
Combined HRTS-8 sounding rocket observations and Yohkoh soft X-ray observations of NOAA active region 7260 at the solar limb. Korendyke, C. M., Dere, K. P., Brueckner, G. E., Waljeski, K., and Lemen, J. R.	293
Evolution of active regions leading to flares. Schmieder, B., Demoulin, P., Henoux, J.-C., Driel-Gesztelyi, L. v., Mandrini, C., and Rovira, M.	297
The photospheric-to-coronal iron abundance from X-ray lines observed by Yohkoh and other satellites. Phillips, K. J. H., Pike, C. D., Lang, J., Watanabe, Te., and Zarro, D. M.	301
Implications of coronal abundance variations. Saba, J. L. R. and Strong, K. T.	305

IV. Instrumentation

First CCD observations of a flare in H- epsilon and Ca-II(H). Rolli, E.	309
The High Energy Solar Physics Mission (HESP) Dennis B. R.	313

V. Posters

Coronal structures observed in X-rays (NIXT) and H- α surges. Schmieder, B., Mouradian, Z., Golub, L., and Antiochos, S.	317
Propagation of radio waves in the sun's corona: Angular broadening in the limit of small-angle scattering. Bastian, T. S.	321

The new solar submillimeter-wave telescope project (SST). Kaufmann, P., Parada, N. J., Magun, A., Rovira, M., Ghielmetti, H., and Levato, H.	323
Determining point spread function of space observations using bid algorithm. Karovska, M. and Hudson, H. S.	327
The fine scale structure of the solar limb in a coronal hole. Karovska, M. and Arndt, M. B.	331
Thermal conduction in the transition region and its effects on the energy balance of open coronal regions. Hammer, R.	335
Microflares and their related events. Schmieder, B., Fontenla, J., Tandberg-Hansen, E., and Simnett, G. M. . . .	339
Metric Type III bursts from flaring X-ray bright points. Kundu, M. R., Strong, K. T., Pick, M., Harvey, K. T., Kane, S. R., White, S. M., and Hudson, H. S.	343
Study of active region magnetic field structures using VLA radio, Yohkoh X-ray and Mees optical observations. Gopalswamy, N., Schmahl, E. J., Kundu, M. R., Lemen, J. R., Strong, K. T., Canfield, R. C., and Beaujardiere, J. de la	347
Evolution of an active region and flare productivity. Kundu, M. R., Shibasaki, K., Enome, S., Nitta, N., Bruner, M., Sakao, T., and Kosugi, T.	353
VLA stereoscopy of solar active regions. Aschwanden, M. J. and Bastian, T. S.	357
Rotation rates of soft X-ray coronal structures. Kozuka, Y., Watanabe, Ta., Kojima, M., Ohyama, M., and Saito, T.	359
A potential field model for open field lines in the active region corona. Sakurai, T.	363
Numerical simulation of reconnection between emerging flux and coronal field. Yokoyama, T. and Shibata, K.	367
The high energy gamma-ray flare of June 15, 1991: Some evidence of prolonged particle acceleration at the post-eruptive phase. Akimov, V. V., Belov, A. V., Chertok, I. M., Kurt, V. G., Leikov, N. G., Magun, A., and Melnikov, V. F.	371
A Search for "Black-Light Flares" Driel-Gesztelyi, L. v., Hudson, H. S., Anwar, B., and Hiei, E.	375
A relation of variabilities between the solar dust ring and the solar magnetic field. Isobe, S. and Kumar, A. S.	379
Thermal and density structure of the inner corona observed at the 1991 total solar eclipse. Takeda, A., Kurokawa, H., Kitai, R., and Ishiura, K.	381
Flares in active region NOAA 7260 - Role of emerging flux. Nitta, N., Driel-Gesztelyi, L. v., Leka, K. D., Mickey, D. L., Metcalf, T. R., Wülser, J.-P., Ichimoto, K., Sakurai, T., and Shibata, K.	385

Multi spacecraft observations and thick-target electron beam models for the 15-NOV-1991 flare. McTiernan, J. M., Kane, S. R., Hurley, K., Laros, J. G., Fenimore, E. E., Klebsadel, R. W., Sommer, M., and Yoshimori, M.	389
Long duration events in magnetic arcades and large loops. Fludra, A., Jakimiec, J., Tomczak, M., Culhane, J. L., and Acton, L. W. . .	393
Analysis of three Yohkoh white-light flares. Hudson, H. S., Driel-Gesztelyi, L. v., and Kosugi, T.	397
Solar wind velocity near the sun: Results from interplanetary scintillation observations in 1989-1992. Tokumaru, M., Mori, H., Tanaka, T., Kondo, T., and Yamauchi, Y.	401
Evidence of additional production of high energy neutrons during the solar flare on June 4, 1991. Struminsky, A., Matsuoka, M., and Takahashi, K.	405
Red asymmetries of optical lines at the impulsive phase of solar flares. Shoji, M. and Kurokawa, H.	409
Preliminary reduction of data obtained with a full disk magnetograph. Liu, Y., Song, G., Wang, Jingshan, and Wang, Jingxiu	413
Soft X-ray feature in active regions associated with meter wavelength solar radio emission. Watari, S., Isobe, T., and Yohkoh SXT Team	417
Correlation between solar microwave bursts and hard X-ray flares. Fu, Q., Liu, Y., and Li, C.	421
List of participants	425
Author index	435