

Contents

Preface	vii	Development of tungsten armor and bonding to copper for plasma-interactive components, <i>I. Smid, M. Akiba, G. Vieider and L. Plöchl</i>	160
Committees and sponsors	ix	Impacts of charge-exchange neutrals on degradation of plasma-facing materials, <i>N. Yoshida and Y. Hirooka</i>	173
Contents Parts A and B	xi	Austenitic stainless steels and high strength copper alloys for fusion components, <i>A.F. Rowcliffe, S.J. Zinkle, J.F. Stubbins, D.J. Edwards and D.J. Alexander</i>	183
Part A		Current status and future R&D for reduced-activation ferritic/martensitic steels, <i>A. Hishinuma, A. Kohyama, R.L. Klueh, D.S. Gelles, W. Dietz and K. Ehrlich</i>	193
Section 1. Plenary and invited papers		Research and development on vanadium alloys for fusion applications, <i>S.J. Zinkle, H. Matsui, D.L. Smith, A.F. Rowcliffe, E. van Osch, K. Abe and V.A. Kazakov</i>	205
Fusion R&D strategy for Japan, <i>A. Iiyoshi</i>	1	Current status of SiC/SiC composites R&D, <i>P. Fenici, A.J. Frias Rebelo, R.H. Jones, A. Kohyama and L.L. Snead</i>	215
The challenge of developing structural materials for fusion power systems, <i>E.E. Bloom</i>	7	General radiation problems for insulating materials in future fusion devices, <i>E.R. Hodgson</i>	226
Impacts of damage production and accumulation on materials performance in irradiation environment, <i>B.N. Singh</i>	18	Review of SC magnet technologies developed in LHD project, <i>O. Motojima, N. Yanagi and A. Nishimura</i>	234
Materials science problems of blankets in Russian concept of fusion reactor, <i>M.I. Solonin</i>	30	Current status and future of IASCC research, <i>T. Shoji, S. Suzuki and K.S. Raja</i>	241
IFMIF, its facility concept and technology, <i>T. Kondo</i>	47	Section 2. R&D for next fusion device	
Present status and future prospect of the ITER project, <i>R. Aymar, ITER Joint Central Team and Home Teams</i>	56	Fabrication and high heat flux testing of plasma sprayed beryllium ITER first wall mock-ups, <i>R.G. Castro, K.E. Elliot, R.D. Watson, D.L. Youchison and K.T. Slattery</i>	252
Materials integration issues for high performance fusion power systems, <i>D.L. Smith, M.C. Billone, S. Majumdar, R.F. Mattas and D.-K. Sze</i>	65	Development of joining technology for Be/Cu-alloy and Be/SS by HIP, <i>T. Kuroda, T. Hatano, M. Enoeda, S. Sato, K. Furuya, H. Takatsu, T. Iwadachi and K. Nishida</i>	258
Design and material selection for ITER first wall/blanket, divertor and vacuum vessel, <i>K. Ioki, V. Barabash, A. Cardella, F. Elio, Y. Gohar, G. Janeschitz, G. Johnson, G. Kalinin, D. Lousteau, M. Onozuka, R. Parker, G. Sannazzaro and R. Tivey</i>	74	Optimization of HIP bonding conditions for ITER shielding blanket/first wall made from austenitic stainless steel and dispersion strengthened copper alloy, <i>S. Sato, T. Hatano, T. Kuroda, K. Furuya, S. Hara, M. Enoeda and H. Takatsu</i>	265
Materials design data for fusion reactors, <i>A.A.F. Tavassoli</i>	85	Development and material testing of OF-Cu/DS-Cu/OF-Cu triplex tube (dispersion strengthened copper clad with oxygen free-copper) and trial fabrication of a vertical target mock-up for ITER divertor, <i>Y. Gotoh, H. Okamura, S. Kajiwara, M. Kumagai, T. Ando, M. Akiba, S. Suzuki and T. Suzuki</i>	271
Users' requirements for IFMIF, <i>K. Noda, K. Ehrlich, S. Jitsukawa, A. Möslang and S. Zinkle</i>	97	Effects of interface edge configuration on residual stress in the bonded structures for a divertor application, <i>K. Kitamura, K. Nagata, M. Shibui, N. Tachikawa and M. Araki</i>	275
Conceptual design of the international fusion materials irradiation facility (IFMIF), <i>T.E. Shannon, R.A. Jameson, H. Katsuta, H. Maekawa, M. Martone, A. Möslang, V. Teplyakov and M.J. Rennich</i>	106		
Atomic processes during damage production and defect retention, <i>N.M. Ghoniem</i>	113		
Hydrogen inventory and embrittlement in low activation steels, <i>P. Jung</i>	124		
The influence of neutron spectrum and irradiation history on microstructural evolution in fusion structural materials, <i>T. Muroga, S. Ohnuki, F.A. Garner and S.J. Zinkle</i>	130		
Ceramic breeder materials: Status and needs, <i>C.E. Johnson, K. Noda and N. Roux</i>	140		
Carbon fiber composites application in ITER plasma facing components, <i>V. Barabash, M. Akiba, J.P. Bonal, G. Federici, R. Matera, K. Nakamura, H.D. Pacher, M. Rödig, G. Vieider and C.H. Wu</i>	149		

Influence of brazing conditions on the strength of brazed joints of alumina dispersion-strengthened copper to 316 stainless steel, <i>H. Nishi and K. Kikuchi</i>	281	the JMTR, <i>Y. Matsui, M. Niimi, T. Hoshiya, T. Tsukada and H. Tsuji</i>	378
Calculation of radiation-induced deformation in the ITER vacuum vessel, <i>J. Nagakawa</i>	289	Development of a triple beam irradiation facility, <i>S. Hamada, Y. Miwa, D. Yamaki, Y. Katano, T. Nakazawa and K. Noda</i>	383
Tritium behavior in eroded dust and debris of plasma-facing materials, <i>A. Hassanein, B. Wiechers and I. Konkashbaev</i>	295	Present status of the conceptual design of IFMIF target facility, <i>H. Katsuta, Y. Kato, S. Konishi, Y. Miyauchi, D. Smith, T. Hua, L. Green, G. Benamati, S. Cevolani, H. Roehrig and W. Schutz</i>	388
Irradiation testing of 316L(N)-IG austenitic stainless steel for ITER, <i>E.V. van Osch, M.G. Horsten and M.I. de Vries</i>	301	Impurity control in liquid lithium loop for IFMIF target facility, <i>Y. Kato, H. Katsuta, S. Konishi, M. Ogoshi, T. Hua, L. Green and S. Cevolani</i>	394
Assessment of tungsten for use in the ITER plasma facing components, <i>J.W. Davis, V.R. Barabash, A. Makhankov, L. Plöchl and K.T. Slattery</i>	308	Design concept for the IFMIF test assemblies, <i>J.R. Haines, I. Jitsukawa, A. Möslang, K. Noda, R. Viola and S.J. Zinkle</i>	400
Interface formation and strength of Be/DSCu diffusion bonding, <i>T. Makino and T. Iwadachi</i>	313	A varying temperature irradiation experiment for operation in HFIR, <i>A.L. Qualls and T. Muroga</i>	407
Development of divertor plate with CFCs bonded onto DSCu cooling tube for fusion reactor application, <i>S. Suzuki, T. Suzuki, M. Araki, K. Nakamura and M. Akiba</i>	318	Characterization of the irradiation parameters in the IFMIF high flux test region, <i>E. Daum, P.P.H. Wilson, U. Fischer and K. Ehrlich</i>	413
Material properties and design requirements for copper alloys used in ITER, <i>J.W. Davis and G.M. Kalinin</i>	323	Characterization of the volume for high dose irradiations with IFMIF, <i>E. Daum, P.P.H. Wilson and A. Möslang</i>	421
A review of the US joining technologies for plasma facing components in the ITER fusion reactor, <i>B.C. Odegard Jr., C.H. Cadden, R.D. Watson and K.T. Slattery</i>	329	Overview of the IFMIF test facility, <i>A. Möslang, C. Antonucci, E. Daum, J.R. Haines, I. Jitsukawa, K. Noda and S. Zinkle</i>	427
Influence of materials choice on occupational radiation exposure in ITER, <i>C.B.A. Forty, J.D. Firth and G.J. Butterworth</i>	335	Divertor materials evaluation system (DiMES), <i>C.P.C. Wong, D.G. Whyte, R.J. Bastasz, J. Brooks, W.P. West and W.R. Wampler</i>	433
Neutron radiation effects of the center conductor post in a low aspect ratio tokamak reactor, <i>Y. Wu, B. Xiao, Q. Huang and L. Qiu</i>	339	Experimental and analytical studies on high-speed plane jet along concave wall simulating IFMIF Li target flow, <i>H. Nakamura, K. Itoh, Y. Kukita, M. Ida, Y. Kato, H. Maekawa and H. Katsuta</i>	440
Comparative analysis of copper alloys for the heat sink of plasma facing components in ITER, <i>G. Kalinin and R. Matera</i>	345		
Assessment of the corrosion behaviour of structural materials in the water coolant of ITER, <i>V. Belous, G. Kalinin, P. Lorenzetto and S. Velikopolskiy</i>	351	3.2 Small specimen technology	
Water-cooled Pb-17Li test blanket module for ITER: Impact of the structural material grade on the neutronic responses, <i>G. Vella, G. Aiello, M.A. Fütterer, L. Giancarli, E. Oliveri and F. Tavassoli</i>	357	A remotely operated FIMEC apparatus for the mechanical characterization of neutron irradiated materials, <i>A. Donato, P. Gondì, R. Montanari, L. Moreschi, A. Sili and S. Storai</i>	446
		Examination of indentation geometry-constitutive behaviour relations with confocal microscopy and finite element modeling, <i>C. Santos, G.R. Odette, G.E. Lucas and T. Yamamoto</i>	452
Section 3. Irradiation facility and technology		Development of a miniaturized hour-glass shaped fatigue specimen, <i>Y. Miwa, S. Jitsukawa and A. Hishinuma</i>	457
3.1 Irradiation facility		Effect of specimen type and size on fracture resistance curve determination for CuCrZr alloy, <i>P. Karjalainen-Roikonen, M. Pyykkönen and S. Tähtinen</i>	462
Temperature controlled material irradiation in the advanced test reactor, <i>F.W. Ingram, A.J. Palmer and D.J. Stites</i>	362	Deformation analysis of small size bend specimens by FEM calculation to estimate irradiation induced embrittlement of Mo and W, <i>K. Ueda, M. Satou, A. Hasegawa and K. Abe</i>	466
Accelerator conceptual design of the international fusion materials irradiation facility, <i>M. Sugimoto, R.A. Jameson, V. Teplyakov, D. Berwald, B. Blind, D. Bruhwiler, H. Deitinghoff, R. Ferdinand, M. Kinsho, H. Klein, J.-M. Lagniel, A. Miyahara, M. Olivier, M. Peakock, E. Piechowiak, Y. Pozimski, J. Rathke, Y. Tanabe and K. Volk</i>	367		
Development of rig for systematic irradiation tests of fusion reactor materials in a fission reactor, <i>M. Narui, T. Sagawa and T. Shikama</i>	372	Section 4. Breeding blanket materials	
Irradiation techniques under high pressurized water using hybrid type saturated temperature capsule in		Handling of beryllium, <i>A.A. Goraieb</i>	471
		Sorption and desorption phenomena of D ₂ O on the surface of piping materials, <i>R. Ohmori, T. Yoneoka, M. Taniguchi and S. Tanaka</i>	474
		Improvement of hydriding properties of a Zr ₇ Ni ₁ alloy by adding third transition metals for tritium re-	

covery, <i>T. Kabutomori, Y. Wakisaka, K. Tsuchiya and H. Kawamura</i>	481	Section 5. Plasma facing materials and high heat flux materials	
Development and performance of aluminum nitride insulating coatings for application in a lithium environment, <i>K. Natesan, C.B. Reed, D.L. Rink and R.C. Haglund</i>	488	5.1. Plasma facing materials	
Reassessment of Li colloid production and characterization in irradiated Li_2O , <i>P. Vajda and F. Beuneu</i>	495	The dependence on ion energy and temperature of helium trapping in nickel, <i>H. Yanagihara, Y. Hirohata and T. Hino</i>	607
Solubility of hydrogen fluoride in the molten LiF-PbF_2 , <i>M. Ablanov, H. Matsuura and R. Takagi</i>	500	Gas and hydrogen ion gettering properties of lithium, <i>T. Hino, K. Kanaya, I. Takahashi, H. Yanagihara, M. Hashiba, Y. Hirohata and K. Mori</i>	612
Self-adjustment of Li in Pb-17Li systems, <i>H. Feuerstein, L. Hörner and S. Horn</i>	505	Molecular dynamics simulation of atomic beam bombardment on a solid surface, <i>K. Ezato and T. Kunugi</i>	618
Magnetic field effect on the deposition of nickel in molten Pb-17Li , <i>F. Barbier and A. Alemany</i>	508	Deuterium migration in titanium during deuteron irradiation observed by proton spectra of the d(d,p)t reaction, <i>H. Kudo, Y. Kosaku, Y. Ando, M. Hiraga and T. Sekine</i>	622
Compatibility of structural materials with Li_2BeF_4 molten salt breeder, <i>T. Terai, Y. Hosoya, S. Tanaka, A. Sagara and O. Motojima</i>	513	Erosion and surface morphology of graphite materials under high flux beam irradiation, <i>Y. Ueda, T. Sugai, K. Shiota, Y. Ohtsuka, Y. Isobe and M. Nishikawa</i>	628
Change of tritium species in Li_2BeF_4 molten salt breeder under neutron irradiation at elevated temperature, <i>A. Suzuki, T. Terai and S. Tanaka</i>	519	Material damage to beryllium, carbon, and tungsten under severe thermal shocks, <i>J. Linke, R. Duwe, A. Gervash, R.H. Qian, M. Rödig and A. Schuster</i>	634
Production behavior of irradiation defects in ternary lithium ceramics under ion beam irradiation, <i>K. Moritani and H. Moriyama</i>	525	Tritium saturation in plasma-facing materials surfaces, <i>G.R. Longhurst, R.A. Anderl, R.A. Causey, G. Federici, A.A. Haasz and R.J. Pawelko</i>	640
Ab initio Hartree-Fock study on surface desorption process in tritium release, <i>M. Taniguchi and S. Tanaka</i>	531	Performance and lifetime assessment of reactor wall and nearby components during plasma instabilities, <i>A. Hassanein and I. Konkashbaev</i>	645
Study on interaction of hydrogen isotopes with radiolysis products in lithium oxide, <i>V. Grišmanovs, M. Taniguchi, S. Tanaka and T. Yoneoka</i>	537	Behaviour of plasma facing materials under VDE, <i>M. Merola, M. Rödig, J. Linke, R. Duwe and G. Vieider</i>	653
Tritium release behavior from neutron-irradiated Li_2TiO_3 single crystal, <i>T. Tanifuji, D. Yamaki, S. Nasu and K. Noda</i>	543	Analysis of the mechanism and source of contamination of diagnostic windows in fusion devices, <i>V.S. Voitsenya</i>	658
Helium release from neutron-irradiated Li_2O single crystals, <i>D. Yamaki, T. Tanifuji and K. Noda</i>	549	Derivation of hydrogen transport parameters in carbon fibre composites by modelling transient release in isovolumetric desorption experiments, <i>L.A. Sedano, S. Alberici, A. Perujo, J. Camposilvan and K. Douglas</i>	662
Anomalous exchange of deuterium implanted into an oxide ceramic for protium in air vapor, <i>B. Tsuchiya, E. Iizuka, K. Soda, K. Morita and H. Iwahara</i>	555	Influence of target chemical activity on Balmer lines emission from backscattered hydrogen, <i>A. Ohmori and T. Tanabe</i>	666
Sweep gas chemistry effect on vaporization property of Li_2ZrO_3 , <i>A. Suzuki, M. Tonegawa, M. Yasumoto, K. Yamaguchi and M. Yamawaki</i>	562	On the use of flat tile armour in high heat flux components, <i>M. Merola and G. Vieider</i>	672
Microstructure and mechanical properties of neutron irradiated beryllium, <i>E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka</i>	566	Development of material irradiation rig with precision temperature control in experimental fast reactor JOYO, <i>H. Kataoka, T. Yasu, H. Takatsudo and S. Miyakawa</i>	677
Ab initio MO study on hydrogen release from surface of lithium silicate, <i>T. Nakazawa, K. Yokoyama and K. Noda</i>	571	Damages of hot-pressed boron carbide during solid target boronization in Uran-3M torsatron, <i>G.P. Glazunov, E.D. Volkov, O.S. Pavlichenko, V.S. Voitsenya, N.I. Nazarov, V.G. Kotenko, S. Tanaka and O. Motojima</i>	682
Thermal and mechanical properties of ceramic blanket particle bed materials: Numerical derivation, <i>M. Abdou, A. Ying and Z. Lu</i>	576	Transmutation of plasma facing materials by the neutron flux in a DT fusion reactor, <i>R. Behrisch, V. Khripunov, R.T. Santoro and J.M. Yesil</i>	686
The behaviour of the natural oxide of MANET as permeation barrier under cyclic loads: Self-healing, <i>A. Perujo and H. Kolbe</i>	582	5.2. Low Z (C, be, etc.)	
Irradiation effects in ceramic breeder materials, <i>H. Moriyama, S. Tanaka and K. Noda</i>	587	Gas bubbles in beryllium implanted with He ions at temperatures ≤ 700 K and after post-implantation	
Critical assessment of beryllium pebbles response under neutron irradiation: Mechanical performance and tritium release, <i>F. Scaffidi-Argentina, M. Dalle Donne and H. Werle</i>	595		
Beryllium R&D for blanket application, <i>M. Dalle Donne, G.R. Longhurst, H. Kawamura and F. Scaffidi-Argentina</i>	601		

- annealing, *V.N. Chernikov, H. Ullmaier and A.P. Zakharov* 694
- Erosion of carbon-based materials in a steady-state deuterium plasma, *B.I. Khripunov, V.B. Petrov, Yu.V. Martynenko, A.M. Litovsky, N.V. Antonov and V.V. Shapkin* 700
- Development of multi-element doped graphite and its modification of chemical erosion, *J.P. Qian, J. Roth, J.R. Song, F. Zhang, L. Yang and G.T. Zhai* 706
- Molecular dynamics evaluation of self-sputtering of beryllium, *S. Ueda, T. Ohsaka and S. Kuwajima* 713
- Microstructural study of hydrogen-implanted beryllium, *S.P. Vagin, P.V. Chakrov, B.D. Utkelbayev, L.A. Jacobson, R.D. Field and H. Kung* 719
- Temperature dependence of sputtering yield of carbon fiber-reinforced carbon composites with low energy and high flux deuterium ions, *R. Jimbou, K. Nakamura, V. Bandourko, Y. Okumura and M. Akiba* 724
- Dynamical simulation for sputtering of B₄C, *T. Kenmotsu, T. Kawamura, T. Ono and Y. Yamamura* 729
- Boron ion particles sputtered from boron films deposited on graphites, *Y. Ohtsuka, M. Tsuji, Y. Kitamura, Y. Ueda, M. Isobe and M. Nishikawa* 735
- Thermal stability and chemical erosion of the silicon doped CFC material NS31, *M. Balden, J. Roth and C.H. Wu* 740
- Steady state wall pumping performance of pebble drop divertor, *M. Isobe, Y. Ohtsuka, Y. Ueda and M. Nishikawa* 745
- Steam-chemical reactivity for irradiated beryllium, *R.A. Anderl, K.A. McCarthy, M.A. Oates, D.A. Petti, R.J. Pawelko and G.R. Smolik* 750
- High heat flux erosion of carbon fibre composite materials in the TEXTOR tokamak, *H. Bolt, T. Scholz, J. Boedo, K.H. Finken and A. Hassanein* 757
- Oxidation induced release of deuterium from carbon based plasma facing materials, *S. Alberici, J.P. Coad, H.-K. Hinssen, R. Moormann, P. Wienhold and C.H. Wu* 764
- Investigation of oxidation resistance of carbon based first-wall liner material Aerolor AO5, *A.-K. Krüssenberg, R. Moormann, H.-K. Hinssen, M. Hofmann and C.H. Wu* 770
- Modelling of tritium permeation through beryllium as plasma facing material, *L. Bevardinucci* 777
- The impact of larger clusters formation C₅, C₆, C₇, C₈, C₉, and C₁₀ on the rates of carbon sublimation at elevated temperatures, *C.H. Wu, U. Mszanowski and J.M.L. Martin* 782
- Behaviour of Si and Ti doped carbon composites under exposure to the deuterium plasma, *M. Rubel, N. Almqvist, P. Wienhold and C.H. Wu* 787
- Activation of beryllium in a fusion power plant, *C.B.A. Forty, R.A. Forrest and G.J. Butterworth* 793
- Influence of loading method on hydrogen retention and release from beryllium, *A.K. Klepikov, I.L. Tazhibaeva, O.G. Romanenko, Y.V. Chikhay, V.P. Sheshtakov and E.A. Kenzhin* 798
- Deuterium accumulation in beryllium oxide layer exposed to deuterium atoms, *V.M. Sharapov, V.K. Alimov and L.E. Gavrilov* 803
- Investigation of ITER candidate beryllium grades irradiated at high temperature, *I.B. Kupriyanov, V.A. Gorokhov, R.R. Melder, Z.E. Ostrovsky and A.A. Gervash* 808
- Effects of prestresses on mechanical properties of isotropic graphite materials, *T. Oku, A. Kurumada, Y. Imamura, K. Kawamata and M. Shiraiishi* 814
- The thermal shock resistance of a joining material of C/C composite and copper, *A. Kurumada, T. Oku, Y. Imamura, K. Kawamata, O. Motojima, N. Noda and B. McEnaney* 821
- Disruption and sputtering erosions on SiC doped CFC, *K. Nakamura, S. Suzuki, M. Dairaku, K. Yokoyama, Y. Okumura, T. Suzuki, R. Jimbou, V. Bandourko and M. Akiba* 828
- Overview of EU CFCs development for plasma facing materials, *C.H. Wu, C. Alessandrini, P. Bonal, H. Grote, R. Moormann, M. Rödíg, J. Roth, H. Werle and G. Vieider* 833
- Thermodynamics of the formation of CH₄ by the reaction of carbon materials by a stream of NH₃, *M. Katsura, K. Nishimaki, T. Nakagawa, T.A. Yamamoto, M. Hirota and M. Miyake* 839
- 5.3. High Z (Mo, W, etc.)**
- High energy neutron and charged particle irradiation effects on thermomechanical properties of carbon-carbon composites for divertor applications, *M. Eto, S. Baba, M. Ishihara and H. Ugachi* 843
- Neutron irradiation embrittlement of polycrystalline and single crystalline molybdenum, *K. Watanabe, A. Hishinuma, Y. Hiraoka and T. Fujii* 848
- High-heat-flux-exposure-experiments of a tungsten-test-limiter at TEXTOR-94, *M. Wada, T. Tanabe, V. Philipps, B. Unterberg, A. Pospieszczyk, B. Schweer, J. Rapp, Y. Ueda, K. Ohya, T. Ohgo and N. Noda* 853
- Experiments with tungsten limiters in TEXTOR-94, *V. Philipps, A. Pospieszczyk, A. Huber, A. Kirschner, J. Rapp, B. Schweer, P. Wienhold, G. van Oost, G. Sergienko, T. Tanabe, K. Ohya, M. Wada, T. Ohgo and M. Rubel* 858
- Effects of neutron irradiation on microstructure and deformation behaviour of mono- and polycrystalline molybdenum and its alloys, *B.N. Singh, J.H. Evans, A. Horsewell, P. Toft and G.V. Müller* 865
- Hardening behavior of molybdenum by low energy He and D ion irradiation, *H. Iwakiri, H. Wakimoto, H. Watanabe and N. Yoshida* 873
- Microstructure of tantalum irradiated with heavy ions, *K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda* 879
- Radiation embrittlement of Mo-Re welds under low-temperature irradiation in the SM reactor, *V.P. Chakin, F. Morito, V.A. Kazakov, Y.D. Goncharenko and Z.E. Ostrovsky* 883
- Deuterium retention in tungsten for fusion use, *A.A. Haasz, J.W. Davis, M. Poon and R.G. Macaulay-Newcombe* 889

- Neutron irradiation embrittlement of molybdenum rhenium alloys and their improvement by heat treatment, *A. Hasegawa, K. Ueda, M. Satou and K. Abe* 902
- Carbon effect on retention and release of deuterium implanted in Mo, *S. Nagata, K. Takahiro and S. Yamaguchi* 907
- Erosion of W and deposition of C due to bombardment with D and CH₃, *W. Eckstein, K. Krieger and J. Roth* 912
- Tungsten self-sputtering yield with different incidence angles and target temperatures, *V. Bandourko, R. Jimbou, K. Nakamura and M. Akiba* 917
- Performance of tungsten coatings as plasma facing components used in ASDEX Upgrade, *H. Maier, S. Kötterl, K. Krieger, R. Neu, M. Balden and ASDEX Upgrade-Team* 921
- The effective secondary electron yield in the space-charge limited condition, *I.V. Tsvetkov and T. Tanabe* 927
- Transmutation and induced radioactivity of W in the armor and first wall of fusion reactors, *T. Noda, M. Fujita and M. Okada* 934
- Response of dynamically compacted tungsten to high fluence neutron irradiation at 423–600°C in FFTF, *J. Megusar and F.A. Garner* 940
- 5.4. High heat flux materials (Cu, refractory materials)**
- Microstructural evolution in Cu–Al125 alloy under 300 keV Cu⁺ ion irradiation, *J. Li, H. Xu, J. Yu, B. Wu and Q. He* 945
- Fracture strengths of HIPed DS-Cu/SS joints for ITER shielding blanket/first wall, *T. Hatano, M. Kanari, S. Sato, M. Gotoh, K. Furuya, T. Kuroda, M. Saito, M. Enoeda and H. Takatsu* 950
- Effects of solid transmutants and helium in copper studied by mixed-spectrum neutron irradiation, *T. Muroga, H. Watanabe and N. Yoshida* 955
- Static and dynamic erosion behavior of TiC coated graphite in high heat flux plasma, *S. Takamura, K. Hayashi, N. Ohno and K. Morita* 961
- Testing of actively cooled high heat flux mock-ups, *M. Rödiger, R. Duwe, W. Kühnlein, J. Linke, M. Scheerer, I. Smid and B. Wiechers* 967
- Evidence of damage in carbon fibre composite tiles joined metallic heat sink under high heat flux fatigue, *R. Mitteau, P. Chappuis, L. Moncel and J. Schlosser* 972
- The effect of bonding and bakeout thermal cycles on the properties of copper alloys irradiated at 100°C, *D.J. Edwards, B.N. Singh, P. Toft and M. Eldrup* 978
- Calculation and measurement of helium generation and solid transmutants in Cu–Zn–Ni alloys, *L.R. Greenwood, B.M. Oliver, F.A. Garner and T. Muroga* 985
- Tritium retention study of tungsten using various hydrogen isotope irradiation sources, *S. O'hira, A. Steinér, H. Nakamura, R. Causey, M. Nishi and S. Wilms* 990
- High heat load properties of tungsten coated carbon materials, *K. Tokunaga, N. Yoshida, N. Noda, T. Sogabe and T. Kato* 998
- High-temperature residual strain measurements, using neutron diffraction, in brazed Cu/CFC graphite divertor structures, *M. Ceretti, R. Coppola, E. Di Pietro and C. Nardi* 1005
- Effect of neutron irradiation on fracture toughness behaviour of copper alloys, *S. Tähtinen, M. Pyykkönen, P. Karjalainen-Roikonen, B.N. Singh and P. Toft* 1010
- The effect of neutron dose, irradiation and testing temperature on mechanical properties of copper alloys, *S.A. Fabritsiev, A.S. Pokrovsky, D.J. Edwards and S.J. Zinkle* 1015
- Influence of composition, heat treatment and neutron irradiation on the electrical conductivity of copper alloys, *M. Eldrup and B.N. Singh* 1022
- Hydrogen and deuterium transport and inventory parameters in a Cu–0.65Cr–0.08Zr alloy for fusion reactor applications, *E. Serra and A. Perujo* 1028
- Deformation and fracture of Cu alloy–stainless steel layered structures under dynamic loading, *J.H. McCoy, A.S. Kumar and J.F. Stubbins* 1033
- Changes of structure and properties of yttrium doped copper at deformation, annealing and irradiation, *I.M. Neklyudov, V.N. Voyevodin, S.V. Shevtchenko, V.F. Rybalko, N.V. Kamyanchenko and I.A. Belenko* 1040
- 5.5. Plasma–surface interactions**
- Effects of plasma impurities on materials erosion and mixing in a steady state magnetic fusion device, *Y. Hirooka* 1045
- Implantation driven permeation behavior of deuterium through stainless steel type 316L, *H. Nakamura, T. Hayashi, S. O'hira, M. Nishi and K. Okuno* 1050
- Ion reflection and sputtering at tungsten surface exposed to edge plasmas in TEXTOR, *K. Ohya, J. Kawata, T. Tanabe, M. Wada, Y. Ueda, V. Philipps, B. Unterberg, A. Pospieszczyk, B. Schweer, F. Weschenfelder and N. Noda* 1055
- Investigation on modification of plasma facing surface under long duration discharges by means of a collector probe in TRIAM-1M, *T. Hirai, K. Tokunaga, T. Fujiwara, N. Yoshida, S. Itoh and TRIAM group* 1060
- Estimation of incident flux rate in PDP experiments by calculating plasma composition, *M. Takizawa, K. Kiuchi, H. Ishizuka, M. Okamoto and Y. Fujii* 1066
- Influence of coexisting hydrogen isotopes on diffusion of tritium in niobium, *K. Sakamoto, T. Higuchi, K. Hashizume and M. Sugisaki* 1073
- ERD study of deuterium atoms implanted in edge-HOPG, *H. Ohkubo, M. Takenaka, A. Takase, N. Tsukuda and E. Kuramoto* 1077
- Experiment on atomic hydrogen reflection by use of a permeation probe, *I. Takagi, K. Toyoda, M. Katayama, H. Fujita and K. Higashi* 1082
- Retention and re-emission of deuterium implanted into tungsten monocarbide, *T. Horikawa, B. Tsuchiya and K. Morita* 1087
- Tritium retention in CX-2002U and methods to reduce tritium inventory, *T. Tadokoro, S. O'hira, M. Nishi and K. Isobe* 1092
- Material damage and thermal response of LHD divertor mock-ups by high heat flux, *K. Tokunaga, N. Yoshida, Y. Kubota, N. Noda, O. Motojima, D.L. You-*

<i>chison, R.D. Watson, R.E. Nygren, J.M. McDonald and T.D. Marshall</i>	1097	<i>Glasbrenner, J. Konys, K. Stein-Fechner and O. Wedemeyer</i>	1173
Study of the retention of hydrogen isotopes implanted in Mo, <i>K. Yamaguchi, M. Okada, O. Onoue, F. Ono and M. Yamawaki</i>	1104	Microstructure assessment of the low activation ferritic/martensitic steel F82H, <i>R. Schäublin, P. Spätig and M. Victoria</i>	1178
Ion beam analysis of deuterium-implanted Al ₂ O ₃ and tungsten, <i>R.G. Macaulay-Newcombe and D.A. Thompson</i>	1109	Low cycle fatigue properties of 8Cr-2WVTa ferritic steel at elevated temperatures, <i>T. Ishii, K. Fukaya, Y. Nishiyama, M. Suzuki and M. Eto</i>	1183
Thermal desorption analysis of beryllium tile pieces from JET, <i>R.G. Macaulay-Newcombe, D.A. Thompson and J.P. Coad</i>	1114	Irradiation embrittlement of 2 ₄ Cr-1Mo steel at 400°C and its electrochemical evaluation, <i>Y. Nishiyama, K. Fukaya, M. Suzuki and M. Eto</i>	1187
Experimental modelling of plasma-graphite surface interaction in ITER, <i>Y.V. Martynenko, M.I. Guseva, V.I. Vasiliev, V.M. Gureev, L.S. Danelyan, V.E. Neumoin, V.B. Petrov, B.I. Khripunov, Y.A. Sokolov, O.V. Stativkina, V.G. Stolyarova and V.M. Strunnikov</i>	1120	Effect of purity on helium bubble formation in 9Cr martensitic steel during post-implantation annealing at 1105 K, <i>T. Nagasaka, T. Shibayama, H. Kayano, A. Hasegawa, M. Satou, K. Abe</i>	1193
Investigation of fusion reactor candidate materials erosion in plasma disruption simulation experiments, <i>V.L. Yakushin, B.A. Kalin, A.V. Shul'ga, V.T. Fedotov and A.N. Plyushev</i>	1127	Enhancement of irradiation hardening by nickel addition in the reduced-activation 9Cr-2W martensitic steel, <i>R. Kasada, A. Kimura, H. Matsui and M. Narui</i>	1199
Counter-diffusion and counter-permeation of deuterium and hydrogen through palladium, <i>K. Kizu and T. Tanabe</i>	1133	Dynamic strain ageing evidences during low cycle fatigue deformation in ferritic-martensitic stainless steels, <i>A.F. Armas, M. Avalos, I. Alvarez-Armas, C. Petersen and R. Schmitt</i>	1204
Formation of HD molecules during desorption of deuterium from solids, <i>A.A. Pisarev, Y.V. Borisyuk, A.V. Varava and V.N. Tsyplakov</i>	1138	Development of oxide dispersion strengthened ferritic steels for fusion, <i>D.K. Mukhopadhyay, F.H. Froes and D.S. Gelles</i>	1209
Author index Parts A and B	xxiii	A review of some effects of helium on charpy impact properties of ferritic/martensitic steels, <i>D.S. Gelles, G.L. Hankin and M.L. Hamilton</i>	1216
Subject index Parts A and B	xlvi	Impact behavior of two low activation steels after irradiation to 67 dpa at 430°C, <i>M.L. Hamilton, L.E. Schubert and D.S. Gelles</i>	1222
Part B		Physical metallurgy and mechanical behaviour of FeCrW-TaV low activation martensitic steels: Effects of chemical composition, <i>A. Alamo, J.C. Brachet, A. Castaing, C. Lepoittevin and F. Barcelo</i>	1228
Section 6. Low activation materials and other structural materials		Superior Charpy impact properties of ODS ferritic steel irradiated in JOYO, <i>T. Kuwabara, H. Kurishita, S. Ukai, M. Narui, S. Mizuta, M. Yamazaki and H. Kayano</i>	1236
6.1. Ferritic steels		Fracture toughness of low activation ferritic steel (JLF-1) weld joint at room temperature, <i>A. Nishimura, N. Inoue and T. Muroga</i>	1242
Improved activation tests of fusion structural materials with a deuteron-beryllium neutron source, <i>U. von Möllendorff, H. Giese, Y. Ikeda, F. Maekawa, H. Tsige-Tamirat, P. Wilson</i>	1143	Correlation between microstructure and hardness of a low activation ferritic steel (JLF-1) weld joint, <i>N. Inoue, T. Muroga, A. Nishimura and O. Motojima</i>	1248
Embrittlement behaviour of different international low activation alloys after neutron irradiation, <i>M. Rieth, B. Dafferner and H.-D. Röhrig</i>	1147	Analysis of error field due to ferritic steel in the advanced material testing program of JFT-2M, <i>M. Sato, Y. Miura, S. Takeji, H. Kimura and K. Shiba</i>	1253
Influence of tantalum and nitrogen contents, normalizing condition and TMCP process on the mechanical properties of low-activation 9Cr-2W-0.2V-Ta steels for fusion application, <i>T. Hasegawa, Y. Tomita and A. Kohyama</i>	1153	The effect of low dose irradiation on the impact fracture energy and tensile properties of pure iron and two ferritic martensitic steels, <i>I. Belianov and P. Marmy</i>	1259
Solubility product and precipitation of TaC in Fe-8Cr-2W steel, <i>M. Tamura, K. Shinozuka, K. Masamura, K. Ishizawa and S. Sugimoto</i>	1158	Void formation and microstructural development in oxide dispersion strengthened ferritic steels during electron-irradiation, <i>J. Saito, T. Suda, S. Yamashita, S. Ohnuki, H. Takahashi, N. Akasaka, M. Nishida and S. Ukai</i>	1264
Irradiation creep of various ferritic alloys irradiated at 400°C in the PFR and FFTF reactors, <i>M.B. Toloczko, F.A. Garner and C.R. Eiholzer</i>	1163	Heat treatment effects on impact toughness of 9Cr-1MoVNb and 12Cr-1MoVW steels irradiated to 100 dpa, <i>R.L. Klueh and D.J. Alexander</i>	1269
Distribution of C-Cr associates and mechanical stability of Cr martensitic steels, <i>P. Gondí, R. Montanari and M.E. Tata</i>	1167		
Comparison of microstructure and formation of inter-metallic phases on F82H-mod. and MANET II, H.			