

	<i>Glasbrenner, J. Konys, K. Stein-Fechner and O. Wedemeyer</i>	1173
	Microstructure assessment of the low activation ferritic/martensitic steel F82H, <i>R. Schäublin, P. Spätig and M. Victoria</i>	1178
	Low cycle fatigue properties of 8Cr–2WVTa ferritic steel at elevated temperatures, <i>T. Ishii, K. Fukaya, Y. Nishiyama, M. Suzuki and M. Eto</i>	1183
	Irradiation embrittlement of $2\frac{1}{2}$ Cr–1Mo steel at 400°C and its electrochemical evaluation, <i>Y. Nishiyama, K. Fukaya, M. Suzuki and M. Eto</i>	1187
	Effect of purity on helium bubble formation in 9Cr martensitic steel during post-implantation annealing at 1105 K, <i>T. Nagasaka, T. Shibayama, H. Kayano, A. Hasegawa, M. Satou, K. Abe</i>	1193
	Enhancement of irradiation hardening by nickel addition in the reduced-activation 9Cr–2W martensitic steel, <i>R. Kasada, A. Kimura, H. Matsui and M. Narui</i>	1199
	Dynamic strain ageing evidences during low cycle fatigue deformation in ferritic–martensitic stainless steels, <i>A.F. Armas, M. Avalos, I. Alvarez-Armas, C. Petersen and R. Schmitt</i>	1204
	Development of oxide dispersion strengthened ferritic steels for fusion, <i>D.K. Mukhopadhyay, F.H. Froes and D.S. Gelles</i>	1209
	A review of some effects of helium on charpy impact properties of ferritic/martensitic steels, <i>D.S. Gelles, G.L. Hankin and M.L. Hamilton</i>	1216
	Impact behavior of two low activation steels after irradiation to 67 dpa at 430°C, <i>M.L. Hamilton, L.E. Schubert and D.S. Gelles</i>	1222
Part B		
Section 6. Low activation materials and other structural materials		
6.1. Ferritic steels		
Improved activation tests of fusion structural materials with a deuterium–beryllium neutron source, <i>U. von Möllendorff, H. Giese, Y. Ikeda, F. Maekawa, H. Tsige-Tamirat, P. Wilson</i>	1143	
Embrittlement behaviour of different international low activation alloys after neutron irradiation, <i>M. Rieth, B. Dafferner and H.-D. Röhrig</i>	1147	
Influence of tantalum and nitrogen contents, normalizing condition and TMCP process on the mechanical properties of low-activation 9Cr–2W–0.2V–Ta steels for fusion application, <i>T. Hasegawa, Y. Tomita and A. Kohyama</i>	1153	
Solubility product and precipitation of TaC in Fe–8Cr–2W steel, <i>M. Tamura, K. Shinozuka, K. Masamura, K. Ishizawa and S. Sugimoto</i>	1158	
Irradiation creep of various ferritic alloys irradiated at 400°C in the PFR and FFTF reactors, <i>M.B. Toloczko, F.A. Garner and C.R. Eiholzer</i>	1163	
Distribution of C–Cr associates and mechanical stability of Cr martensitic steels, <i>P. Gondì, R. Montanari and M.E. Tata</i>	1167	
Comparison of microstructure and formation of intermetallic phases on F82H-mod. and MANET II, <i>H. Glasbrenner, J. Konys, K. Stein-Fechner and O. Wedemeyer</i>		1173
		1178
		1183
		1187
		1193
		1199
		1204
		1209
		1216
		1222
	Physical metallurgy and mechanical behaviour of FeCrWTA V low activation martensitic steels: Effects of chemical composition, <i>A. Alamo, J.C. Brachet, A. Castaing, C. Lepoittevin and F. Barcelo</i>	1228
	Superior Charpy impact properties of ODS ferritic steel irradiated in JOYO, <i>T. Kuwabara, H. Kurishita, S. Ukai, M. Narui, S. Mizuta, M. Yamazaki and H. Kayano</i>	1236
	Fracture toughness of low activation ferritic steel (JLF-1) weld joint at room temperature, <i>A. Nishimura, N. Inoue and T. Muroga</i>	1242
	Correlation between microstructure and hardness of a low activation ferritic steel (JLF-1) weld joint, <i>N. Inoue, T. Muroga, A. Nishimura and O. Motojima</i>	1248
	Analysis of error field due to ferritic steel in the advanced material testing program of JFT-2M, <i>M. Sato, Y. Miura, S. Takeji, H. Kimura and K. Shiba</i>	1253
	The effect of low dose irradiation on the impact fracture energy and tensile properties of pure iron and two ferritic martensitic steels, <i>I. Belianov and P. Marmy</i>	1259
	Void formation and microstructural development in oxide dispersion strengthened ferritic steels during electron-irradiation, <i>J. Saito, T. Suda, S. Yamashita, S. Ohnuki, H. Takahashi, N. Akasaka, M. Nishida and S. Ukai</i>	1264
	Heat treatment effects on impact toughness of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated to 100 dpa, <i>R.L. Klueh and D.J. Alexander</i>	1269

- Fracture toughness and tensile behavior of ferritic-martensitic steels irradiated at low temperatures, *A.F. Rowcliffe, J.P. Robertson, R.L. Klueh, K. Shiba, D.J. Alexander, M.L. Grossbeck and S. Jitsukawa* 1275
- Effects of hydrogen atmosphere on mechanical properties and surface conditions of a reduced activation ferritic steel F82H, *S. Hara, T. Abe, M. Enoeda and H. Takatsu* 1280
- Thermal fatigue behavior of low activation ferrite-martensite steels, *C. Petersen* 1285
- Microstructural characterisation of F82H-mod. steel using small-angle neutron scattering, *R. Coppola, K. Ehrlich, M. Magnani, E. Materna-Morris and M. Valli* 1291
- Effect of hydrogen on tensile properties of martensitic steels for fusion application, *M. Beghini, G. Benamati, L. Bertini and R. Valentini* 1295
- The possibility of the commercial production of low-activation structural steels for fusion energy in the Russian Federation, *N.P. Lyakishev, V.Y. Dashkevsky, E.V. Dyomina, L.I. Ivanov, Y.M. Platov, M.D. Prusakova, V.P. Kolotov and M.V. Alenina* 1300
- Modelling of phase transformations occurring in low activation martensitic steels, *J.-C. Brachet, L. Garvard, C. Boussidan, C. Lepoittevin, S. Denis and C. Servant* 1307
- Influence of operation conditions on structure and properties of 12% Cr steels as candidate structural materials for fusion reactor, *A.G. Ioltukhovskiy, M.V. Leontyeva-Smirnova, Y.I. Kazenov, E.A. Medvedeva, A.V. Tselishchev, V.K. Shamardin, A.V. Povstyanko, S.E. Ostrovskiy, A.M. Dvoryashin, S.I. Porollo, A.N. Vorobyev and V.S. Khabarov* 1312
- Production of low activation steel; JLF-1, large heats – Current status and future plan, *A. Kohyama, Y. Kohno, M. Kuroda, A. Kimura and F. Wan* 1319
- Effect of neutron irradiation at low temperature on the embrittlement of the reduced-activation ferritic steels, *V.V. Rybin, I.P. Kursevich and A.N. Lapin* 1324
- Physical metallurgy of BATMAN II Ti-bearing martensitic steels, *L. Pilloni, F. Attura, A. Calza-Bini, G. De Santis, G. Filacchioni, A. Carosi and S. Amato* 1329
- Influence of delta ferrite and dendritic carbides on the impact and tensile properties of a martensitic chromium steel, *L. Schäfer* 1336
- Dependence of impact properties on irradiation temperature in reduced-activation martensitic steels, *A. Kimura, M. Narui, T. Misawa, H. Matsui and A. Kohyama* 1340
- Evolution of the mechanical properties of the F82H ferritic/martensitic steel after 590 MeV proton irradiation, *P. Spätig, R. Schäublin, S. Gyger and M. Victoria* 1345
- Chemical segregation behavior of the low activation ferritic/martensitic steel F82H, *R. Schäublin, P. Spätig and M. Victoria* 1350
- 6.2. Vanadium alloys**
- Effect of hydrogen and oxygen on the tensile properties of V-4Cr-4Ti, *H.D. Röhrig, J.R. DiStefano and L.D. Chitwood* 1356
- Effect of small additional elements on DBTT of V-4Cr-4Ti irradiated at low temperatures, *T. Shibayama, I. Yamagata, H. Kayano and C. Namba* 1361
- Development of techniques for welding V-Cr-Ti alloys, *M.L. Grossbeck, J.F. King, D.J. Alexander, P.M. Rice and G.M. Goodwin* 1369
- Grain boundary chemistry and heat treatment effects on the ductile-to-brittle transition behavior of vanadium alloys, *R.J. Kurtz, M.L. Hamilton and H. Li* 1375
- Microstructural examination of irradiated V-(4-5%)Cr-(4-5%)Ti, *D.S. Gelles, P.M. Rice, S.J. Zinkle and H.M. Chung* 1380
- Effect of thickness and loading mode on the fracture properties of V-4Cr-4Ti at room temperature, *H. Li, R.J. Kurtz and R.H. Jones* 1386
- Dynamic finite element analysis of third size charpy specimens of V-4Cr-4Ti, *M.R. Lansberry, R.J. Kurtz, A.S. Kumar and G.E. Mueller* 1392
- Helium-vacancy clustering in V-4Cr-4Ti at elevated temperatures, *A.V. Fedorov, A. van Veen and A.I. Ryazanov* 1396
- Influence of thermal treatment on helium trapping at fine-size precipitates in V-4Cr-4Ti, *A. van Veen, A.V. Fedorov and A.I. Ryazanov* 1400
- Quantitative visualization of tritium distribution in vanadium by tritium radioluminography, *H. Saitoh, T. Hishi, T. Misawa, T. Ohnishi, Y. Noya, T. Matsuzaki and T. Watanabe* 1404
- Effect of neutron irradiation on swelling, elastic modulus and thermal conductivity of V-Ga alloys, *A.I. Dedurkin, Y.M. Platov, M.I. Zakharova, I.V. Borovitskaja and N.A. Artemov* 1409
- Temperature dependence of the radiation damage microstructure in V-4Cr-4Ti neutron irradiated to low dose, *P.M. Rice and S.J. Zinkle* 1414
- Metallurgical bonding development of V-4Cr-4Ti alloy for the DIII-D radiative divertor program, *J.P. Smith, W.R. Johnson and P.W. Trester* 1420
- Fabrication of a 1200 kg ingot of V-4Cr-4Ti alloy for the DIII-D radiative divertor program, *W.R. Johnson and J.P. Smith* 1425
- Swelling behavior of V-Fe binary and V-Fe-Ti ternary alloys, *K. Fukumoto, A. Kimura and H. Matsui* 1431
- Microstructure of V-4Cr-4Ti alloy after low-temperature irradiation by ions and neutrons, *J. Gazda, M. Meshii and H.M. Chung* 1437
- Tensile and impact properties of vanadium-base alloys irradiated at 430°C, *H.M. Chung and D.L. Smith* 1442
- Mechanical properties and microstructural characteristics of laser and electron-beam welds in V-4Cr-4Ti, *H.M. Chung, J.-H. Park, R.V. Strain, K.H. Leong, D.L. Smith* 1451
- Experience in irradiation testing of low-activation structural materials in fast reactor BOR-60, *V.A. Kazakov, H.-C. Tsai, V.P. Chakin, F.W. Wiffen, A.F. Rowcliffe, D.L. Smith, A.E. Rusanov, A.A. Teikovtsev, N.V. Markina and L.R. Greenwood* 1458
- Performance of V-4Cr-4Ti material exposed to the DIII-D tokamak environment, *H. Tsai, W.R. Johnson, D.L. Smith, J.P. Smith and H.M. Chung* 1466

- Irradiation creep of vanadium-base alloys, *H. Tsai, H. Matsui, M.C. Billone, R.V. Strain and D.L. Smith* 1471
- Effects of oxygen and oxidation on tensile behavior of V-4Cr-4Ti alloy, *K. Natesan, W.K. Soppet and M. Uz* 1476
- Grain boundary segregation of impurities in neutron irradiated and thermally aged vanadium alloys, *J. Kameda, T.E. Bloomer and D.Y. Lyu* 1482
- Compatibility of vanadium alloys and its weld joints in homogeneous and heterogeneous liquid lithium systems, *V.A. Evtikhin, I.E. Lyublinski and A.V. Vertkov* 1487
- Tensile properties and fracture behaviour of V-Cr-Ti alloys after neutron irradiation at 330°C, *V.A. Kazakov, V.P. Chakin and Y.D. Goncharenko* 1492
- Tensile properties of a series of V-4Ti-4Cr alloys containing small amounts of Si, Al and Y, and the influence of helium implantation, *T. Matsushima, M. Satou, A. Hasegawa, K. Abe and H. Kayano* 1497
- Radiation hardening of V-C, V-O, V-N alloys neutron-irradiated to high fluences, *T. Chuto, M. Satou and K. Abe* 1502
- Rapid oxidation and its effects on mechanical properties of V-Ti-Cr-Si type alloys, *M. Fujiwara, M. Satou, A. Hasegawa and K. Abe* 1507
- Effects of helium on void swelling in boron doped V-5Fe alloys, *T. Iwai, N. Sekimura and F.A. Garner* 1512
- Analysis and measurement of residual stress distribution of vanadium/ceramics joints for fusion reactor applications, *Y. Nemoto, K. Ueda, M. Satou, A. Hasegawa and K. Abe* 1517
- Revision of the tensile database for V-Ti and V-Cr-Ti alloys tested at ANL, *M.C. Billone, H.M. Chung and D.L. Smith* 1523
- Influence of neutron irradiation on mechanical properties of vanadium/ceramics joints, *R. Yasuda, M. Satou, A. Hasegawa and K. Abe* 1528
- 6.3. SiC/SiC composites**
- Light ion irradiation creep of SiC fibers in torsion, *R. Scholz* 1533
- Effect of high temperature heat treatment in vacuum on microstructure and bending properties of SiC_f/SiC composites prepared by CVI, *H. Araki, H. Suzuki, W. Yang, S. Sato and T. Noda* 1540
- Glass-ceramic joining and coating of SiC/SiC for fusion applications, *M. Ferraris, M. Salvo, C. Isola, M. Appendino Montorsi and A. Kohyama* 1546
- Radiation response of SiC-based fibers, *G.E. Youngblood, R.H. Jones, A. Kohyama and L.L. Snead* 1551
- Fiber creep rate and high-temperature properties of SiC/SiC composites, *C.A. Lewinsohn, R.H. Jones, G.E. Youngblood and C.H. Henager Jr.* 1557
- Interface strength of SiC/SiC composites with and without helium implantation using micro-indentation test, *M. Saito, A. Hasegawa, S. Ohtsuka and K. Abe* 1562
- Effect of fiber coating on interfacial shear strength of SiC/SiC by nano-indentation technique, *T. Hinoki, W. Zhang, A. Kohyama, S. Sato and T. Noda* 1567
- Swelling behaviour and TEM studies of SiC_f/SiC composites after fusion relevant helium implantation, *H.W. Scholz, A.J. Frias Rebelo, D.G. Rickerby, P. Krogul, W.E. Lee, J.H. Evans and P. Fenici* 1572
- Crack initiation and growth characteristics in SiC/SiC under indentation test, *W. Zhang, T. Hinoki, Y. Katoh, A. Kohyama, T. Noda, T. Muroga and J. Yu* 1577
- Comparison of the mechanical behaviour of SiC_f/SiC composites following neutron irradiation and helium implantation, *A.J. Frias Rebelo, H.W. Scholz, H. Kolbe, G.P. Tartaglia and P. Fenici* 1582
- A fusion power reactor concept using SiC/SiC composites, *S. Ueda, S. Nishio, Y. Seki, R. Kurihara, J. Adachi, S. Yamazaki and DREAM Design Team* 1589
- Microstructure and oxidative degradation behavior of silicon carbide fiber Hi-Nicalon type S, *M. Takeda, A. Urano, J. Sakamoto and Y. Imai* 1594
- 6.4. Austenitic steels and other structural materials**
- The effect of hold-times on the fatigue behavior of type AISI 316L stainless steel under deuteron irradiation, *R. Scholz and R. Mueller* 1600
- Flux and composition dependence of irradiation creep of austenitic alloys irradiated in PFR at 420°C, *M.B. Toloczko, F.A. Garner, J. Standring, B. Munro and S. Adaway* 1606
- Swelling and void-induced embrittlement of austenitic stainless steel irradiated to 73–82 dpa at 335–365°C, *S.I. Porollo, A.N. Vorobjev, Y.V. Konobeev, A.M. Dvoriashin, V.M. Krigan, N.I. Budylkin, E.G. Mironova and F.A. Garner* 1613
- Irradiation creep and stress-enhanced swelling of Fe-16Cr-15Ni-Nb austenitic stainless steel in BN-350, *A.N. Vorobjev, N.I. Budylkin, E.G. Mironova, S.I. Porollo, Y.V. Konobeev and F.A. Garner* 1618
- Temperature dependence of bubble structure in 316L stainless steel irradiated with 2.5 MeV He ions, *C.H. Zhang, K.Q. Chen, Y.S. Wang and J.G. Sun* 1623
- Microstructural observation of helium implanted and creep ruptured Fe-25%Ni-15%Cr alloys containing various MC and MN formers, *N. Yamamoto, J. Nagakawa, Y. Murase and H. Shiraishi* 1628
- Effect of combined addition of Ti and P on creep rupture properties of helium implanted Fe-25%Ni-15%Cr alloy, *N. Yamamoto, J. Nagakawa, Y. Murase and H. Shiraishi* 1634
- Effect of cold work on void swelling in proton irradiated Fe-15Cr-20Ni ternary alloys, *Y. Murase, J. Nagakawa, N. Yamamoto and H. Shiraishi* 1639
- Mechanical properties and damage behavior of non-magnetic high manganese austenitic steels, *H. Takahashi, Y. Shindo, H. Kinoshita, T. Shibayama, S. Ishiyama, K. Fukaya, M. Eto, M. Kusuhashi, T. Hatakeyama and I. Sato* 1644
- Validation of the shear punch-tensile correlation technique using irradiated materials, *G.L. Hankin, M.B. Toloczko, M.L. Hamilton and R.G. Faulkner* 1651
- Shear punch testing of ⁵⁹Ni isotopically-doped model austenitic alloys after irradiation in FFTF at differ-

- ent He/dpa ratios, *G.L. Hankin, M.B. Toloczko, M.L. Hamilton, F.A. Garner and R.G. Faulkner* 1657
- Effects of annealing on the tensile properties of irradiated austenitic stainless steel, *I. Ioka, A. Naito, K. Shiba, J.P. Robertson, S. Jitsukawa and A. Hishinuma* 1664
- Effect of irradiation temperature on irradiation assisted stress corrosion cracking of model austenitic stainless steels, *T. Tsukada, Y. Miwa, H. Tsuji and H. Nakajima* 1669
- The structural evolution of new low-activation and chromium-nickel stainless steels under high-dose irradiation up to 200 dpa, *V.V. Sagaradze, S.S. Lapin, B.N. Goshchitskii and M.A. Kirk* 1675
- The effect of tritium and low-temperature neutron irradiation at 77 K on the structure and mechanical properties of reactor steels, *B.N. Goshchitskii, V.V. Sagaradze, V.L. Arbusov, S.S. Lapin, Yu.N. Zuev, I.V. Podgornova, V.D. Parkhomenko, A.V. Kozlov* 1681
- Low activation austenitic Mn-steel for in-vessel fusion materials, *Y. Suzuki, T. Saida and F. Kudough* 1687
- Microchemical and microstructural changes of austenitic steels caused by proton irradiation following helium implantation, *T. Fukuda, T. Aoki, Y. Isobe, T. Furuya, A. Hasegawa and K. Abe* 1694
- Long-lived activity of elements: Effect of new activation cross-sections and their uncertainties on the selection of materials for IFE reactors, *J. Sanz, C. González and J. Juan* 1700
- Damage behavior in an electron/helium dual-beam irradiated Fe-Cr-Mn(W,V) alloy, *H. Benfu, H. Kinoshita and H. Takahashi* 1708
- Effect of carbon and nitrogen on grain boundary segregation in irradiated stainless steels, *F. Kano, K. Fukuya, S. Hamada and Y. Miwa* 1713
- The dependence of irradiation creep in austenitic alloys on displacement rate and helium to dpa ratio, *F.A. Garner, M.B. Toloczko and M.L. Grossbeck* 1718
- High-cycle fatigue tests of modified 316 stainless steels under 20 MeV proton irradiation and thermal pulses, *H. Mizubayashi, K. Tateishi, H. Tanimoto and K. Nakata* 1725
- Nucleation and growth of dislocation loops in austenitic stainless steels irradiated by fission and fusion neutrons, *Q. Xu, N. Yoshida and T. Yoshiie* 1730
- Effect of light impurities on the early stage of swelling in austenitic stainless steel, *N. Igata, A. Ryazanov and D.N. Korolev* 1735
- The dependence of helium generation rate on nickel content of Fe-Cr-Ni alloys irradiated to high dpa levels in EBR-II, *F.A. Garner, B.M. Oliver and L.R. Greenwood* 1740
- R&D of oxide dispersion strengthened ferritic martensitic steels for FBR, *S. Ukai, T. Nishida, T. Okuda and T. Yoshitake* 1745
- Effects of Mn and Si additions on microstructural development in TiAl intermetallic compounds irradiated with He-ions, *O. Okada, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama* 1750
- Thermomechanical characteristics of low activation chromium and chromium alloys, *H. Stamm, M.R. Bonansinga, F. Dos Santos Marques, P. Hähner, H. Kolbe and A. Volcan* 1756
- Cr-Ni alloys for fusion reactors, *M.I. Solonin, A.B. Alekseev, S.A. Averin, Y.A. Burenkov, V.M. Chernov, B.K. Kardashev, V.P. Kondrat'ev, A.V. Kozlov, V.N. Rechitsky and S.N. Votinov* 1762
- 6.5. Low activation criteria**
- Concentration limits of natural elements in low activation fusion materials, *E.T. Cheng* 1767
- Advanced management concepts for fusion waste, *P. Rocco and M. Zucchetti* 1773
- Analysis of V-Cr-Ti alloys in terms of activation of impurities, *M.L. Grossbeck, R.L. Klueh, E.T. Cheng, J.R. Peterson, M.R. Woolery and E.E. Bloom* 1778
- Low-activation characteristics of V-alloys and SiC composites, *E.V. Dyomina, P. Fenici, V.P. Kolotov and M. Zucchetti* 1784
- Impact of low activation materials on fusion reactor design, *Y. Seki, T. Tabara, I. Aoki, S. Ueda, S. Nishio and R. Kurihara* 1791
- Section 7. Dielectrics, insulators, windows and optics**
- Role of environment on the surface degradation of Wesgo AL995, *A. Moróño, E.R. Hodgson* 1798
- Production and recovery of defects in SiC after irradiation and deformation, *J. Chen, P. Jung and H. Klein* 1803
- Radiation swelling decrease by means of explosive wave, *V.M. Kosenkov, S.A. Vorobjev and A.V. Kolesnikov* 1809
- Effects of DD and DT neutron irradiation on some Si devices for fusion diagnostics, *Y. Tanimura and T. Iida* 1812
- Radiation effects on Al₂O₃ irradiated with H₂⁺ ions, *S. Furuno, N. Sasajima, K. Hojou, K. Izui, H. Otsu and T. Matsui* 1817
- Pre- and post-irradiation studies on mm-wave losses in reference window materials for electron cyclotron wave systems, *R. Heidinger, A. Ibarra and J. Molla* 1822
- Radiation effects on insulating gases for the ITER NBI system, *E.R. Hodgson and A. Moróño* 1827
- In situ observation of microstructural development during electron irradiation in Al₂O₃ containing Cr₂O₃ or TiO₂, *K. Nakata, Y. Katano and K. Noda* 1831
- Neutron-induced damage in near-stoichiometric spinel ceramics irradiated below 200°C and its recovery due to annealing, *T. Yano, A. Insani, H. Sawada and T. Iseki* 1836
- Damage structure evolution in Al₂O₃ irradiated with multiple ion beams of H, He and O and after annealing, *Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda* 1842
- Electrical conductivity and current-voltage characteristics of alumina with or without neutron and electron irradiation, *K. Shiiyama, M.M.R. Howlader, S.J. Zinkle, T. Shikama, M. Kutsuwada, S. Matsu-mura and C. Kinoshita* 1848
- Mechanical properties and microstructure of -alumina and magnesium aluminate spinel irradiated with He ions, *K. Izumi, K. Yasuda, C. Kinoshita and M. Kutsuwada* 1856

- Long term degradation of electrical insulation of Al₂O₃ under high flux fission reactor irradiation, *T. Shikama and S.J. Zinkle* 1861
- Electrical properties of ceramics during reactor irradiation, *T. Shikama, S.J. Zinkle, K. Shiiyama, L.L. Snead and E.H. Farnum* 1867
- Characterization of Y₂O₃ coating under neutron irradiation, *M. Nakamichi and H. Kawamura* 1873
- Investigation of cryogenic irradiation influence on mechanical and physical properties of ITER magnetic system insulation materials, *A.V. Kozlov, E.N. Scherbacov, N.A. Dudchenko, V.S. Shihalev, V.V. Bedin, N.A. Paltusov and V.E. Korsunskiy* 1878
- Radiation effects on dielectric losses of Au-doped silicon, *J. Molla, R. Vila, R. Heidinger and A. Ibarra* 1884
- Radiation induced optical absorption and radioluminescence in electron irradiated SiO₂, *A. Morono and E.R. Hodgson* 1889
- Absorption and fluorescence phenomena of optical fibers under heavy neutron irradiation, *T. Kakuta, K. Sakasai, T. Shikama, M. Narui and T. Sagawa* 1893
- Photon emission induced by fusion neutrons on optical window materials, *F. Sato, T. Iida, Y. Oyama, F. Maekawa and Y. Ikeda* 1897
- Dose dependence of neutron irradiation effects on MgAl₂O₄ spinels, *A. Ibarra, D. Bravo, M.A. Garcia, J. Llopis, F.J. Lopez and F.A. Garner* 1902
- Radiation resistance of amorphous silicon in optoelectric properties under proton bombardment, *N. Kishimoto, H. Amekura, K. Kono and C.G. Lee* 1908
- Dynamic effects in energetic particle-induced luminescence of SiO₂, *T. Tanabe, A. Omori and M. Fujiwara* 1914
- On the choice of materials for the first mirrors of plasma diagnostics in a fusion reactor, *V.S. Voitsenya, A.F. Bardamid, V.T. Gritsyna, V.G. Kononov, O. Motojima, D.V. Orlinskij, R. Palladino, B.J. Peterson, A.N. Shapoval, A.F. Shtan, S.I. Solodovchenko, K.I. Yakimov and K. Young* 1919
- Section 8. Magnets and superconducting materials**
- Defect production and recovery in high-*T_c* superconductors irradiated with electrons and ions at low temperature, *N. Ishikawa, Y. Chimi, A. Iwase, K. Tsuru, O. Michikami* 1924
- Development of the superconductors for ITER magnet system, *A. Shikov, A. Nikulin, A. Silaev, A. Vorobieva, V. Pantsyrnyi, G. Vedernikov, N. Salunin, S. Sudiev* 1929
- Development of superconductors for the Large Helical Device, *N. Yanagi, T. Mito, K. Takahata, S. Imagawa, S. Yamada, A. Nishimura, A. Iwamoto, H. Chikaraishi, H. Tamura, S. Yamaguchi, T. Satow, S. Satoh, O. Motojima* 1935
- Developments of high-*T_c* superconducting current feeders for a large-scale superconducting coil system, *T. Mito, K. Maehata, M. Mizokami, K. Ishibashi, M. Takeo, A. Iwamoto, N. Hirano, T. Shintomi, K. Kimura, M. Sawamura, S. Yamada, S. Satoh and O. Motojima* 1940
- Section 9. Materials processing, fabrication, inspection and maintenance**
- Magnetic non-destructive evaluation of accumulated fatigue damage in ferromagnetic steels for nuclear plant component, *K. Morishita, A. Gilanyi, T. Sukegawa, T. Uesaka and K. Miya* 1946
- Thermal shock resistance of SiC compositionally graded C/C composites, *K. Fujii and R. Yamada* 1953
- Processing and microstructure of silicon carbide fiber-reinforced silicon carbide composite by hot-pressing, *K. Yoshida, Budiyanto, M. Imai and T. Yano* 1960
- Structural materials by powder HIP for fusion reactors, *C. Dellis, G. Le Marois and E.V. van Osch* 1966
- Development and characterisation of Be/Gludcop® joints obtained by hot isostatic pressing for high temperature working conditions, *F. Saint-Antonin, D. Barberi, G. Le Marois and A. Lailé* 1973
- Hydrogen generation from steam reaction with tungsten, *G.R. Smolik, K.A. McCarthy, D.A. Petti and K. Coates* 1979
- Fabrication development and preliminary characterization of Li₂TiO₃ pebbles by wet process, *K. Tsuchiya, H. Kawamura, K. Fuchinoue, H. Sawada and K. Watarumi* 1985
- The effect of helium accumulation and radiation damage on the weldability of 316-type steel, *S.A. Fabritsiev and A.S. Pokrovsky* 1991
- Microstructural evolution of welded austenitic stainless steel irradiated in HFIR target experiments, *T. Sawai, K. Shiba and A. Hishinuma* 1997
- Yag laser welding of neutron irradiated stainless steels, *S. Nishimura, R. Katsura, Y. Saito, W. Kono, H. Takahashi, M. Koshiishi, T. Kato and K. Asano* 2002
- Simulation of helium bubble behavior in neutron-irradiated stainless steel during welding, *S. Kawano, R. Sumiya and K. Fukuya* 2008
- Effect of weld thermal cycle on helium bubble formation in stainless steel, *F. Kano, S. Nakahigashi, H. Nakamura, N. Uesugi, T. Mitamura, M. Terasawa, H. Irie and K. Fukuya* 2013
- Weldability of helium-containing stainless steels using a YAG laser, *S. Kawano, S. Nakahigashi, K. Uesugi, H. Nakamura, W. Kono, K. Fukuya, F. Kano, A. Hasegawa and K. Abe* 2018
- Application of HIP bonding to first wall panel fabrication made from reduced activation ferritic steel F82H, *K. Furuya, M. Enoeda, T. Hatano, S. Sato, T. Kuroda and H. Takatsu* 2023
- Section 10. Technology and knowledge sharing**
- Irradiation resistance of DS copper/stainless steel joints fabricated by friction welding methods, *S.A. Fabritsiev, A.S. Pokrovsky, M. Nakamichi and H. Kawamura* 2030
- Shape memory characteristics of neutron irradiated Ti-Ni shape memory alloy couplers, *T. Hoshiya, M. Ohmi, Y. Matsui and M. Nishikawa* 2036
- Electrical properties of neutron-irradiated oxygen potential sensors using stabilized zirconia solid elec-

trolyte, <i>N. Hiura, Y. Endo, T. Yamaura, T. Hoshiya, M. Niimi, J. Saito, S. Sozawa, N. Ooka and M. Kobiyama</i>	2041	<i>Fabritsiev, A.S. Pokrovsky, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe</i>	2069
Comparison of stress corrosion cracking susceptibility of thermally-sensitized and proton-irradiated 304 stainless steel using electrochemical noise techniques, <i>L.H. Wang, J.J. Kai, C.H. Tsai and C. Fong</i>	2046	Section 11. Program overview, design and materials	
Quantitative prediction of environmentally assisted cracking based on a theoretical model and computer simulation, <i>T. Satoh, T. Nakazato, S. Moriya, S. Suzuki and T. Shoji</i>	2054	Neutron irradiation experiments for fusion reactor materials through JUPITER program, <i>K. Abe, A. Kobayama, C. Namba, F.W. Wiffen and R.H. Jones</i>	2075
Fatigue crack growth under compressive loading, <i>K. Kasaba, T. Sano, S. Kudo, T. Shoji, K. Katagiri and T. Sato</i>	2059	Materials design and related R&D issues for the force-free helical reactor (FFHR), <i>A. Sagara, T. Muroga, O. Motojima, T. Noda, S. Tanaka, T. Terai, A. Kobayama and H. Matsui</i>	2079
Effects of grain boundary misorientation on the solute segregation in austenitic stainless steels, <i>T.S. Duh, J.J. Kai, F.R. Chen and L.H. Wang</i>	2064	An evaluation of potential material-coolant compatibility for applications in advanced fusion reactors, <i>T. Kondo, Y. Watanabe, Y.S. Yi and A. Hishinuma</i>	2083
The effect of neutron irradiation on mechanical properties of Cu/SS joints for ITER applications, <i>S.A.</i>		Author index Parts A and B	2089
		Subject index Parts A and B	2114
		Papers to appear in Part C	2189