

# Contents

<b>Preface</b>	xiii
<b>Notation</b>	xvii
<b>Chapter 1</b> Background and scope	
1.1 Introduction	1.1
1.2 Stirling types	1.4
1.3 The basic pulse-tube	1.6
1.4 The thermo-acoustic cooler	1.10
1.5 Scope	1.10
1.5.1 Scope from linear wave theory	1.11
1.5.2 Scope from the methods of non-linear gas dynamics	1.12
1.5.3 Scope from extension of Rott's thermo-acoustics	1.13
1.5.4 Scope from incorporation of regenerator theory	1.13
1.5.5 Scope from taking account of 'real' gas behaviour	1.14
1.5.6 Scope from similarity and scaling	1.18
1.5.7 Scope from optimization	1.18
1.5.8 Scope from continuously graded regenerator packing	1.20
1.5.9 Scope from re-acquisition of regenerator heat transfer and flow correlations	1.21
<b>Chapter 2</b> Ideal reference cycles	
2.1 Introduction	2.1
2.2 Stirling cycle – equivalence of volume variations	2.2
2.3 In search of an ideal cycle for the Gifford pulse-tube	2.7
2.3.1 Kittel's ideal COP	2.9
2.3.2 In the footsteps of Gustav Schmidt	2.10
2.3.3 Specimen ideal gas processes	2.18

## Stirling and pulse-tube cryo-coolers

2.4	Coefficient of performance of ideal Gifford cycle	2.22
2.5	Deductions for first-principles pulse-tube design	2.26

### **Chapter 3** Ideal Stirling cycle – real gas

3.1	Background	3.1
3.2	Role of the ideal cycle in the present study	3.1
3.3	Basic reference cycle	3.2
	3.3.1 Reference cycle with ideal gas	3.2
	3.3.2 ‘Real’ gas	3.5
3.4	Reformulation – the complete ideal cycle	3.7
	3.4.1 Ideal gas	3.7
	3.4.2 ‘Real’ gas	3.8
3.5	Heat quantities	3.9
	3.5.1 Basic thermodynamic relationships	3.9
	3.5.2 Engineering thermodynamics form	3.12
	3.5.3 Application to the ideal gas	3.13
	3.5.4 Application to the ‘real’ gas	3.14
3.6	Computed results	3.15
3.7	Implications for practical design	3.16

### **Chapter 4** Isothermal Stirling cycle with van der Waals gas

4.1	A criterion for moving forward	4.1
4.2	The ‘isothermal’ cycle generalized	4.1
	4.2.1 Simplifying assumptions	4.1
	4.2.2 ‘Integral’ formulation adapted to van der Waals gas	4.2
	4.2.3 Equation of state in terms of simulation variables	4.6
4.3	Simulated gas processes	4.9
4.4	Implications for practical cooler design – update	4.11
4.5	Standard solution of cubic equation	4.11

### **Chapter 5** A first model of electro-magnetic dynamics

5.1	Context	5.1
5.2	Mechanical equations of motion	5.2
5.3	Discretization and normalization	5.4
5.4	The electro-magnetic circuit	5.5
	5.4.1 Instantaneous solenoid force	5.5
	5.4.2 Determination of operating point	5.7

5.5	Gas process model	5.9
5.5.1	Energy equation for variable-volume spaces	5.9
5.5.2	Gas law	5.11
5.5.3	Mass conservation	5.12
5.5.4	Evaluation of working-space $NTU$	5.12
5.6	Regenerator pressure drop	5.13
5.6.1	Distributed pressure drop	5.14
5.6.2	Pressure drop based on mean flowrate	5.15
5.7	Regenerator transient thermal response	5.16
5.8	Preparation for solution	5.17
5.9	Specimen simulated performance	5.19
5.10	Deductions from computed performance under rated operating conditions	5.25
5.11	Real gas effects	5.27
5.12	Implications for practical cooler design – update	5.29
 <b>Chapter 6</b> Towards a cook-book method of thermodynamic design		
6.1	Background	6.1
6.2	The inevitability of scaling	6.1
6.3	Scaling principles revisited	6.2
6.4	Improvements in or relating to regenerator scaling	6.3
6.5	Similarity of working-space $NTU$	6.5
6.6	Scaling and experiment	6.10
6.7	Scaling in practice	6.12
6.8	Some realities	6.12
6.9	Similarity and the Stirling prime mover	6.18
6.10	Extension to the regenerative cryo-cooler	6.21
6.11	Insights from unconventional test procedures	6.23
6.12	Zen and the art of scaling	6.26
 <b>Chapter 7</b> The Gifford low-frequency pulse-tube		
7.1	Background	7.1
7.2	Equivalent pulse-tube	7.2
7.3	Particle trajectories	7.2
7.4	Integration grid	7.5
7.5	Temperature solutions	7.8
7.6	Specimen temperature solutions	7.11
7.7	Conclusions	7.13

**Chapter 8** Classic regenerator problem – real gas

8.1	Introduction	8.1
8.2	Fluid particle paths	8.1
8.2.1	Mass of ideal gas contained between entry at $T_E$ and a plane at fractional distance $x/L_r$ from entry	8.2
8.2.2	Determination of fractional linear distance, $\lambda$ ( $= x/L_r$ ), occupied by specified fraction, $v$ ( $= m_\lambda/M_r$ ), of regenerator fluid content – ideal gas case	8.3
8.2.3	Determination of fractional linear distance, $\lambda$ ( $= x/L_r$ ), occupied by specified fraction, $m_\lambda/M_r$ , of regenerator fluid content – any working fluid in which density, $\rho$ , is a function of pressure, $p$ , and temperature, $T_g$ , viz. $\rho = \rho(p, T_g)$	8.5
8.3	Temperature solutions	8.7
8.3.1	Aspects of formulation common to ideal and real gas	8.7
8.3.2	Enthalpy change – van der Waals gas	8.8
8.4	Specimen temperature solutions	8.10
8.5	Temperature dependence of matrix material	8.12

**Chapter 9** The ultimate regenerator?

9.1	Context	9.1
9.2	Criteria for grading	9.2
9.3	Sample specification	9.5
9.4	Regenerator solutions revisited	9.9
9.5	Cyclic counterflow and graded hydraulic radius	9.12
9.6	... and graded free-flow area	9.15
9.7	In conclusion	9.19

**Chapter 10** A question of streaming

10.1	Background	10.1
10.2	Acoustic theory revisited	10.1
10.2.1	Linear waves; duct of finite length; graduation of temperature	10.2
10.2.2	Corresponding ‘static’ process	10.5
10.3	Streaming	10.8

10.4	The boundary layer	10.8
10.5	Conservation equations of the boundary layer	10.10
10.6	‘Acoustic’ streaming	10.15
10.7	Streaming and finite-particle displacement – a Lagrange formulation	10.18
10.7.1	Gas process model	10.18
10.7.2	Mass conservation	10.18
10.7.3	Momentum conservation	10.19
10.7.4	Energy conservation	10.20
10.7.5	Preparation for solution and specimen results	10.20
10.7.6	Some reservations	10.23
10.8	The next step	10.24
 <b>Chapter 11</b> Driving function for pulse-tube events – a gas dynamics option		
11.1	Status quo	11.1
11.2	A role for unsteady gas dynamics	11.3
11.3	Temperature-determined gas dynamics	11.5
11.4	Implementation	11.5
11.5	Application to the cryo-cooler	11.8
11.6	Interim implications for design	11.15
11.7	The equations of temperature-determined gas dynamics	11.15
11.8	Extension to real gas behaviour	11.26
11.9	Approximate wave traverse times	11.27
11.10	Review	11.28
 <b>Chapter 12</b> Bridging the gap		
12.1	Non-linear versus linear – or both	12.1
12.2	Linear waves	12.1
12.2.1	Assumptions	12.2
12.2.2	The wave equation	12.2
12.3	The building blocks of linear wave algebra	12.4
12.4	Linear waves and the Method of Characteristics	12.6
12.5	Unrestricted number of wave reflection sites	12.16
12.6	Applicability to the pulse-tube	12.21
12.6.1	Optional transformation to ‘pseudo- uniform’ acoustic speed $c_0$	12.21

## Stirling and pulse-tube cryo-coolers

12.6.2	Geometry of equivalent one-dimensional duct in terms of that of the gauze	12.22
12.6.3	Parameters of operation	12.22
12.7	Further assumptions	12.23

## Chapter 13 A missing link

13.1	From Stirling to pulse-tube	13.1
13.2	Particle displacement under linear waves	13.1
13.3	Particle motion and the MoC	13.4
13.4	Integration grid for the pulse-tube regenerator	13.10
	13.4.1 Redevelopment of the wave equation	13.10
	13.4.2 Construction of the integration grid	13.11
13.5	Acoustic coordinates	13.14
13.6	Résumé	13.18

## Chapter 14 Polytropic gas dynamics – and other potential resources

14.1	Background	14.1
14.2	Shapiro's derivation	14.1
14.3	Polytropic gas dynamics	14.6
	14.3.1 Acoustic speed	14.6
	14.3.2 State plane relationships	14.7
	14.3.3 Evaluation of polytropic index	14.8
14.4	The Gifford pulse-tube – a non-conformist view	14.10
	14.4.1 Equivalent piston motion	14.10
	14.4.2 Tentative application of the MoC	14.11
	14.4.3 Linear wave analysis	14.12
14.5	Closure	14.15

## Chapter 15 The pulse-tube cooler with 'inertance duct'

15.1	Context	15.1
15.2	Linear wave mechanics and flow friction	15.2
15.3	Extension to arbitrary number of duct elements	15.5
15.4	A computational consideration	15.6
15.5	Uniform isothermal duct with friction	15.7
15.6	Extension to distributed temperature and unlimited number of duct elements	15.7
15.7	Heat exchange intensity (unlimited $NTU$ )	15.16
15.8	Linear versus non-linear	15.20

## Contents

15.9	Matters arising	15.28
15.10	Extension of ideal cycle to orifice and inertance line variants	15.28
<b>Chapter 16</b> Any other business		
16.1	Status quo	16.1
16.2	A preliminary appraisal of the TRW 3505 pulse-tube	16.2
16.3	Example of data reduction	16.2
16.4	The Gifford pulse-tube – a reappraisal	16.8
16.5	In conclusion	16.10
<b>Appendix A</b> Conditions for equivalence of volume variations		
A.1	Kinematics	A.1
A.2	Additional unswept volume	A.4
<b>Appendix B</b> The Ergun equation – and beyond		B.1
<b>Appendix C</b> Modified Newton–Raphson method		C.1
<b>References</b>		Refs.1