

## Contents

**21st Symposium on Fusion Technology (SOFT-21)**  
**Madrid, Spain, September 11–15, 2000**

Preface, <i>E.R. Hodgson, J.A. Jiménez and L. Rodríguez-Rodrigo</i>	1
Committees and Acknowledgements	3
<b>Invited Papers</b>	
The European technology fusion programme, <i>R. Andreani</i>	5
JET under EFDA: organisation, recent results and prospects, <i>J. Paméla</i>	19
Experience and lessons from the JET 4.0 T assessment, <i>M. Gasparotto, The JET Team, E. Bertolini, M. Buzio, A. Kaye, J. Last, P. Noll, P. Miele, S. Papastergiou, V. Riccardo, M. Sjöholm, The JSC Reliability Assessment Group, F. Hofmann, D.C. Robinson, ENEA, L. Bettinali and E. Visca</i>	29
DEMO blanket testing in ITER. Influence on reaching DEMO, <i>G. Shatalov</i>	39
High frequency heating and current drive in next step steady state tokamaks, <i>A.S. Kaye and G. O'Connor</i>	47
First test results for the ITER central solenoid model coil, <i>T. Kato, H. Tsuji, T. Ando, Y. Takahashi, H. Nakajima, M. Sugimoto, T. Isono, N. Koizumi, K. Kawano, M. Oshikiri, K. Hamada, Y. Nunoya, K. Matsui, T. Shinba, Y. Tsuchiya, G. Nishijima, H. Kubo, E. Hara, H. Hanawa, K. Imahashi, K. Ootsu, Y. Uno, T. Oouchi, J. Okayama, T. Kawasaki, M. Kawabe, S. Seki, K. Takano, Y. Takaya, F. Tajiri, A. Tsutsumi, T. Nakanura, H. Hanawa, H. Wakabayashi, K. Nishii, N. Hosogane, M. Matsukawa, Y. Miura, T. Terakado, J. Okano, K. Shimada, M. Yamashita, K. Arai, T. Ishigouoka, A. Ninomiya, K. Okuno, D. Bessete, H. Takigami, N. Martovetsky, P. Michael, M. Takayasu, M. Ricci, R. Zanino, L. Savoldi, G. Zahn, A. Martinez and R. Maix</i>	59
Materials research towards a fusion reactor, <i>K. Ehrlich</i>	71
Improving the safety of future nuclear fission power plants, <i>W. Frisch and G. Gros</i>	83
A comprehensive evaluation of the environmental external costs of a fusion power plant, <i>T. Hamacher, R.M. Sáez, K. Aquilonius, H. Cabal, B. Hallberg, R. Korhonen, Y. Lechón, S. Lepicard, L. Schleisner, T. Schneider and D. Ward</i>	95
Tritium in plasma facing components, <i>R.-D. Penzhorn, J.P. Coad, N. Bekris, L. Doerr, M. Friedrich and W. Pilz</i>	105
Actively cooled plasma facing components in Tore Supra, <i>P. Garin, on behalf of Tore Supra team</i>	117
Superconductors and joints, tests and trends for future development, <i>P. Bruzzone</i>	125
Viewing and inspection in tokamak machines, <i>D. Maisonnier</i>	135

- Overview of TJ-II flexible heliac results, *E. Ascasibar, C. Alejaldre, J. Alonso, L. Almoguera, A. Baciero, R. Balbín, M. Blaumoser, J. Botija, B. Brañas, E. de la Cal, A. Cappa, J. Castellano, R. Carrasco, F. Castejón, J.R. Cepero, C. Cremy, J. Doncel, S. Eguilior, T. Estrada, A. Fernández, C. Fuentes, A. García, I. García-Cortés, J. Guasp, J. Herranz, C. Hidalgo, J.A. Jiménez, I. Kirpichev, V. Krivenski, I. Labrador, F. Lapayese, K. Likin, M. Liniers, A. López-Fraguas, A. López-Sánchez, E. de la Luna, R. Martín, L. Martínez-Laso, M. Medrano, P. Méndez, K.J. McCarthy, F. Medina, B. van Milligen, M. Ochando, L. Pacios, I. Pastor, M.A. Pedrosa, A. de la Peña, A. Portas, J. Qin, L. Rodríguez-Rodrigo, J. Romero, A. Salas, E. Sánchez, J. Sánchez, F. Tabarés, D. Tafalla, V. Tribaldos, J. Vega and B. Zurro* 145
- Design and construction of WENDELSTEIN 7-X, *M. Wanner, J.-H. Feist, H. Renner, J. Sapper, F. Schauer, H. Schneider, V. Erckmann, H. Niedermeyer and W7-X Team* 155
- How far is a fusion power reactor from an experimental reactor, *R. Toschi, P. Barabaschi, D. Campbell, F. Elio, D. Maisonnier and D. Ward* 163
- Plasma Facing Components**
- European achievements for ITER high heat flux components, *M. Merola, G. Vieider, M. Bet, I. Bobin Vastra, L. Briottet, P. Chappuis, K. Cheyne, G. Dell'Orco, D. Duglué, R. Duwe, S. Erskine, F. Escourbiac, M. Febvre, M. Grattarola, F. Moreschi, A. Orsini, R. Pamato, L. Petrizzi, L. Plöchl, B. Riccardi, E. Rigal, M. Rödig, J.F. Salavy, B. Schedler, J. Schlosser, S. Tähtinen, R. Vesprini, E. Visca and C.H. Wu* 173
- Progress of the European R&D on plasma-wall interactions, neutron effects and tritium removal in ITER plasma facing materials, *C.H. Wu, C. Alessandrini, J.P. Bonal, J.W. Davis, A.A. Haasz, W. Jacob, A. Kallenbach, J. Keinonen, P. Kornejew, R. Moormann, V. Philipps, J. Roth, F. Scaffidi-Argentina and H. Würz* 179
- Plasma-wall interaction at the ASDEX Upgrade tungsten heat shield, *K. Krieger, H. Maier, R. Neu, V. Rohde and A. Tabasso* 189
- Thermal hydraulics of water cooled divertors, *C.B. Baxi* 195
- The entropy balance for boiling flow, *F.-J. Collado* 199
- Thermal performance and 3D analysis of advanced mechanically joined divertor plate for LHD under steady state high heat flux, *Y. Kubota, N. Noda, A. Sagara, R. Sakamoto, K. Yamazaki, T. Satow and O. Motojima* 205
- Improvements in the design and manufacture of the ITER FEAT first wall towards cost minimization, *A. Cardella, F. Elio, K. Ioki, T. Osaki, V. Rozov, P. Lorenzetto and Y. Ohara* 211
- Tests on the integration of the ITER divertor dummy armour prototype on a simplified model of cassette body, *G. Dell'Orco, A. Canneta, G. Cattadori, G.P. Gaspari, M. Merola, G. Polazzi, G. Vieider and D. Zito* 217
- Thermal analysis of the tile impacted by concentrated heat loads caused by the lost of an upstream tile, *V. Tanchuk, S. Grigoriev, V. Divavin, A. Lipko and A. Makhankov* 225
- ITER glow discharge cleaning system, *A.B. Antipenkov, P. Ladd and R. Marrs* 233
- Design of a welded box divertor cassette for ITER FEAT, *L. Petrizzi, G. Brolatti, A. Dal Santo, F. Lucca, A. Marin, G. Mazzone, M. Merola, M. Roccella, L. Semeraro and G. Vieider* 239
- Overview of the engineering design of ITER divertor, *C. Ibbott, S. Chiocchio, E. D'Agata, G. Federici, H. Heidl, G. Janeschitz, E. Martin and R. Tivey* 243
- Mechanical and electrical tests on the attachment keys for the divertor vertical target, *L.F. Moreschi, A. Pizzuto, M. Agostini, S. Storai, B. Riccardi and M. Merola* 249
- Evaluation of divertor conceptual designs for a fusion power plant, *M. Ferrari, L. Giancarli, K. Kleefeldt, C. Nardi, M. Rödig, J. Reimann and J.F. Salavy* 255
- Manufacture and first wall joining for an ITER primary wall module prototype: R&D phase with small scale mock-ups, *I. Bobin-Vastra, M. Febvre, P. Lorenzetto, Y. Boweret, D. Cauvin, G. Raison and D. Conchon* 261
- Manufacture and first wall joining for an ITER primary wall module prototype: results of a medium scale mock-up manufacturing, *M. Febvre, I. Bobin-Vastra, P. Lorenzetto, Y. Boweret, D. Cauvin, G. Raison and D. Conchon* 267
- Supply of a prototype component for the ITER divertor baffle, *I. Bobin-Vastra, M. Febvre, B. Schedler, L. Plöchl, Y. Boweret, D. Cauvin, G. Raison and M. Merola* 273
- Optimisation of target plates for the W7-X divertor at stationary operation, *J. Boscary, H. Greuner, F.W. Hoffmann, B. Mendelevitch, K. Pfefferle and H. Renner* 279
- High heat flux behaviour of damaged plasma facing components, *F. Escourbiac, P. Chappuis, J. Schlosser, M. Merola, I. Vastra and M. Febvre* 285
- Critical heat flux test on saw-toothed fin duct under one-sided heating conditions, *K. Ezato, S. Suzuki, K. Sato, M. Taniguchi, M. Hanada, M. Araki and M. Akiba* 291
- Concepts and prototype elements of the low-Z wall protection for the stellarator W7-X, *H. Greuner, J. Glagla, O. Jandl, B. Mendelevitch, H. Renner and R. Rieck* 297
- High-intensity non-brazed heat shield for safe steady-state operation, *S. Mukherjee, M. Balden, S. Kötterl, S. Schweizer, J. Simon-Weidner, B. Streibl and R. Uhlemann* 303
- Experience feedback from high heat flux component manufacturing for Tore Supra, *J. Schlosser, A. Durocher, T. Huber, P. Garin, B. Schedler and G. Agarici* 309
- Development and tests of B<sub>4</sub>C-covered heat shields for TJ-II, *C. Fuentes, M. Blaumoser, J. Botija, D. Ciric, J. Guasp, M. Liniers, A. Salito and B. Schedler* 315
- Fabrication of mock-up with Be armour tiles diffusion bonded to the CuCrZr heat sink, *L.F. Moreschi, A. Pizzuto, I. Alessandrini, M. Agostini, E. Visca and M. Merola* 321
- Development of doped graphites for plasma-facing components, *P. Paz, C. García-Rosales, J. Echeberria, M. Balden, J. Roth and R. Behrisch* 325
- Development of tungsten coating for fusion applications, *A. Cambe, E. Gauthier, J.M. Layet and S. Bentivegna* 331
- Investigation of cascade effect failure for tungsten armour, *A. Makhankov, V. Barabash, N. Berkhov, V. Divavin, R. Giniatullin, S. Grigoriev, C. Ibbott, V. Komarov, A. Labusov, I. Mazul, J. McDonald, V. Tanchuk and D. Youchison* 337
- Manufacturing and testing of monoblock tungsten small-scale mock-ups, *E. Visca, B. Riccardi, A. Orsini and C. Testani* 343
- Erosion of ITER-FEAT vertical targets during off-normal events, *H. Würz, S. Pestchanyi, V. Safronov and F. Kappler* 349
- Engineering design and thermal hydraulics of plasma facing components of SST-1, *N.R. Pragash, P. Chaudhuri, P. Santra, D. Chenna Reddy, S. Khirwadkar and Y.C. Saxena* 355
- Technological aspects of lithium capillary-pore systems application in tokamak device, *V.A. Evtikhin, I.E. Lyublinski, A.V. Vertkov, S.V. Mirnov and V.B. Lazarev* 363
- Conceptual design of an evaporation-cooled liquid metal divertor for fusion power plants, *J. Reimann, L. Barleon, L. Boccaccini and S. Malang* 369
- Manufacturing routes for stainless steel first wall panels, *P. Bucci, L. Federzoni, G. Le Marois and P. Lorenzetto* 375
- Study of alternative SS/Cu-alloy joining methods for ITER, *A. Gervash, I. Mazul and N. Yablokov* 381
- Stress analysis around DSCu/SS316 HIP bonded interface, *S. Kikuchi, Y. Nomura and M. Saito* 385
- Investigations of copper to stainless steel joints, *S. Tähtinen, A. Laukkanen and B.N. Singh* 391
- Macroscopic erosion in tokamak off normal events, *H. Würz, B. Bazylev, I. Landman, S. Pestchanyi and S. Gross* 397

- Tokamak dust, characterisation and removal studies, *M. Wykes, G. Counsell, D. McGlinchey and C.H. Wu* 403
- Effect of macroscopic eroded debris on lifetimes of plasma-facing components during plasma instabilities, *A. Hassanein* 409
- Reference testing of actively cooled mock-ups for the neutron-irradiation experiments PARIDE 3 and 4, *M. Rödig, R. Duwe, W. Kühnlein, J. Linke, M. Merola, B. Schedler, G. Vieider and E. Visca* 417
- High heat load tests of neutron-irradiated divertor mockups, *E. Ishitsuka, M. Uchida, K. Sato, M. Akiba and H. Kawamura* 421
- RFX first wall thermal power handling: 3D numerical models and experimental validations, *P. Zaccaria, S. Dal Bello and P. Sonato* 427
- Installation, features, and capabilities of the DIII-D advanced tokamak radiative divertors, *M.E. Friend, A.S. Bozek, C.B. Baxi, R.C. O'Neill, E.E. Reis and M.A. Mahdavi* 433
- Impact of charge exchange neutrals on plasma facing components of Tore Supra, *E. Tsitrone, P. Chappuis, E. Gauthier, M. Lipa and D. Reiter* 439
- Analysis of an in-service rupture of the inner first wall of tore supra, *R. Mitteau, P. Chappuis, G. Martin and S. Rosanvallon* 445
- Operational experience with a variety of plasma facing tile assemblies at JET, *P. Edwards, H. Altmann, A. Loving, L. Pedrick, J. Tait and M. Way* 451
- Design criteria for Tore Supra high heat flux components, *M. Missirlian, J. Schlosser, M. Lipa, R. Mitteau, P. Chappuis and C. Portafaix* 457
- Plasma Heating and Current Drive**
- Progress in the development of a large RF negative ion source for fusion, *O. Vollmer, B. Heinemann, W. Kraus, P. McNeely, R. Riedl, E. Speth, R. Trainham and R. Wilhelm* 465
- Neutron irradiation studies on window materials for EC wave systems, *R. Heidinger, M. Rohde and R. Spörl* 471
- TJ-II neutral beam injectors control and data acquisition system, *L. Martínez\_Laso, M. Liniers, J. Alonso, J. Botija, A. García and M. Medrano* 477
- Data acquisition and control system for steady state neutral beam injector, *G.B. Patel, V. Sharma, U.K. Baruah, P.J. Patel, P.K. Jayakumar, M.R. Jana, N. Bisai, N.P. Singh, A.K. Chakraborty, M. Bandyopadhyay, C. Chakrapani, V. Prahlad, N.V.M. Rao, C. Rotti, S. Shah, S. Rambabu, V. Sreedhar and S.K. Mattoo* 481
- Beam current feedback regulation of the RF neutral beam sources of ASDEX Upgrade, *P. Franzen, S. Obermayer, J. Schäffler, A. Stäbler, E. Speth and O. Vollmer* 487
- Langmuir probe studies on a RF ion source for NBI, *P. McNeely, B. Heineman, W. Kraus, R. Riedl, E. Speth and O. Vollmer* 493
- Recent developments of long pulse RF ion sources for NBI systems, *W. Kraus, P. Franzen, B. Heinemann, E. Speth and O. Vollmer* 499
- Development of negative ion sources for the ITER neutral beam injector, *M. Hanada, M. Kashiwagi, T. Morishita, M. Taniguchi, Y. Okumura, T. Takayanagi and K. Watanabe* 505
- An alternative residual ion dump for the ITER neutral beam system, *P. Franzen, J. Sielanko, R. Riedl and E. Speth* 511
- Design of neutral beam system for ITER-FEAT, *T. Inoue, E. Di Pietro, M. Hanada, R.S. Hemsworth, A. Krylov, V. Kulygin, P. Massmann, P.L. Mondino, Y. Okumura, A. Panasenkov, E. Speth and K. Watanabe* 517
- Study of increasing the beam power on the negative ion based neutral beam injector for JT-60 U, *M. Kuriyama, N. Akino, N. Ebisawa, L. Grisham, S. Hikita, A. Honda, T. Itoh, M. Kawai, M. Kazawa, M. Kusaka, N. Kusanagi, K. Mogaki, T. Ohga, H. Oohara, L. Pengyuan, F. Satoh, H. Seki, N. Seki, Y. Tanai, Y. Toyokawa, N. Umeda, K. Usui and H. Yamazaki* 523
- The MAST neutral beam injection system, *M.P.S. Nightingale, G.W. Crawford, S.J. Gee, D.J. Hurford, D. Martin, M.R. Simmonds, R.T.C. Smith, C.C. Tsai and S.E.V. Warder* 529
- Operation of the negative ion-based neutral beam injection system during Large Helical Device experimental campaigns, *Y. Oka, O. Kaneko, Y. Takeiri, K. Tsumori, M. Osakabe, K. Ikeda, E. Asano, T. Kawamoto, R. Akiyama and M. Hamabe* 533
- The Cadarache 1 MV porcelain SINGAP bushing, *P. Massmann, H.P.L. de Esch, R.S. Hemsworth, T. Inoue and L. Svensson* 539
- Radiation enhanced dielectric breakdown in insulating gases for NBI systems, *E.R. Hodgson and A. Moroño* 545
- ICRF system enhancements at ASDEX upgrade, *F. Braun, F. Hofmeister, F. Wesner, W. Becker, H. Faugel, D. Hartmann and J.-M. Noterdaeme* 551
- Second harmonic protection filter circuits for the JET ICRF plant, *F. Durodié, M. Vervier and A.G.H. Sibley* 557
- A new internal matching impedance concept for ICRF antennas, *S. Brémond, G. Agarici, B. Beaumont and J.-P. Chenevois* 563
- Initial operation of the NSTX phased array for launching high harmonic fast waves, *P.M. Ryan, J.R. Wilson, D.W. Swain, R.I. Pinsker, M.D. Carter, D. Gates, J.C. Hosea, T.K. Mau, J.E. Menard, D. Mueller, S.A. Sabbagh and J.B. Wilgen* 569
- Steady state high power test system at 3.7 GHz, *D. Bora, S. Dani, S. Gangopadhyay, B. Jadav, M. Jha, B.R. Kadia, P.L. Khilar, S.V. Kulkarni, M. Kushwah, A.P. Patel, K.G. Parmar, K.M. Parmar, P. Parmar, K. Rajnish, S. Raghuraj, S.L. Rao, K.K. Samanta, K. Sathyanarayana, P. Shah, P.K. Sharma, Y.S.S. Srinivas, R.G. Trivedi and G. Verghese* 575
- R&D of the heat-resistant LH antenna, *M. Seki, S. Maebara and T. Fujii* 581
- Development and design of an ECRF launching system for ITER, *K. Takahashi, T. Imai, K. Sakamoto, N. Kobayashi, S. Mori, K. Mohri, Y. Itoh, H. Shoyama and A. Kasugai* 587
- Main results after regular operation of the HVSMPS for gyrotrons, *R. Martín, K. Likin, A. Fernández, I. García and C. Lucia* 593
- Control and RF-transmission in the ECW system on TEXTOR-94, *N.J. Dobbe, A.B. Sterk, R.P.J.J.M. Kruisbergen, O.G. Kruyt, M.E. Bestebreurtje, P.R. Prins, J.A. Hoekzema, A.F. van der Grift and B.S.Q. Elzendoorn* 599
- The 118 GHz ECRH experiment on Tore Supra, *C. Darbos, R. Magne, S. Alberti, A. Barbuti, G. Berger-By, F. Bouquey, P. Cara, J. Clary, L. Courtois, R. Dumont, E. Giguet, D. Gil, G. Giruzzi, M. Jung, Y. Le Goff, F. Legrand, M. Lennholm, C. Liévin, Y. Peysson, D. Roux, M. Thumm, T. Wagner, M.Q. Tran and X. Zou* 605
- Performance of the 1 MW, 110 GHz, 10 s gyrotrons recently installed in the DIII-D ECH system, *W.P. Cary, R. Callis, J. Lohr, R. Legg, D. Ponce and R. Prater* 611
- The ECRH system of ASDEX Upgrade, *F. Leuterer, M. Beckmann, A. Borchegowski, H. Brinkschulte, A. Chirkov, G. Denisov, L. Empacher, W. Förster, G. Gantenbein, V. Illin, W. Kasperek, K. Kirov, F. Monaco, M. München, L. Popov, F. Ryter, P. Schüller, K. Schwörer and H. Schütz* 615
- Performance of the 140 GHz prototype transmission system for ECRH on the stellarator W7-X, *W. Kasperek, D. Arz, L. Empacher, V. Erckmann, G. Gantenbein, F. Hollmann, P.G. Schüller, K. Schwörer and M. Weißgerber* 621
- The cooling system for the 10 MW, 140 GHz, CW ECRH installation on Wendelstein 7-X, *G. Neffe, G. Dammertz and M. Thumm* 627
- 30 kV/10 mA solid state anode modulator for gyrotron plasma heating: design issues and results, *D. Fasel, C. Lucia, D. Ganuza and I. Doyharzabal* 633
- 110 GHz notch-filter development at TEXTOR-94, *A. Krämer-Flecken, W. Physik and G. Czymek* 639

Development of gyrotrons with 2 MW output power, <i>M. Kuntze, A. Arnold, E. Borie, G. Dammertz, S. Illy, K. Koppenburg, B. Piosczyk and M. Thumm</i>	645
Calorimetric loads for high power transmission lines at millimeter wavelengths, <i>A. Bruschi, F. Gandini, V. Muzzini, N. Spinicchia, S. Cirant, G. Gittini, G. Granucci, V. Meller, A. Nardone, A. Simonetto and C. Sozzi</i>	649
Calorimetric measurement of the microwave power transmitted through a diamond window, <i>G. Michel, H. Laqua and W. Kasparek</i>	655
Infrared monitor of barrier window temperature during high power RF pulses, <i>C. Sozzi, A. Nardone, V. Meller, A. Bruschi, S. Cirant, F. Gandini, G. Gittini, G. Granucci, V. Muzzini, A. Simonetto and N. Spinicchia</i>	661
Tore Supra steady-state power and particle injection: the 'CIMES' project, <i>B. Beaumont, A. Becoulet, P. Bibet, C. Darbos, P. Garin, A. Géraud, G. Giruzzi, A. Grosman, G. Martin, M. Ottaviani, Y. Peysson, B. Saoutic, P. Stott and M. Zabiego</i>	667
Evaluations and prospects for the next steps in the low power RF systems of the Tore Supra transmitters, <i>G. Berger-By, J. Achard, B. Beaumont, P. Bibet, S. Dutheil, M. Goniche, G. Lombard, L. Millon, P. Mollard and K. Vulliez</i>	673
Coupling and power handling of the new Tore Supra LHCD launcher, <i>P. Bibet, A. Ekedahl, P. Froissard, F. Kazarian, E. Bertrand, S. Dutheil and L. Tanaskovic</i>	679
Engineering design of the steady state neutral beam injector for SST-1, <i>S.K. Mattoo, A.K. Chakraborty, U.K. Baruah, P.K. Jayakumar, M. Bandyopadhyay, N. Bisai, C. Chakrapani, M.R. Jana, R. Onali, V. Prahlad, P.J. Patel, G.B. Patel, B. Prajapati, N.V.M. Rao, S. Rambabu, C. Rotti, S.K. Sharma, S. Shah, V. Sharma, M.J. Singh, N.P. Singh and B. Sridhar</i>	685
High voltage power supplies for the neutral beam injectors of the stellarator TJ-II, <i>J. Alonso, M. Liniers, L. Martínez Laso, E. Jauregi, C. Lucía and F. Valcárcel</i>	693
<b>Plasma Engineering and Control</b>	
Studies to increase the elongation in ITER: impact on passive and active plasma vertical position stabilisation systems, <i>P.L. Mondino, M. Cavinato, Y. Gribov, A. Kavin and A. Portone</i>	699
An integrated approach to the control of magnetically confined plasmas, <i>R. Albanese, G. Ambrosino, M. Ariola, M. Bagatin, F. Bellina, P. Bettini, C.A. Borghi, G. Chitarin, E. Coccorese, A. Formisano, R. Fresca, M. De Magistris, F. Gnesotto, M. Guarnieri, G. Marchiori, R. Martone, A. Pironti, P.L. Ribani, G. Rubinacci, A. Stella, F. Trevisan and F. Villone</i>	705
A digital signal processor used for measurement, processing and control, demonstrated for signals from TEXTOR tokamak, <i>G. Fuchs, A. Krämer-Flecken, H. Larue and W. Schalt</i>	711
Real-time control systems for plasma rotation in RFX, <i>O. Barana, A. Luchetta, G. Manduchi and C. Taliercio</i>	715
Real-time disruption handling at ASDEX upgrade, <i>T. Zehetbauer, G. Pautasso, C. Tichmann, S. Egorov, A. Lorenz, V. Mertens, G. Neu, G. Raupp, W. Treutterer, D. Zasche and ASDEX Upgrade Team</i>	721
Implementation of model-based multivariable control on DIII-D, <i>M.L. Walker, D.A. Humphreys, J.A. Leuer, J.R. Ferron and B.G. Penaflo</i>	727
Linearized models for RFX configurations, <i>R. Albanese, P. Bettini, M. Guarnieri, G. Marchiori and F. Villone</i>	733
Real-time control of DIII-D plasma discharges using a Linux alpha computing cluster, <i>B.G. Penaflo, J.R. Ferron, M.L. Walker, D.A. Piglowski and R.D. Johnson</i>	739
System modelling and identification of Mega-Amp Spherical Tokamak, <i>J. Qin, D. Limebeer, G.J. McArdle and J. Wainwright</i>	743
Progress and plans for MAST plasma control, <i>G.J. McArdle, G. Cunningham, J. Qin, D.L. Trotman and J. Waterhouse</i>	749

Linear and non-linear plasma equilibrium responses on the JT-60U and TCV tokamaks, <i>J.B. Lister, R. Khayrutdinov, D.J.N. Limebeer, V. Lukash, Y. Nakamura, A. Sharma, F. Villone, J.P. Wainwright and R. Yoshino</i>	755
Real time determination and control of the plasma localisation and internal inductance in Tore Supra, <i>F. Saint-Laurent and G. Martin</i>	761
The Tore Supra LHCD control system: new improvements using PLCs and state machines, <i>J.Y. Journeaux, P. Froissard, F. Kazarian, J. Baudet, P. Pastor and J. Simoncini</i>	767
Online cross correlation measurements for suppression of $m = 2$ instabilities, <i>A. Krämer-Flecken, K. Huxhagen, H. Larue, W. Schalt and G. Waidmann</i>	773
ITER-FEAT reverse shear simulations with a non-linear MHD equilibrium code, <i>A. Beghi, M. Cavinato, A. Cenedese, D. Ciscato, G. Marchiori and A. Portone</i>	777
Plasma vertical stabilization in ITER-FEAT, <i>A. Beghi, M. Cavinato, A. Cenedese, D. Ciscato, G. Marchiori and A. Portone</i>	783
Design of the ITER-FEAT plasma control system by a frequency separation approach, <i>A. Portone</i>	789
<b>Experimental Systems</b>	
From 10 years experience with the Tore Supra ergodic divertor towards its implementation in a next step device, <i>A. Grosman</i>	795
Progress toward an advanced tokamak at DIII-D, <i>A.G. Kellman and The DIII-D Team</i>	801
National Spherical Torus Experiment: engineering overview and research results 1999–2000, <i>C. Neumeyer and NSTX Team</i>	807
Progress of JT-60U facilities and experimental research toward steady high performance plasmas, <i>N. Hosogane and The JT-60 team</i>	813
RFX machine and power supply improvements for RFP advanced studies, <i>R. Piovan, F. Gnesotto, S. Ortolani, W. Baker, O. Barana, P. Bettini, R. Cavazzana, G. Chitarin, S. Dal Bello, A. De Lorenzi, P. Fiorentin, E. Gaio, L. Grando, A. Luchetta, G. Manduchi, G. Marchiori, D. Marcuzzi, A. Masiello, F. Milani, S. Peruzzo, N. Pomaro, P. Sonato, C. Taliercio, V. Toigo, P. Zaccaria, L. Zanotto and G. Zollino</i>	819
The tokamak TSP-AST concept, <i>V.A. Krylov, E.A. Azizov, V.N. Dokouka, R.R. Khayrutdinov, V.A. Korotkov, I.A. Kovan, Y.G. Krasikov, A.V. Krasilnikov, A.B. Mineev, B.G. Mudyugin and V.A. Yagnov</i>	825
Kazakhstan tokamak for material testing conceptual design and basic parameters, <i>V.A. Korotkov, E.A. Azizov, Y.S. Cherepnin, V.N. Dokouka, N. Ya.Dvorkin, R.R. Khayrutdinov, V.A. Krylov, E.G. Kuzmin, I.N. Leykin, A.B. Mineev, V.S. Shkolnik, V.P. Shestakov, G.V. Shapovalov, I.L. Tazhibaeva, L.N. Tikhomirov and V.A. Yagnov</i>	831
Progress of advanced material tokamak experiment (AMTEX) program on JFT-2M, <i>H. Kimura, M. Sato, H. Kawashima, N. Isei, K. Tsuzuki, H. Ogawa, T. Ogawa, Y. Miura, M. Yamamoto, T. Shibata, T. Akiyama, K. Miyachi and JFT-2M Group</i>	837
Development of preionisation systems for RFX, <i>R. Cavazzana, G. Chitarin and N. Pomaro</i>	843
Dynamic analyses of electromagnetic force on ferritic board for AMTEX on JFT-2M, <i>K. Urata, Y. Suzuki, F. Kudough, H. Kimura, Y. Miura and M. Yamamoto</i>	849
Design of an improved vacuum vessel protection for very long pulse operation in Tore Supra, <i>M. Lipa, B. Cantone, P. Garin, R. Mitteau and C. Portafaix</i>	855
Assembly and test of the W7-X demo-cryostat, <i>F. Schauer, H. Bau, I. Bojko, R. Brockmann, J.-H. Feist, B. Hein, M. Pieger-Frey, H. Pirsch, J. Sapper, B. Sombach, J. Stadlbauer, O. Volzke, I. Wald and M. Wanner</i>	861
Operational behaviour of the ASDEX upgrade in-vessel cryo pump, <i>B. Streibl, A. Kaltenberger, H. Kollotzek, K. Mattes, V. Rohde, G. Schall and K. Schindler</i>	867

Electromagnetic analyses for the design of a new active shell for RFX, <i>A. Masiello, S. Peruzzo and G. Zollino</i>	873
Construction of RFP device with minimized insulation gaps, <i>Y. Sato, S. Kiyama and K. Hayase</i>	879
<b>Diagnostics Engineering, Data Acquisition and Remote Participation</b>	
Integration of in-vessel diagnostic sensors in ITER, <i>C.I. Walker, A. Costley, L. DeKock, K. Ebisawa, G. Janeschitz, A. Malaquias, M. Yamada, G. Vayakis and S. Yamamoto</i>	883
Integration of direct-coupled diagnostics into ITER equatorial and upper ports, <i>A. Malaquias, A.E. Costley, K. Ebisawa, G. Janeschitz, G. Vayakis, C. Walker and S. Yamamoto</i>	889
Absolute measurement of D-T neutron flux with a monitor using activation of flowing water, <i>Y. Uno, J. Kaneko, T. Nishitani, F. Maekawa, T. Tanaka, S. Shibata, Y. Ikeda, V. Khripunov, C. Walker, K. Ebisawa and H. Takeuchi</i>	895
The ITER first wall as a source of photo-neutrons, <i>V. Khripunov</i>	899
Neutron irradiation tests on diagnostic components at JAERI, <i>T. Nishitani, T. Shikama, M. Fukao, R. Reichle, T. Sugie, T. Kakuta, S. Kasai, R. Snider and S. Yamamoto</i>	905
Investigation of RIEMF nature in magnetic sensors for ITER, <i>S.E. Bender, V.M. Chernov, P.V. Demenkov, O.A. Plaksin and V.A. Stepanov</i>	911
Round-robin evaluation of optical fibres for plasma diagnostics, <i>B. Brichard, M. Van Uffelen, A.F. Fernandez, F. Berghmans, M. Décréton, E. Hodgson, T. Shikama, T. Kakuta, A. Tomashuk, K. Golant and A. Krasilnikov</i>	917
On the problem of material for the in-vessel mirrors of plasma diagnostics in a fusion reactor, <i>V.G. Konovalov, A.F. Bardamid, V.N. Bondarenko, V.V. Gann, A.N. Shapoval, A.F. Shtan', S.I. Solodovchenko, V.S. Voitsenya and E.N. Zubarev</i>	923
Conceptual design and integration of a diagnostic neutral beam in ITER, <i>E. Di Pietro, A. Costley, T. Inoue, A. Krylov, A. Panasenkov, Y. Utin, G. Vayakis, M. Von Hellerman and M. Yamada</i>	929
The first operation of the advanced heavy ion beam probing diagnostic on the TJ-II flexible heliac, <i>L.I. Krupnik, I.S. Bondarenko, A.A. Chmyga, M.B. Dreval, S.M. Khrebtov, A.D. Komarov, A.S. Kozachok, C. Hidalgo, I. Garcia-Cortes, L. Rodriguez-Rodrigo, A.V. Melnikov, P. Coelho, M. Cunha, B. Goncalves, A. Malaquias, I.S. Nedzelskiy and C.A.F. Varandas</i>	935
Helium doped hydrogen or deuterium beam as cost effective and simple tool for plasma spectroscopy, <i>H.D. Falter, M. Proschek, S. Menhart, F. Aumayr, H.P. Winter, D. Ciric, A. Dines, D. Godden and T.T.C. Jones</i>	941
An adaptive method to identify the plasma magnetic contour from magnetic and polarimetric measurements, <i>P. Bettini, A. Formisano and F. Trevisan</i>	947
The motional stark effect diagnostic at TEXTOR-94, <i>B.S.Q. Elzendoorn and R. Jaspers</i>	953
Vibration measurements of the tokamaks components of TEXTOR and T-10 in operation, <i>P.P. Khvostenko, V.A. Mikhailichenko, V.F. Bogdanov, F.H. Bohn, B. Giesen, I.Y. Kucherenko, O. Neubauer, G.E. Notkin, M.M. Sokolov, A.N. Vertiporokh and S.N. Vostrikov</i>	959
Improved resolution for a multi-fringe phase detection circuit of a far infrared laser interferometer on LHD, <i>Y. Ito, K. Haba, T. Tokuzawa and K. Kawahata</i>	965
Development of the IR interfero-polarimeter for long pulse operation at Tore Supra, <i>C. Gil, D. Elbeze and C. Portafaix</i>	969
The detection of the non-absorbed millimeterwave power during EC heating and current drive, <i>F. Gandini, S. Cirant, M. Hirsch, H.P. Laqua, S. Nowak, A. Bruschi, G. Granucci, V. Erckmann, V. Meller, V. Muzzini, A. Nardone, A. Simonetto, C. Sozzi and N. Spinicchia</i>	975
Recent developments and object-oriented approach in FTU database, <i>A. Bertocchi, G. Bracco, G. Buceti, C. Centioli, F. Iannone, G. Manduchi, U. Nanni, M. Panella, C. Stracuzzi and V. Vitale</i>	981

Update of control and data acquisition in RFX, <i>O. Barana, A. Luchetta, G. Manduchi and C. Taliercio</i>	987
CODAS object monitoring service, <i>M.R. Wheatley and M. Rainford</i>	993
A high speed fibre communication link for measurement & I/O (M&IO-Net), <i>P. Spuig and B. Couturier</i>	999
Recent enhancements to analyzed data acquisition and remote participation at the DIII-D National Fusion Facility, <i>D.P. Schissel, J. Burruss, Q. Peng, J. Schachter, T. Terpstra, K.K. Keith, B.B. McHarg Jr and J.C. Phillips</i>	1005
Design for real-time data acquisition based on streaming technology, <i>N. Hideya, K. Mamoru and LABCOM Group</i>	1011
3D real-time monitoring system for LHD plasma heating experiment, <i>M. Emoto, J. Narlo, O. Kaneko, A. Komori, M. Iima, S. Yamaguchi and S. Sudo</i>	1017
Evolution not revolution in the TCV tokamak control and acquisition system, <i>B.P. Duval, X. Llobet, P.F. Isoz, J.B. Lister, B. Marletaz, P. Marmillod and J.-M. Moret</i>	1023
New developments of the TORE SUPRA acquisition system, <i>Y. Buravand, S. Balme, B. Guillerminet, T. Hutter, J.Y. Pascal and B. Rothan</i>	1029
Automatic check of the RFX machine signals, <i>F. Bellina, N. Pomaro and C. Taliercio</i>	1033
Remote participation technical infrastructure for the JET facilities under EFDA, <i>V. Schmidt and J. How</i>	1039
A software architecture for remote participation at the Textor-94 experiment, <i>B.U. Nideröst, A.A. Gerritsen, P.C. van Haren, W. Lourens, A. Taal, C. Fuchs, G. Kemmerling, M. Korten, W. Kooijman, A.A.M. Oomens and F. Wijnoltz</i>	1045
Database and a worldwide web-application server as a tool for remote participation at TEXTOR-94, <i>A. Krämer-Flecken, W. Elmenhorst, P. Hüttemann, H. Lambertz and B. von Studnitz</i>	1051
Remote Participation at JET from DRFC Cadarache, <i>J. How, A. Maas, J.-M. Theis, Y. Buravand and X. Litaudon</i>	1057
Author Index of Volumes 56-57	1063