

1 Nuclear fusion reactions	1	1.7 μ -catalysed fusion	25
1.1 Exothermic nuclear reactions: fission and fusion	2	1.8 Historical note	27
1.2 Fusion reaction physics	3	2 Thermonuclear fusion and confinement	31
1.2.1 Cross section, reactivity, and reaction rate	3	2.1 Thermonuclear fusion	32
1.2.2 Fusion cross section parametrization	5	2.1.1 Beam fusion versus thermonuclear fusion	32
1.2.3 Penetration factors for non-resonant reactions	7	2.1.2 Ideal ignition temperature	32
1.3 Some important fusion reactions	10	2.2 Plasma confinement	34
1.3.1 Main controlled fusion fuels	12	2.2.1 Magnetic confinement	34
1.3.2 Advanced fusion fuels	13	2.2.2 Inertial confinement	34
1.3.3 p-p cycle	14	2.3 Thermonuclear ignition: MCF versus ICF	35
1.3.4 CNO cycle	14	2.4 Lawson-type and $n\tau T$ ignition conditions for MCF	36
1.3.5 CC reactions	14	2.4.1 Power balance and energy confinement time	36
1.4 Maxwell-averaged fusion reactivities	14	2.4.2 Lawson-type criterion	36
1.4.1 Gamow form for non-resonant reactions	15	2.4.3 $n\tau T$ ignition condition	37
1.4.2 Reactivity of resonant reactions	17	2.5 Conditions for ignition and high gain in ICF	38
1.4.3 Reactivities for controlled fusion fuels	18	2.5.1 Confinement parameter ρR	38
1.5 Fusion reactivity in very high density matter	21	2.5.2 Burn efficiency	40
1.5.1 Electron screened, weakly coupled plasmas	22	2.5.3 The burn parameter H_B	41
1.5.2 Strongly coupled plasma	23	2.6 General requirements for IFE energy production	41
1.5.3 Crystalline solids: pycnonuclear limit	23	2.6.1 Gain required for IFE reactor	41
1.6 Spin polarization of reacting nuclei	24	2.6.2 Admitted fuel mass	42
		2.6.3 High fuel compression	43
		2.6.4 Hot spot ignition and propagating burn	43
2.7 Fuel cycles	44	4.2.2 Ignition condition	82
2.7.1 DT cycle and tritium breeding	44	4.2.3 Self-heating time	85
2.7.2 Deuterium and advanced fuels	45	4.3 Dynamics of hot spot generation	87
		4.4 Hot spot evolution and burn propagation	89
		4.4.1 Early evolution and analytical ignition criterion	89
		4.4.2 Self-regulating burn waves	92
		4.4.3 Regimes of thermonuclear burn propagation	92
3 Inertial confinement by spherical implosion	47	4.5 Volume ignition of optically thick fuel	93
3.1 Simulation of a spherical implosion	48	4.6 Full burn simulations and burn efficiency	96
3.1.1 Target and laser pulse	49	4.7 Ignition of pure deuterium	97
3.1.2 The implosion diagram	50		
3.1.3 Hollow shell targets driven by shaped pulses	51		
3.1.4 Irradiation and implosion	54		
3.1.5 Implosion stagnation and			

無題ドキュメント			
3.1.6	hot spot generation	57	4.8 In summary
3.1.6	Fuel ignition and burn	61	
3.1.7	Summary of simulation results	63	
3.1.8	Optimizing target gain	65	
3.2	Symmetry and stability	65	5 Energy gain
3.2.1	Long-wavelength perturbations	66	5.1 Hot spot ignition model
3.2.2	Rayleigh–Taylor instabilities	69	5.1.1 Target gain, fuel gain, coupling efficiency η
3.3	Fusion target energy output	69	5.1.2 Hot spot
3.4	Historical note	70	5.1.3 Cold fuel: isentrope parameter α
3.5	Bibliographical note	72	5.1.4 Isobaric configuration: pressure p
4 Ignition and burn		75	5.2 Gain curves of the isobaric model
4.1	Power balance of an igniting sphere	76	5.2.1 Dependence on η, α , and p
4.1.1	Fusion power deposition	77	5.2.2 Model gain curves versus detailed computations
4.1.2	Charged fusion products	77	5.3 Limiting gain curves
4.1.3	Neutrons	78	5.3.1 Gain curve for a given fuel mass
4.1.4	Thermal conduction	79	5.3.2 Analytic derivation of the limiting gain
4.1.5	Bremsstrahlung	79	5.3.3 Minimum energy to burn a given fuel mass
4.1.6	Mechanical work	80	5.3.4 Shortcomings and extensions of the model
4.2	Central ignition of pre-assembled fuel	81	
4.2.1	Self-heating condition	81	
5.4	Constrained gain curves and target design	117	6.3.7 Isothermal rarefaction wave
5.4.1	Ablation pressure and velocity of the imploding shell	119	6.4 Radial flows with $u(r, t) \propto r$
5.4.2	Scaling of ignition energy with implosion velocity	119	6.4.1 Homogeneous adiabatic flow
5.4.3	Laser power—laser energy window	121	6.4.2 Kidder’s cumulative implosion
5.5	Gain curves for non-isobaric configurations	123	6.4.3 Stagnating flow
5.5.1	Isochoric assemblies with hot spot	123	6.5 Dimensional analysis
5.5.2	Volume-ignited optically thick DT fuel	124	6.5.1 Π -Theorem
5.5.3	Comparing different configurations and fuels	126	6.5.2 Example: point explosion
6 Hydrodynamics		129	6.6 Symmetry groups and similarity solutions
6.1	Ideal gas dynamics	130	6.6.1 Some elements of Lie group theory of DE
6.1.1	Basic equations in conservative form	130	6.6.2 Lie group of 1D hydrodynamics
6.1.2	Physical limitations	130	6.6.3 Classes of invariant solutions
6.1.3	Euler representation	131	6.6.4 Scale-invariant solutions
			6.6.5 Solutions exponential in time
			6.6.6 S_3 and S_4 symmetry
			6.6.7 New solutions by projection
			6.7 Scale-invariant similarity

		solutions	170	
6.1.4	One-dimensional Lagrange representation	132	6.7.1 Similarity coordinates	171
6.2	Shocks	134	6.7.2 Particle trajectories and characteristics	172
6.2.1	Discontinuities	134	6.7.3 Conservation of mass and entropy	173
6.2.2	Hugoniot condition	135	6.7.4 Reduction to ODE	174
6.2.3	Shock in ideal gas	136	6.7.5 Synopsis of solutions in the U, C plane	176
6.2.4	Weak shocks	136	6.7.6 Singular points	177
6.2.5	Strong shocks	137	6.7.7 Shock boundaries	181
6.2.6	Rarefaction shocks and shock stability	137	6.7.8 Central explosions (P_6 flow)	182
6.3	Plane isentropic flow	138	6.7.9 Cumulative implosions (P_5 flow)	185
6.3.1	Isentropic flow	139	6.7.10 Uniform gas compression	187
6.3.2	Characteristics and Riemann invariants	139	6.7.11 Guderley's imploding shock wave	188
6.3.3	Simple waves	141	6.7.12 Imploding non-isentropic shells	190
6.3.4	Centred rarefaction	143		
6.3.5	Isentropic compression to arbitrary density	144		
6.3.6	Rarefaction in Lagrange coordinates	146		
			7.7.3 X-ray ablation pressure and mass ablation rate	221
			7.7.4 Supersonic X-ray heating	223
7	Thermal waves and ablative drive	195	7.8 Stationary laser-driven ablation	224
7.1	Transport by electrons and photons	196	7.8.1 The role of the critical density	224
7.1.1	General discussion	196	7.8.2 Scaling of laser-driven stationary ablation	225
7.1.2	Diffusion and heat conduction	196	7.8.3 The conduction layer	226
7.2	Electron heat conduction	198	7.9 Stationary ablation fronts in accelerated frame	227
7.2.1	Fokker–Planck treatment	198	7.9.1 Solutions for plane geometry	227
7.2.2	Steep temperature gradients and flux limitation	199	7.9.2 Numerical results	229
7.3	Radiative transport	201	7.10 Spherical rocket drive	230
7.3.1	Spectral intensity and transfer equation	201	7.10.1 The rocket equations	231
7.3.2	Local thermal equilibrium and Kirchhoff's law	202	7.10.2 Spherical implosion parameter	231
7.3.3	Diffusion approximation	203	7.10.3 Implosion velocity and hydrodynamic efficiency	232
7.3.4	Two-temperature grey approximation	204	7.10.4 Implosion velocity and in-flight aspect ratio	234
7.3.5	Radiative heat conduction	204		
7.4	Non-stationary thermal waves	205	8 Hydrodynamic stability	237
7.4.1	Different types of thermal waves	205	8.1 Fluid instabilities and ICF: a preview	238
7.4.2	Self-similar thermal waves: dimensional analysis	206	8.1.1 Rayleigh–Taylor instability	238
7.5	Self-regulating heating wave	209	8.1.2 RTI and ICF	241
7.5.1	The supersonic heating wave	209	8.1.3 Richtmyer–Meshkov instability	242
7.5.2	The ablative heating	209	8.1.4 Kelvin–Helmoltz instability	243

	wave	210	8.2	Stability of plane interfaces	243
7.5.3	Application to laser-driven ablation	210	8.2.1	Potential flow equations for incompressible fluids	243
7.6	Ablative heat wave	213	8.2.2	Fluid boundaries	245
7.6.1	The general solution	213	8.2.3	Small perturbations: linearized equations	246
7.6.2	Application to high-Z wall	214	8.2.4	Normal mode analysis and dispersion relation	247
7.7	Stationary ablation	216	8.2.5	Classical RTI growth rate	249
7.7.1	Deflagration and detonation	217	8.2.6	Influence of viscosity and compressibility on RTI	250
7.7.2	X-ray driven ablation	219			

[1頁](#) [2頁](#)