## Contents

| 1 | Introduction . |  |  |  |  | 1 |
|---|----------------|--|--|--|--|---|
|---|----------------|--|--|--|--|---|

## Part I Nonrelativistic Collisions

| <b>2</b> | Firs | t Orde                   | r Considerations                                  | $\overline{7}$ |  |
|----------|------|--------------------------|---|----------------|--|
|          | 2.1  | Quant                    | um Plane-Wave Born Approximation                  | 7              |  |
|          |      | 2.1.1                    | Elastic Target Mode                               | 9              |  |
|          |      | 2.1.2                    | Inelastic Target Mode                             | 10             |  |
|          |      | 2.1.3                    | Collisions with Large Momentum Transfer.          |                |  |
|          |      |                          | Free Collision Model                              | 10             |  |
|          | 2.2  | Semi-O                   | Classical Approach                                | 12             |  |
| 3        | Con  | siderat                  | ions Beyond First Order Perturbation Theory       | 17             |  |
|          | 3.1  | Second                   | l Order Approximation                             | 17             |  |
|          | 3.2  | Distor                   | ted-Wave Approach                                 | 20             |  |
|          |      | 3.2.1                    | Symmetric Eikonal Model                           | 23             |  |
|          |      | 3.2.2                    | Symmetric Eikonal Model: 'Electrostatic' Approach | 24             |  |
|          |      | 3.2.3                    | An Example of Applications:                       |                |  |
|          |      |                          | Electron Angular Distribution                     | 27             |  |
|          | 3.3  | Coupled Channel Approach |   |                |  |
|          | 3.4  | Sudde                    | n Approximation                                   | 30             |  |
|          |      | 3.4.1                    | Elastic Contribution from the Target              | 31             |  |
|          |      | 3.4.2                    | Total Contribution from the Target                | 32             |  |
|          | 3.5  | Glaub                    | er Approximation                                  | 33             |  |
|          | 3.6  | Classic                  | cal Trajectory Monte Carlo Approach               | 35             |  |
|          | 3.7  | Projec                   | tile Electron Loss. Comparison with Experiment    | 37             |  |
|          |      | 3.7.1                    | Total Loss Cross Section                          | 37             |  |
|          |      | 3.7.2                    | Loss Cross Section Resolved over the Final Charge |                |  |
|          |      |                          | States of the Target                              | 39             |  |
|          |      |                          |   |                |  |

| 3.7.3 | Longitudinal Momentum Distribution of Target  |    |
|-------|---|----|
|       | Recoil Ions   | 40 |
| 3.7.4 | Two-Center Interactions in $3.6 \mathrm{MeV} \mathrm{u}^{-1} \mathrm{C}^{2+} + \mathrm{He}$ |    |
|       | $\rightarrow C^{3+} + He^+ + 2e^-$ Collisions   | 42 |
| 3.7.5 | Mutual Electron Removal in $0.2 \mathrm{MeV} \mathrm{H^-}$ + He                             |    |
|       | Collisions  | 44 |

## Part II Relativistic Collisions

| 4        | Int | oduction to Relativistic Collisions                        | 51 |
|----------|-----|--|----|
|          | 4.1 | Elements of the Special Theory of Relativity               | 51 |
|          |     | 4.1.1 The Lorentz Transformation                           | 52 |
|          |     | 4.1.2 Four-Dimensional Space and Four-Vectors              | 53 |
|          |     | 4.1.3 Relativistic Addition of Velocities                  | 55 |
|          |     | 4.1.4 Transformation of Energy–Momentum                    | 55 |
|          |     | 4.1.5 Transformations of Cross Sections                    | 56 |
|          | 4.2 | The Electromagnetic Field                                  | 57 |
|          |     | 4.2.1 The Maxwell Equations and the Conservation           |    |
|          |     | of Electric Charge   | 57 |
|          |     | 4.2.2 Potentials of the Electromagnetic Field.             |    |
|          |     | Gauge Transformations                                      | 58 |
|          |     | 4.2.3 Maxwell Equations for the Field Potentials           | 59 |
|          | 4.3 | The Dirac Equation   | 60 |
|          |     | 4.3.1 The Hamiltonian Form                                 | 60 |
|          |     | 4.3.2 Gauge Invariance of the Dirac Equation               | 62 |
|          |     | 4.3.3 The Covariant Form                                   | 62 |
|          |     | 4.3.4 Classification of States in a Spherical Potential    | 62 |
| <b>5</b> | Des | criptions of Collisions Within the First Order             |    |
|          | App | roximation in the Projectile–Target Interaction            | 67 |
|          | 5.1 | Preliminary Remarks  | 67 |
|          | 5.2 | Simplified Semi-Classical Consideration                    | 70 |
|          | 5.3 | Plane-Wave Born Approximation                              | 73 |
|          |     | 5.3.1 The Form-Factor Coupling                             | 79 |
|          | 5.4 | Semi-Classical Approximation                               | 79 |
|          |     | 5.4.1 Equivalence of the Semi-Classical and the Plane-Wave |    |
|          |     | Born Treatments  | 82 |
|          | 5.5 | Relativistic Features and the Nonrelativistic Limit        | 83 |
|          | 5.6 | Consideration on the Base of Quantum Electrodynamics       | 84 |
|          | 5.7 | Gauge Independence and the Continuity Equation             | 86 |
|          | 5.8 | Calculations in the Coulomb Gauge                          | 88 |
|          |     | 581 The Longitudinal and The Control of the                |    |
|          |     | 5.5.1 The Longitudinal and Transverse Contributions        |    |

| Contents | IX |
|----------|----|
|----------|----|

| 5.9        | Simpli          | fication of the Atomic Transition Four-Current:        |
|------------|-----------------|--|
|            | The 'N          | Nonrelativistic Atom' Approximation                    |
| - 10       | 5.9.1           | The Effective Atomic Charge                            |
| 5.10       | Manip           | ulations with the Transition Matrix Elements           |
|            | as a C          | hange of Gauge   |
|            | 5.10.1          | Calculations with Approximate States                   |
|            |                 | for the Projectile Electron                            |
| 5.11       | Projec          | tile-Electron Transitions as a Three-Body Problem 100  |
|            | 5.11.1          | Relativistic, Nonrelativistic and Semi-Relativistic    |
|            |                 | Electron Descriptions                                  |
| 5.12       | Relativ         | vistic Ion–Atom Collisions and Nonrelativistic         |
|            | Form-l          | Factors  |
| 5.13       | Electro         | on–Positron Pair Production in Collisions of Bare Ions |
|            | with N          | Veutral Atoms  |
| 5.14       | Two-C           | Center Dielectronic Transitions                        |
|            | 5.14.1          | Mutual Projectile–Target Ionization                    |
|            | 5.14.2          | Radiation Field and Resonant Two-Center                |
|            |                 | Dielectronic Transitions                               |
| The        | orotica         | I Mathada Extanding boyond the Eirst                   |
| Orde       | or $\Lambda$ nn | rovination 191   |
| 6 1        | Colligi         | and with Light Atoma: Proliminant Demarks              |
| 6.2        | Symmetry        | outric Fikonal Model                                   |
| 0.2        | 691             | The Neurolativistic Limit                              |
|            | 622             | The Rolationship with the First Order Theory 195       |
|            | 622             | Projectiles with More Then One Electron 196            |
|            | 0.2.3           | Inclusion of the Nuclear Nuclear Interaction           |
|            | 625             | Colligions with Two Flootnon Atoms                     |
|            | 626             | Some Applications                                      |
| 63         | Colligi         | some Applications                                      |
| 0.5<br>6 4 | Evtron          | a Beletivistic Collisions with Hearn Atams             |
| 0.4        | 6 4 1           | Light Cone Detentiale                                  |
|            | 649             | Classical Electron in the Eicld of a David M           |
|            | 0.4.2           | with the Speed of Light                                |
|            | 612             | Overturn Floatner in the Field of D. (11) M.           |
|            | 0.4.5           | with the Speed of Light                                |
|            | 6.4.4           | Light-Cone Approximation for Ion-Atom Collisions 159   |
|            | 6.4.5           | Collisions at High but Finite $\gamma$ : Combination   |
|            |                 | of the Light-Cone and First Order Approaches 164       |
|            | 6.4.6           | The Light-Cone Approximation for a Nonrelativistic     |
|            |                 | Electron   |
| 6.5        | Collisio        | ons at Relatively Low Energies:                        |
|            | Three-I         | Body Distorted-Wave Models                             |

6

|   |            | <ul> <li>6.5.1 Symmetric Eikonal Approximation</li></ul>  |
|---|------------|---|
|   |            | Approximation   |
|   |            | 6.5.3 The Relationship with the First Order Approximation<br>and with Other Distorted-Wave Models |
|   |            | 6.5.4 Comparison of Relativistic and Semi-Relativistic  |
|   |            | Electron Descriptions   |
|   | 66         | 0.5.5 Higher Orders versus Screening  |
|   | 6.0        | Nonperturbative Approaches 179  |
|   | 0.1        | 6.7.1 Classical Description   |
|   |            | 6.7.2 Collisions at Relatively Low Energies:  |
|   |            | Nonperturbative Quantum Descriptions  |
| 7 | Imp        | act Parameter Dependence of Projectile-Electron   |
|   | Exc        | itation and Loss in Relativistic Collisions   |
|   | 7.1        | Preliminary Remarks   |
|   | 7.2        | Transition Amplitudes   |
|   |            | 7.2.1 Elastic Target Mode   |
|   | 7.0        | 7.2.2 Inelastic Target Mode   |
|   | 1.3        | Excitation of $Bi^{00+}(1s)$ in Collisions with Cu and He   |
|   |            | with Moderately Heavy Atoms 101   |
|   |            | 7.3.2 Screening and Antiscreening in Ultrarelativistic  |
|   |            | Collisions with Very Light Atoms. 'Separation'  |
|   |            | of the Screening and Antiscreening Modes  |
|   |            | in the Impact Parameter Space   |
|   |            | 7.3.3 Comparison between Excitation of Heavy Ions   |
|   |            | in Collisions with Neutral Atoms at Low and High $\gamma  .  .  195$                              |
|   | 7.4        | Higher-Order Effects in the Loss Probability in Collisions  |
|   |            | at Asymptotically Large $\gamma$  |
| 8 | Cro        | ss Sections and Comparison with Experiment  |
|   | 8.1        | Electron Loss in Collisions at Low $\gamma$   |
|   | 8.2        | Excitation and Simultaneous Excitation-Loss in Collisions   |
|   |            | at Low $\gamma$   |
|   |            | 8.2.1 Excitation  |
|   | 0.0        | 8.2.2 Simultaneous Excitation-Loss  |
|   | 8.3<br>0 1 | Electron Loss in Collisions at Moderately High $\gamma$   |
|   | 0.4        | Compositions at high $\gamma$ :<br>Flectron Loss and Capture Cross Sections 215                   |
|   |            | 8.4.1 Electron Loss Cross Sections 216  |
|   |            | 8.4.2 Electron Capture from Pair Production   |
|   | 8.5        | Screening Effects in Free–Free Pair Production  |
|   |            |   |

|     | 8.6      | Charge States of 33 TeV Pb Projectiles Penetrating Solid             |
|-----|----------|--|
|     |          | Targets: Multiple Collision Effects                                  |
|     |          | 8.6.1 Fraction of Hydrogen-Like Ions                                 |
|     |          | 8.6.2 Effective Loss Cross Section                                   |
|     | 8.7      | Differential Loss Cross Sections in Collisions at High $\gamma$ 229  |
|     |          | 8.7.1 Energy Spectra of Electrons Emitted by Projectiles             |
|     |          | Under the Single-Collision Conditions                                |
|     |          | 8.7.2 The Spectrum of Electrons Emitted by 33 TeV Lead               |
|     |          | Ions Penetrating Thin Foils. The Role of Excited                     |
|     |          | States of the Projectile   |
|     | 8.8      | On the Longitudinal and Transverse Contributions                     |
|     |          | to the Total Loss Cross Section                                      |
|     | 8.9      | Loss Cross Sections at Asymptotically High $\gamma$ :                |
|     |          | Saturation Effect  |
|     | 8.10     | Excitation and Break-Up of Pionium in Relativistic                   |
|     |          | Collisions with Neutral Atoms  |
|     | 8.11     | Higher-Order Effects at Asymptotically High $\gamma$                 |
|     |          |  |
| Α   | App      | endix  |
|     | A.I      | Nonrelativistic Atom Approximation for the Screening                 |
|     | • •      | Mode   |
|     | A.2      | The Schrödinger–Pauli Equation and Relativistic                      |
|     |          | Collisions   |
|     |          | A.2.1 Wave Equation for a Nonrelativistic Electron $\frac{\pi^2}{2}$ |
|     |          | and the $-\frac{\Psi^2}{2c^2}\Psi$ Term                              |
|     |          | A.2.2 'First Order' Amplitude and Nonconserved                       |
|     |          | Electron Current   |
|     |          | A.2.3 Correct Form of the First Order Amplitude                      |
|     |          | A.2.4 Few Remarks on the Treatment of the Transformation             |
|     |          | from the Klein–Gordon Equation to the Schrödinger                    |
|     |          | Equation given in Some Textbooks                                     |
|     | A.3      | On the Existence of the 'Overlap' Region                             |
|     |          | A.3.1 Collisions with a Point-Like Charge                            |
|     |          | A.3.2 Collisions with a Neutral Atom                                 |
|     | A.4      | Radiative Atomic Processes and Galilean                              |
|     |          | and Gauge Transformations  |
|     |          | A.4.1 One Radiating Atomic System and Two Reference                  |
|     |          | Frames: Galilean Invariance  |
|     |          | A.4.2 Two Radiating Systems and One Reference Frame:                 |
|     |          | The Problem of Gauge Dependence                                      |
|     |          | A.4.3 Example: Radiative Electron Capture                            |
|     |          | A.4.4 A Gauge Test for the 1B and CDW Models                         |
|     |          | of the Radiative Electron Capture                                    |
| -   | <i>•</i> |  |
| Kei | terene   | ces  |