
Contents

| | |
|---|----------|
| 16 Free-Electron Model of Metals | 1 |
| 16.1 Classical Drude Model | 2 |
| 16.1.1 Basic Assumptions of the Model | 2 |
| 16.1.2 Electrical Conductivity | 5 |
| 16.1.3 Heat Conduction | 9 |
| 16.1.4 Hall Resistance | 11 |
| 16.1.5 AC Conductivity | 14 |
| 16.1.6 High-Frequency Behavior of a Classical Electron Gas | 16 |
| 16.1.7 Magnetic Properties | 20 |
| 16.1.8 Failures of the Drude Model | 22 |
| 16.2 Quantum Mechanical Sommerfeld Model | 24 |
| 16.2.1 Quantum Mechanical States of Free Electrons | 24 |
| 16.2.2 Ground State of the Electron Gas | 28 |
| 16.2.3 Excited Electron and Hole States | 31 |
| 16.2.4 Density of States of the Electron Gas | 32 |
| 16.2.5 Ideal Electron Gas at Finite Temperatures | 34 |
| 16.2.6 Sommerfeld Expansion | 37 |
| 16.2.7 Specific Heat of the Electron Gas | 40 |
| 16.2.8 Equation of State for the Ideal Electron Gas | 42 |
| 16.2.9 Susceptibility of the Electron Gas | 44 |
| 16.3 Electric and Heat Currents in an Electron Gas | 47 |
| 16.3.1 Noninteracting Electrons in a Uniform Electric Field | 47 |
| 16.3.2 Stationary Distribution Function | 49 |
| 16.3.3 Electric and Heat Currents | 53 |
| 16.3.4 Thermoelectric Phenomena | 56 |
| 16.3.5 Galvanomagnetic and Thermomagnetic Phenomena | 61 |
| 16.4 Scattering of Free Electrons by Impurities | 64 |
| 16.4.1 Formal Solution of the Schrödinger Equation | 64 |
| 16.4.2 Approach Based on Scattering Theory | 65 |
| 16.4.3 Friedel Oscillations Around Impurities | 69 |
| 16.4.4 Bound States Around Impurities | 73 |
| 16.5 Inadequacies of the Free-Electron Model | 74 |

| | | | |
|--|-----|---|-----|
| 17 Electrons in the Periodic Potential of a Crystal | 77 | 19.2.4 LMTO Method | 175 |
| 17.1 Band Structure of Electronic States | 78 | 19.3 Band Structure and Fermi Surface of Simple Metals | 178 |
| 17.1.1 Bloch States | 78 | 19.3.1 Monovalent Metals | 178 |
| 17.1.2 Energy Levels of Bloch States | 80 | 19.3.2 Divalent Metals | 182 |
| 17.1.3 Eigenvalue Problem for Equivalent \mathbf{k} Vectors | 82 | 19.3.3 Trivalent Metals | 183 |
| 17.1.4 Role of the Spin–Orbit Interaction | 83 | 19.3.4 Tetravalent Elements | 185 |
| 17.2 Representation of the Band Structure | 84 | 19.3.5 Band Structure of Transition Metals and Rare-Earth Metals | 185 |
| 17.2.1 Reduced-, Repeated-, and Extended-Zone Schemes | 85 | 19.4 Experimental Study of the Band Structure | 187 |
| 17.2.2 Constant-Energy Surfaces and the Fermi Surface | 88 | 19.4.1 Positron Annihilation and Compton Scattering | 187 |
| 17.3 Metals, Insulators, Semiconductors | 89 | 19.4.2 Photoelectron Spectroscopy | 190 |
| 17.4 Bloch Electrons as Quasiparticles | 92 | | |
| 17.4.1 Creation and Annihilation Operators of Bloch States | 92 | | |
| 17.4.2 Effective Mass of Bloch Electrons | 93 | | |
| 17.4.3 Bloch Electrons and Holes | 95 | | |
| 17.4.4 Density of States for Bloch Electrons | 96 | | |
| 17.4.5 Specific Heat and Susceptibility of Bloch Electrons | 98 | | |
| 17.5 Wannier States | 100 | | |
| 17.5.1 Wannier Functions | 100 | | |
| 17.5.2 Creation and Annihilation Operators of Wannier States | 103 | | |
| 17.6 Electron States Around Impurities | 104 | | |
| 18 Simple Models of the Band Structure | 109 | | |
| 18.1 Nearly-Free-Electron Approximation | 109 | | |
| 18.1.1 Band Structure in the Empty Lattice | 110 | | |
| 18.1.2 Fermi Surface in the Empty Lattice | 115 | | |
| 18.1.3 Effects of a Weak Periodic Potential | 120 | | |
| 18.1.4 Lifting of Accidental Degeneracies | 126 | | |
| 18.1.5 Fermi Surface for Nearly Free Electrons | 136 | | |
| 18.2 Tight-Binding Approximation | 139 | | |
| 18.2.1 Broadening of Atomic Levels into Bands | 140 | | |
| 18.2.2 Band of <i>s</i> -Electrons | 143 | | |
| 18.2.3 Band of <i>p</i> -Electrons | 145 | | |
| 19 Methods for Calculating and Measuring the Band Structure | 151 | | |
| 19.1 Matrix Methods | 152 | | |
| 19.1.1 General Formulation of the Problem | 152 | 21.1 Basics of Semiclassical Dynamics | 239 |
| 19.1.2 LCAO Method | 154 | 21.1.1 Velocity of Bloch Electrons | 240 |
| 19.1.3 Plane-Wave Method | 156 | 21.1.2 Semiclassical Equation of Motion | 243 |
| 19.1.4 Orthogonalized-Plane-Wave Method | 157 | 21.1.3 Effective-Mass Tensor | 246 |
| 19.1.5 Pseudopotential Method | 160 | 21.1.4 Motion of Electrons and Holes | 247 |
| 19.2 Variational Methods and Methods Based on Scattering Theory | 164 | 21.2 Bloch Electrons in Uniform Magnetic Fields | 248 |
| 19.2.1 Augmented-Plane-Wave Method | 164 | 21.2.1 Motion in Reciprocal and Real Spaces | 249 |
| 19.2.2 Green Function or KKR Method | 168 | 21.2.2 Open and Closed Orbits in Magnetic Fields | 251 |
| 19.2.3 Physical Interpretation of the KKR Method | 173 | 21.2.3 Cyclotron Frequency in a Closed Orbit | 253 |

| | | |
|-----------|--|------------|
| 21.2.7 | Magnetoacoustic Geometric Oscillations | 265 |
| 21.3 | Size Effects | 268 |
| 21.3.1 | Extinction of the Resonance in Thin Samples | 268 |
| 21.3.2 | Radiofrequency Size Effect | 270 |
| 21.4 | Limitations of the Semiclassical Description | 271 |
| 21.4.1 | Conditions of the Applicability of Semiclassical Dynamics | 272 |
| 21.4.2 | Electric and Magnetic Breakdown | 274 |
| 22 | Electrons in Strong Magnetic Fields | 277 |
| 22.1 | Free Electrons in a Magnetic Field | 277 |
| 22.1.1 | One-Particle Energy Spectrum | 277 |
| 22.1.2 | Degree of Degeneracy of Landau Levels | 281 |
| 22.1.3 | Density of States | 283 |
| 22.1.4 | Visualization of the Landau States | 288 |
| 22.1.5 | Landau States in the Symmetric Gauge | 290 |
| 22.1.6 | Edge States | 294 |
| 22.2 | Landau Diamagnetism | 295 |
| 22.3 | Bloch Electrons in Strong Magnetic Fields | 297 |
| 22.3.1 | Electrons Characterized by an Effective-Mass Tensor | 297 |
| 22.3.2 | Semiclassical Quantization | 300 |
| 22.3.3 | Quantization of the Orbit in Real Space | 301 |
| 22.3.4 | Energy Spectrum in the Tight-Binding Approximation | 302 |
| 22.3.5 | Diamagnetic Susceptibility of Bloch Electrons | 305 |
| 22.4 | Quantum Oscillations in Magnetic Fields | 306 |
| 22.4.1 | Oscillations in a Two-Dimensional Electron Gas | 307 |
| 22.4.2 | Energy of a Three-Dimensional Electron Gas in a Magnetic Field | 310 |
| 22.4.3 | De Haas–van Alphen Effect | 314 |
| 22.4.4 | Role of Spin in Oscillatory Phenomena | 317 |
| 22.4.5 | Oscillations in the Magnetization at Finite Temperatures | 318 |
| 22.4.6 | Oscillations for General Fermi Surfaces | 324 |
| 22.4.7 | Experimental Results | 325 |
| 22.4.8 | Further Oscillation Phenomena | 327 |
| 23 | Electrons in Thermally Vibrating Lattices | 329 |
| 23.1 | Adiabatic Decoupling | 330 |
| 23.2 | Hamiltonian of the Electron–Phonon Interaction | 333 |
| 23.2.1 | Second-Quantized Form of the Hamiltonian | 334 |
| 23.2.2 | Electron–Phonon Matrix Element | 337 |
| 23.2.3 | Deformation Potential | 339 |
| 23.2.4 | Interaction of Electrons with Optical Phonons | 341 |
| 23.3 | Consequences of the Electron–Phonon Interaction | 343 |
| 23.3.1 | Finite Lifetime of Electron States | 344 |

| | | |
|-----------|---|------------|
| 23.3.2 | Polarons | 346 |
| 23.3.3 | Kohn Anomaly and Peierls Instability | 350 |
| 23.3.4 | Jahn–Teller Distortion | 353 |
| 23.3.5 | Effective Electron–Electron Interaction | 355 |
| 24 | Transport Phenomena | 357 |
| 24.1 | General Formulation of Transport Phenomena | 358 |
| 24.1.1 | Currents and Driving Forces | 359 |
| 24.1.2 | Onsager Relations | 360 |
| 24.2 | Boltzmann Equation | 361 |
| 24.2.1 | Nonequilibrium Distribution Function | 362 |
| 24.2.2 | Boltzmann Equation for Electrons | 363 |
| 24.2.3 | Collision Term for Scattering by Lattice Defects | 365 |
| 24.2.4 | Boltzmann Equation for Phonons | 366 |
| 24.2.5 | Coupled Electron–Phonon Systems | 368 |
| 24.3 | Relaxation-Time Approximation | 370 |
| 24.3.1 | Relaxation Time | 370 |
| 24.3.2 | Distribution Function in the Relaxation-Time Approximation | 373 |
| 24.3.3 | DC Conductivity | 376 |
| 24.3.4 | AC and Optical Conductivity | 378 |
| 24.3.5 | General Form of Transport Coefficients | 379 |
| 24.3.6 | Hall Effect | 381 |
| 24.3.7 | Alternative Treatment of Transport in Magnetic Fields | 383 |
| 24.3.8 | Magnetoresistance | 384 |
| 24.4 | Transport Coefficients in Metals and Semiconductors | 387 |
| 24.4.1 | Scattering of Electrons by Impurities | 387 |
| 24.4.2 | Contribution of Electron–Phonon Scattering to the Resistivity | 389 |
| 24.4.3 | Scattering by Magnetic Impurities and the Kondo Effect | 394 |
| 24.4.4 | Electronic Contribution to Thermal Conductivity | 399 |
| 24.4.5 | Phonon Contribution to Thermal Conductivity | 400 |
| 24.4.6 | Transport Coefficients in Semiconductors | 402 |
| 24.5 | Quantum Hall Effect | 405 |
| 25 | Optical Properties of Solids | 411 |
| 25.1 | Interaction of Solids with the Classical Radiation Field | 412 |
| 25.1.1 | Propagation and Absorption of Light in a Dielectric | 413 |
| 25.1.2 | Reflection and Refraction at an Interface | 417 |
| 25.1.3 | Role of Free and Bound Electrons | 420 |
| 25.1.4 | Scattering of Light by Free Electrons | 421 |
| 25.1.5 | Reflectivity of Semiconductors | 426 |
| 25.1.6 | Interaction of Light with Bound Electrons | 427 |
| 25.1.7 | Absorption and Dispersion in Ionic Crystals | 430 |

| | | | | | |
|-----------|--|------------|-------------|---|------------|
| 25.2 | Quantum Mechanical Treatment | 435 | 27.2 | Generation, Motion, and Recombination of Carriers | 533 |
| 25.2.1 | Dielectric Constant of the System of Electrons | 435 | 27.2.1 | Generation and Recombination of Carriers | 534 |
| 25.2.2 | Electron–Photon Interaction | 440 | 27.2.2 | Diffusion and Drift of Carriers | 537 |
| 25.2.3 | Phonon–Photon Interaction | 443 | 27.2.3 | Fundamental Equations of the Physics of Semiconductor Devices | 540 |
| 26 | Superconductivity | 449 | 27.3 | Biased Semiconductor Junctions | 541 |
| 26.1 | Superconductivity: The Phenomenon | 451 | 27.3.1 | Biased Schottky Diodes | 541 |
| 26.1.1 | Vanishing Resistance, Persistent Current | 451 | 27.3.2 | Biased MOS Structures | 545 |
| 26.1.2 | Isotope Effect | 452 | 27.3.3 | Current–Voltage Characteristics of p – n Junctions | 545 |
| 26.1.3 | Meissner–Ochsenfeld Effect | 452 | 27.3.4 | Zener and Avalanche Breakdown in p – n Junctions | 554 |
| 26.1.4 | Critical Field | 455 | 27.3.5 | Tunnel Diodes | 556 |
| 26.1.5 | Thermoelectric Properties | 457 | 27.4 | Simple Semiconductor Devices | 558 |
| 26.1.6 | Specific Heat | 458 | 27.4.1 | Bipolar Transistors | 558 |
| 26.1.7 | Tunneling in SIS and SIN Junctions | 460 | 27.4.2 | Field-Effect Transistors | 560 |
| 26.2 | Superconducting Materials | 461 | 27.4.3 | Semiconductor Lasers and Solar Cells | 562 |
| 26.2.1 | Superconducting Elements | 461 | 27.5 | Semiconductor Quantum Devices | 564 |
| 26.2.2 | Superconducting Compounds | 464 | 27.5.1 | Electron Spectrum of Quantum Wells | 565 |
| 26.2.3 | High-Temperature Superconductors | 466 | 27.5.2 | Quantum Wires and Quantum Dots | 567 |
| 26.3 | Phenomenological Description of Superconductivity | 469 | 27.6 | Basics of Spintronics | 573 |
| 26.3.1 | Thermodynamics of Superconductors | 470 | G | Quantum Mechanical Perturbation Theory | 579 |
| 26.3.2 | Electrodynamics of Superconductors | 474 | G.1 | Time-Independent Perturbation Theory | 579 |
| 26.3.3 | Pippard Coherence Length | 479 | G.1.1 | Nondegenerate Perturbation Theory | 579 |
| 26.3.4 | Flux Quantization | 481 | G.1.2 | Degenerate Perturbation Theory | 583 |
| 26.4 | Ginzburg–Landau Theory | 482 | G.2 | Time-Dependent Perturbation Theory | 584 |
| 26.4.1 | Ginzburg–Landau Equations | 483 | H | Second Quantization | 589 |
| 26.4.2 | Gauge Symmetry Breaking | 485 | H.1 | Occupation-Number Representation | 589 |
| 26.4.3 | Coherence Length and Penetration Depth | 486 | H.2 | Second-Quantized Form of Operators | 593 |
| 26.4.4 | Flux Quantization | 489 | H.2.1 | Second-Quantized Form of One-Particle Operators | 593 |
| 26.4.5 | Energy of the Normal Metal–Superconductor Interface | 491 | H.2.2 | Second-Quantized Form of Two-Particle Operators | 595 |
| 26.4.6 | Vortices | 493 | H.2.3 | Field Operators | 596 |
| 26.4.7 | Upper and Lower Critical Fields | 497 | H.2.4 | Second-Quantized Form of the Electronic Hamiltonian | 597 |
| 26.5 | Josephson Effect | 501 | H.2.5 | Number-Density and Spin-Density Operators | 600 |
| 26.5.1 | Relation Between the Josephson Current and the Phase of the Superconductor | 501 | I | Canonical Transformation | 603 |
| 26.5.2 | DC Josephson Effect | 504 | I.1 | Derivation of an Effective Hamiltonian | 603 |
| 26.5.3 | AC Josephson Effect | 506 | I.1.1 | General Formulation of the Problem | 603 |
| 26.5.4 | Josephson Junctions in a Magnetic Field | 509 | I.1.2 | RKKY Interaction | 605 |
| 27 | Transport of Carriers in Semiconductor Devices | 517 | I.1.3 | Derivation of the s – d Interaction | 611 |
| 27.1 | Interfaces and Junctions | 518 | I.2 | Diagonalization of the Hamiltonian | 612 |
| 27.1.1 | Metal–Semiconductor Interface | 518 | I.2.1 | Bosonic Systems | 613 |
| 27.1.2 | MOS Structures | 525 | I.2.2 | Fermionic Systems | 615 |
| 27.1.3 | p – n Junctions | 526 | | | |
| 27.1.4 | Heterojunctions | 532 | | | |

XVIII Contents

| | |
|-----------------------------|-----|
| Figure Credits | 617 |
| Name Index | 621 |
| Subject Index | 625 |