



# Contents

<b>Preface</b>	<b>vii</b>
<b>Introduction</b>	<b>xxi</b>
<b>I. Functional Integration Method</b>	<b>1</b>
1.1. Functional integrals in statistical physics	1
1.2. Functional integrals and diagram techniques for Bose-particles	2
1.3. Functional integrals and diagram techniques for Fermi-particles	21
1.4. Method of successive integration over fast and slow fields	27
<b>II. Collective Excitations in Superfluid Fermi-Systems with <math>s</math>-Pairing</b>	<b>31</b>
2.1. Effective action functional of the superfluid Fermi-gas	31
2.2. Bose-spectrum of superfluid Fermi-gas	38
2.3. Fermi-gas with Coulomb interaction	51
<b>III. Sound Propagation in Superfluid <math>^3\text{He}</math> and Superconductors</b>	<b>57</b>
3.1. Sound propagation in superfluid $^3\text{He}$	57
3.2. Sound propagation in conventional superconductors	59
3.2.1. Attenuation in the normal state	59
3.2.2. Attenuation in the superconducting state	61
3.2.3. Attenuation in the superconducting state in a magnetic field	62
3.2.4. Velocity at the superconducting transition	63

<b>IV. Superfluid Phases in <math>^3\text{He}</math></b>	<b>65</b>
4.1. Introduction: Fermi-systems with nontrivial pairing	65
4.2. Properties of superfluid phases in $^3\text{He}$	67
<b>V. The Model of <math>^3\text{He}</math></b>	<b>83</b>
5.1. The path integral approach	83
5.2. Kinetic equation method	97
<b>VI. Collective Excitations in the <math>B</math>-Phase of <math>^3\text{H}</math></b>	<b>103</b>
6.1. The quadratic form of action functional	103
6.2. The collective mode frequencies	109
6.3. Dispersion corrections to the collective mode spectrum	114
6.3.1. Dispersion laws for $rsq$ - and $sq$ -modes	114
6.3.2. Dispersion induced splitting of the $rsq$ - and $sq$ -mode	120
6.4. The pair-breaking mode dispersion law	123
6.5. Collective mode spectrum calculated by the kinetic equation method	130
6.6. Fermi-liquid corrections	133
6.7. Textural effects on the squashing modes	134
6.8. Coupling of order-parameter collective modes to ultrasound	141
<b>VII. Collective Excitations in the <math>A</math>-Phase of <math>^3\text{He}</math></b>	<b>151</b>
7.1. $A$ -phase of $^3\text{He}$	151
7.2. The collective mode spectrum in the absence of magnetic fields	152
7.3. The latent symmetry, additional Goldstone modes, $W$ -bosons	166
7.4. The linear Zeeman effect for clapping- and pair-breaking modes	173
7.4.1. The equations for the collective mode spectrum in an arbitrary magnetic field and at arbitrary collective mode momenta	173

7.4.2.	The collective mode spectrum for small magnetic fields and zero collective mode momenta (linear Zeeman effect for clapping and pairbreaking modes)	177
7.5.	Kinetic equation results on collective modes in <i>A</i> -phase	181
7.5.1.	Sound and the order parameter collective modes	181
7.5.2.	Orbital waves and sound	188
7.6.	Textural effects in <i>A</i> -phase	195
<b>VIII.</b>	<b>Identification of <math>^3\text{He-A}</math> by Ultrasound Experiments</b>	<b>203</b>
8.1.	Introduction	203
8.2.	Mermin–Star’s phase diagram analysis	203
8.3.	Axial phase	207
8.3.1.	Ginsburg–Landau model	211
8.3.2.	The second variation of free energy	213
8.4.	Conclusion	216
<b>IX.</b>	<b>Stability of Goldstone Modes</b>	<b>217</b>
9.1.	Stability of Goldstone–modes and their dispersion laws	217
9.2.	Stability of Goldstone–modes in the <i>B</i> -phase	219
9.3.	Stability of Goldstone–modes in the axial <i>A</i> -phase	228
9.4.	Stability of Goldstone–modes in the planar <i>2D</i> -phase	235
<b>X.</b>	<b>Influence of Dipole Interaction and Magnetic Field on Collective Excitations</b>	<b>241</b>
10.1.	The influence of the dipole interaction on collective excitations	241
10.2.	The influence of the magnetic field on collective excitations	255
10.3.	Conclusion	258

<b>XI.</b>	<b>The Influence of the Electric Field on the Collective Excitations in <math>^3\text{He}</math> and <math>^4\text{He}</math></b>	<b>261</b>
11.1.	The energy spectrum and hydrodynamics of $^4\text{He}$ in a strong electric field (macroscopic approach)	261
11.2.	Superfluid Bose-systems in the electric field (microscopic approach)	266
11.3.	The effective action functional for the superfluid $^3\text{He}$ in the electric field	270
11.4.	The influence of the electric field on the Bose-spectrum in the $B$ -phase	274
11.5.	The influence of the electric field on the Bose-spectrum in the $A$ -phase	280
<b>XII.</b>	<b>The Order Parameter Distortion and Collective Modes in <math>^3\text{He}-B</math></b>	<b>285</b>
12.1.	The external perturbations and the order parameter distortions	285
12.2.	The collective mode spectrum under the order parameter distortion	292
12.2.1.	Dipole interaction	295
12.2.2.	Magnetic fields	298
12.2.3.	Electric fields	299
12.2.4.	Superfluid flow	309
12.2.5.	Rotational effects (vortices and gyromagnetism)	311
12.3.	Sound experiments at the absorption edge	312
12.4.	Subdominant $f$ -wave pairing interactions in superfluid $^3\text{He}$	313
<b>XIII.</b>	<b>Splitting of the Squashing Mode and the Method of Superfluid Velocity Measurement in <math>^3\text{He}-B</math></b>	<b>321</b>
13.1.	A doublet splitting of the squashing mode in superfluid $^3\text{He}-B$	321
13.2.	The method of superfluid velocity measurement in $^3\text{He}-B$	328

<b>XIV. Superfluid Phase of <math>^3\text{He-B}</math> Near the Boundary</b>	<b>331</b>
14.1. Introduction	331
14.2. Transverse sound experiments	332
14.3. Possible new phases near the boundary	333
14.4. Different branches of squashing mode	340
14.5. Deformed $B$ -phase	341
14.6. Conclusion	343
<b>XV. Collective Excitations in the Planar <math>2D</math>-Phase of Superfluid <math>^3\text{He}</math></b>	<b>345</b>
15.1. The planar $2D$ -phase of superfluid $^3\text{He}$	345
15.2. Collective modes in $^3\text{He-}2D$ at zero momenta of excitations	348
<b>XVI. Dispersion Induced Splitting of the Collective mode Spectrum in Axial- and Planar-Phases of Superfluid <math>^3\text{He}</math></b>	<b>355</b>
16. 1. Introduction	356
16.2. Axial phase	357
16.2.1. The model of superfluid $^3\text{He}$	359
16.2.2. The equations for the collective mode spectrum in an arbitrary magnetic field and at arbitrary collective mode momenta	361
16.2.3. The dispersion corrections to collective mode spectrum in $^3\text{He-A}$	364
16.3. Planar phase	366
16.3.1. Stability of $2D$ -phase	367
16.3.2. The equations for collective mode spectrum in $^3\text{He-}2D$	370
16.3.3. The equations for collective mode spectrum in $^3\text{He-}2D$ with dispersion corrections	374
16.3.4. The collective mode spectrum in $^3\text{He-}2D$ with dispersion corrections	378
16.4. Conclusion	382

<b>XVII. Collective Excitations in the Polar-Phase</b>	<b>385</b>
17.1. Calculation of the collective mode spectrum	386
17.2. Conclusion	390
<b>XVIII. Collective Mode Spectrum in <math>A_1</math>-Phase of Superfluid <math>^3\text{He}</math></b>	<b>391</b>
18.1. Calculation of the collective mode spectrum	391
18.2. Conclusion	398
<b>XIX. Superfluidity of Two-Dimensional and One-Dimensional Systems</b>	<b>399</b>
19.1. Phase transitions in two-dimensional systems	399
19.2. Two-dimensional superfluidity	401
19.3. Quantum vortices	428
19.4. One-dimensional systems	440
19.5. Superfluidity in Fermi films. Singlet pairing	442
19.6. Triplet pairing. Thick films	446
19.7. Model of $^3\text{He}$ -film	455
19.8. Superfluid phases of a two-dimensional superfluid $^3\text{He}$	458
19.9. Bose-spectrum of the $a$ -phase	468
19.10. Bose-spectrum of the $b$ -phase	476
19.11. The two-dimensional superfluidity must exist!	481
19.12. New possibility for the search of $2D$ -superfluidity in $^3\text{He}$ -films	486
<b>XX. Bose-Spectrum of Superfluid Solutions <math>^3\text{He}</math>-<math>^4\text{He}</math></b>	<b>489</b>
20.1. Superfluidity of $^3\text{He}$ , dissolved in $^4\text{He}$	489
20.2. The case of $s$ -pairing in $^3\text{He}$ . Effective action functional of the $^3\text{He}$ - $^4\text{He}$ solutions	490
20.3. Bose-spectrum of the $^3\text{He}$ - $^4\text{He}$ solution	498
20.4. The case of $p$ -pairing. The effective action functional of the $^3\text{He}$ - $^4\text{He}$ solution	503
20.5. Bose-spectrum of a solution of the type $^3\text{He}$ -B- $^4\text{He}$	509

20.6.	Bose-spectrum of a system of the type ${}^3\text{He-A-}{}^4\text{He}$	518
20.7.	Bose-spectrum of films of the types ${}^3\text{He-a-}{}^4\text{He}$ and ${}^3\text{He-b-}{}^4\text{He}$	524
20.8.	Conclusion	527
<b>XXI.</b>	<b>Novel Sound Phenomena in Impure Superfluids</b>	<b>529</b>
21.1.	Introduction	530
21.2.	Decoupling of first and second sound in pure superfluids	532
21.3.	Sounds coupling in impure superfluids	534
	21.3.1. Superfluids with different impurities, ${}^3\text{He-}{}^4\text{He}$ mixtures	534
	21.3.2. Sounds coupling in superfluid He in aerogel	537
21.4.	Slow pressure (density) oscillations, fast temperature (entropy) oscillations	542
21.5.	Fast mode frequency shift at $T_C(T_\lambda)$	542
21.6.	Difference in nature of first and second sound In impure superfluids	545
21.7.	Sound conversion phenomena	547
	21.7.1. Conservation laws in sound conversion	547
	21.7.2. Sound conversion in pure superfluids	550
	21.7.3. Sound conversion in ${}^3\text{He-}{}^4\text{He}$ mixtures	552
21.8.	Sound conversion experiments in pure superfluids	554
21.9.	Some possible new sound experiments in impure superfluids	555
21.10.	Coupling of two slow modes in superfluid ${}^3\text{He-}{}^4\text{He}$ mixture in aerogel	556
21.11.	Nonlinear hydrodynamic equations for superfluid helium in aerogel	562
21.12.	Putterman's type equations	565
21.13.	Conclusion	568



<b>XXII. Path Integral Approach to the Theory of Crystals</b>	<b>571</b>
<b>XXIII. Effective Interaction of Electrons Near the Fermi–Surface</b>	<b>589</b>
<b>XXIV. The Path Integral Models of <math>p</math>- and <math>d</math>-Pairing for Bulk Superconductors</b>	<b>599</b>
24.1. Models of $p$ - and $d$ -pairing	599
24.2. $p$ -pairing	601
24.3. $d$ -pairing	603
<b>XXV. High Temperature Superconductors (HTSC) and Their Physical Properties</b>	<b>607</b>
25.1. The discovery of HTSC	607
25.2. Physical properties of HTSC	613
25.2.1. Some experimental data	613
<b>XXVI. Symmetry of Order Parameter in HTSC</b>	<b>623</b>
26.1. Introduction	623
26.1.1. Superconductivity and broken symmetry	624
26.1.2. The symmetry group	630
26.2. Symmetry classification of HTSC states	632
26.2.1. Square lattice	632
26.2.2. Tetragonal lattice	634
26.2.3. The orthorhombic lattice	636
26.2.4. Electron–hole symmetry	639
26.3. Singlet states	641
26.3.1. The gap functions	641
26.3.2. Mixing of states of different irreducible representations	643
26.3.3. Orthorhombicity and twins	650
26.3.4. Multilayer structures	651
26.4. Pairing symmetry and pairing interactions	653
26.4.1. Two scenarios for $d$ -wave pairing	654
26.4.2. Tests of the pairing interaction	657

26.4.3.	Influence of electron–phonon interaction on $d_{x^2-y^2}$ -pairing	661
26.5.	Experimental symmetry probes	668
26.5.1.	Josephson effects	669
26.5.2.	Magnetic induction of $d_{x^2-y^2} + id_{xy}$ order in HTSC	677
26.5.3.	Transition splitting, spontaneous strain and magnetism	679
26.5.4.	Critical phenomena and Gaussian fluctuations	682
26.5.5.	Collective modes	686
26.5.6.	Exotic vortices	690
26.5.7.	Probes of the gap function	693
26.5.8.	Distinction of a scalar from a tensor Order parameter	695
26.6.	Experimental evidence for $d_{x^2-y^2}$ pairing	696
26.6.1.	“Clean samples”	696
26.6.2.	Impurities	701
26.7.	Irradiation studies	704
26.8.	List of abridgements for chapters XXV and XXVI	708
<b>XXVII.</b>	<b><i>D</i>-Pairing in HTSC</b>	<b>711</b>
27.1.	Introduction	711
27.2.	Bulk HTSC under <i>d</i> -pairing	713
<b>XXVIII.</b>	<b>How to Distinguish the Mixture of Two <i>d</i>-Wave States from Pure <i>d</i>-Wave State of HTSC</b>	<b>721</b>
28.1.	The mixture of two <i>d</i> -wave states	721
28.2.	Equations for collective modes spectrum in a mixed <i>d</i> -wave state of unconventional superconductors	723
28.2.1.	Model for mixed state	723
28.2.2.	Equations for collective modes spectrum in a mixed <i>d</i> -wave state at arbitrary admixture of $d_{xy}$ state	727

28.2.3.	Equations for collective modes spectrum in a mixed $d$ -wave state at an equal admixtures of $d_{x^2-y^2}$ and $d_{xy}$ states	732
28.2.4.	$d_{x^2-y^2}$ -state of high temperature superconductors with a small admixture of $d_{xy}$ -state	735
28.3.	Conclusion	738
<b>XXIX.</b>	<b><math>p</math>-Wave Superconductors</b>	<b>741</b>
29.1.	Introduction	741
29.2.	Bulk $p$ -wave superconductivity	741
<b>XXX.</b>	<b>Two Dimensional <math>p</math>- and <math>d</math>-Wave Superconductivity</b>	<b>755</b>
30.1.	Two-dimensional models of $p$ - and $d$ -pairing in USC	755
30.2.	$p$ -pairing	755
30.2.1.	Two-dimensional $p$ -wave superconducting states	756
30.2.2.	The collective mode spectrum	758
30.3.	Two-dimensional $d$ -wave superconductivity	760
30.3.1.	2D-model of $d$ -pairing in $\text{CuO}_2$ planes of HTSC	760
30.3.2.	The collective mode spectrum	763
30.3.3.	Lattice symmetry and collective mode spectrum	764
<b>XXXI.</b>	<b>Collective Modes in the Heavy-Fermion Superconductors</b>	<b>765</b>
31.1.	Physical properties of heavy-fermion superconductors	765
31.2.	Bulk heavy-fermion superconductors under $d$ -pairing	767
31.3.	Conclusion	772

<b>XXXII. Other Application of the Theory of Collective Excitations</b>	<b>775</b>
32.1. Relativistic analogs of ${}^3\text{He}$	775
<b>References</b>	<b>781</b>
<b>About the Authors</b>	<b>811</b>