

AIP Conference Proceedings, Volume 1390
Second International Symposium on Negative Ions, Beams and Sources

Table of Contents

Preface: Second International Symposium on Negative Ions, Beams and Sources Yasuhiko Takeiri	1
Symposium Organization	3
List of Participants	5
FUNDAMENTAL PROCESSES AND MODELING	
The negative ion mean free path and its possible implications M. Bacal, R. McAdams, and B. Lepetit	13
3D Monte Carlo modeling of the EEDF in negative hydrogen ion sources R. Terasaki, A. Hatayama, T. Shibata, and T. Inoue	22
Origin of extracted negative ions by 3D PIC-MCC modeling. Surface vs volume comparison S. Mochalsky, A. F. Lifschitz, and T. Minea	30
Modeling of neutrals and H⁻ transport in a large negative ion source N. Kameyama, D. Matsushita, S. Koga, R. Terasaki, and A. Hatayama	39
Fluid model analysis of the distribution of the negative ion density before the extraction from a tandem type of a plasma source Stiliyan St. Lishev, Antonia P. Shivarova, and Khristo Ts. Tarnev	48
Numerical analysis of the extraction of volume produced negative hydrogen ions in the extraction region of negative ion source S. Wada, S. Kuppel, T. Fukuyama, K. Miyamoto, A. Hatayama, and M. Bacal	58
Electric potential near the extraction region in negative ion sources with surface produced negative ions A. Fukano and A. Hatayama	68
A sheath model for negative ion sources including the formation of a virtual cathode R. McAdams, D. B. King, A. J. T. Holmes, and E. Surrey	78
About the extraction of surface produced ions in negative ion sources Francesco Taccogna, Pierpaolo Minelli, Savino Longo, and Mario Capitelli	88
Fluid and kinetic models of negative ion sheaths M. Cavenago	97

Monitoring surface condition of plasma grid of a negative hydrogen ion source M. Wada, T. Kasuya, T. Kenmotsu, and S. Tokushige	107
Effect of ion escape velocity and conversion surface material on H⁻ production O. Tarvainen, T. Kalvas, J. Komppula, H. Koivisto, E. Geros, J. Stelzer, G. Rouleau, K. F. Johnson, and J. Carmichael	113
Towards understanding the cesium cycle of the persistent H⁻ beams at SNS Martin P. Stockli, B. X. Han, S. N. Murray, T. R. Pennisi, M. Santana, and R. F. Welton	123
Simulation studies of hydrogen ion reflection from tungsten for the surface production of negative hydrogen ions Takahiro Kenmotsu and Motoi Wada	134
A discharge with a magnetic X-point as a negative hydrogen ion source Tsanko Tsankov and Uwe Czarnetzki	140
Cusp loss width in multicusp negative ion source: A rigorous mathematical treatment Ajeet Kumar and V. K. Senecha	150
Low-pressure small-radius hydrogen discharge as a volume-production based source of negative ions Tsvetelina V. Paunskaa, Antonia P. Shivarova, and Khristo Ts. Tarnev	165
Vibrational states of hydrogen molecules in one third LHD negative ion source M. Nishiura, Y. Matsumoto, K. Tsumori, M. Wada, and T. Inoue	175
Factors affecting VUV emission spectrum near Lyman-α from a hydrogen plasma source K. Ogino, T. Kasuya, Y. Kimura, M. Nishiura, S. Shimamoto, and M. Wada	186
Laser-photodetachment and Faraday-cup measurements in the expansion region of a tandem-type plasma source Stiliyan St. Lishev and Antonia P. Shivarova	192
ION SOURCES FOR ACCELERATORS	
Latest results from the front end test stand high performance H⁻ ion source at RAL D. C. Faircloth, S. R. Lawrie, A. P. Letchford, C. Gabor, M. Whitehead, T. Wood, and M. Perkins	205
Performance of the H⁻ ion source supporting 1-MW beam operations at SNS B. X. Han, T. Hardek, Y. Kang, S. N. Murray Jr., T. R. Pennisi, C. Piller, M. Santana, R. F. Welton, and M. P. Stockli	216
Ion source development at the SNS R. F. Welton, N. J. Desai, B. X. Han, E. A. Kenik, S. N. Murray, T. R. Pennisi, K. G. Potter, B. R. Lang, M. Santana, and M. P. Stockli	226

Operation status of the J-PARC negative hydrogen ion source H. Oguri, K. Ikegami, K. Ohkoshi, Y. Namekawa, and A. Ueno	235
Measurement of optical emission from the hydrogen plasma of the Linac4 ion source and the SPL plasma generator J. Lettry, S. Bertolo, A. Castel, E. Chaudet, J.-F. Ecarnot, G. Favre, F. Fayet, J.-M. Geisser, M. Haase, A. Habert, J. Hansen, S. Joffe, M. Kronberger, D. Lombard, A. Marmillon, J. Marques Balula, S. Mathot, O. Midttun, P. Moyret, D. Nisbet, M. O'Neil, M. Paoluzzi, L. Prever-Loiri, J. Sanchez Arias, C. Schmitzer, R. Scrivens, D. Steyaert, H. Vestergard, and M. Wilhelmsson	245
Magnetic cusp configuration of the SPL plasma generator Matthias Kronberger, Elodie Chaudet, Gilles Favre, Jacques Lettry, Detlef Kuchler, Pierre Moyret, Mauro Paoluzzi, Laurent Prever-Loiri, Claus Schmitzer, Richard Scrivens, and Didier Steyaert	255
CERN LINAC4 H⁻ source and SPL plasma generator RF systems, RF power coupling and impedance measurements M. M. Paoluzzi, M. Haase, J. Marques Balula, and D. Nisbet	265
Operation of negative ion sources at the cooler synchrotron COSY/Jülich R. Gebel, O. Felden, and R. Maier	272
Ion source development for the proposed FNAL 750keV injector upgrade D. S. Bollinger	284
Impedance measurement of an antenna with hydrogen plasma driven by 13.56MHz-rf for J-PARC H⁻ ion source A. Ueno, Y. Namekawa, K. Ohkoshi, K. Ikegami, and H. Oguri	292
ION SOURCES FOR FUSION	
Dependence of the performance of the long pulse RF driven negative ion source on the magnetic filter field W. Kraus, U. Fantz, D. Wunderlich, and NNBI Team	303
Beam homogeneity dependence on the magnetic filter field at the IPP test facility MANITU P. Franzen, U. Fantz, and NNBI Team	310
Characteristics of hydrogen negative ion source with FET based RF system A. Ando, T. Matsuno, T. Funaoi, N. Tanaka, K. Tsumori, and Y. Takeiri	322
Improvement of plasma production for large area multi-antenna RF ion source Y. Oka, T. Shoji, and NIFS-NBI Group	329
Analysis of discharge initiation in a RF hydrogen negative ion source T. Hayami, S. Yoshinari, R. Terasaki, A. Hatayama, and A. Fukano	339
Quantification of cesium in negative hydrogen ion sources by laser absorption spectroscopy U. Fantz, Ch. Wimmer, and NNBI Team	348

Cavity ring-down system for density measurement of negative hydrogen ion on negative ion source	
Haruhisa Nakano, Katsuyoshi Tsumori, Kenichi Nagaoka, Masayuki Shibuya, Ursel Fantz, Masashi Kisaki, Katsunori Ikeda, Masaki Osakabe, Osamu Kaneko, Eiji Asano, Tomoki Kondo, Mamoru Sato, Seiji Komada, Haruo Sekiguchi, and Yasuhiko Takeiri	359
Comparison of optical emission spectroscopy and cavity ring-down spectroscopy in large-scaled negative-ion source	
K. Ikeda, H. Nakano, K. Tsumori, U. Fantz, O. Kaneko, M. Kisaki, K. Nagaoka, M. Osakabe, and Y. Takeiri	367
Measurement of electron density near plasma grid of large-scaled negative ion source by means of millimeter-wave interferometer	
K. Nagaoka, T. Tokuzawa, K. Tsumori, H. Nakano, Y. Ito, M. Osakabe, K. Ikeda, M. Kisaki, M. Shibuya, M. Sato, S. Komada, T. Kondo, H. Hayashi, E. Asano, Y. Takeiri, O. Kaneko, and NBI Group	374
Experimental mapping and benchmarking of magnetic field codes on the LHD ion accelerator	
G. Chitarin, P. Agostinetti, A. Gallo, N. Marconato, H. Nakano, G. Serianni, Y. Takeiri, and K. Tsumori	381

OTHER ION SOURCES

Production of a high brightness H^- beam by charge exchange of a hydrogen atom beam in a sodium jet	
V. Davydenko, A. Ivanov, A. Kolmogorov, and A. Zelenski	393
Study of fluctuations in the CW Penning surface-plasma source of negative ions	
Yuri Belchenko, Andrey Sanin, and Valery Savkin	401
Surface plasma source electrode activation by surface impurities	
Vadim Dudnikov, B. Han, Rolland P. Johnson, S. N. Murray, T. R. Pennisi, M. Santana, Martin P. Stockli, and R. F. Welton	411
Negative hydrogen ion beam extracted from a Bernas-type ion source	
N. Miyamoto and M. Wada	422
Development of hydrogen pair-ion source on the basis of catalytic ionization	
W. Oohara, T. Maeda, and T. Higuchi	430

BEAM FORMATION, ACCELERATION, NEUTRALIZATION AND TRANSPORT

Application of 3D code IBSimu for designing an H^-/D^- extraction system for the Texas A&M facility upgrade	
T. Kalvas, O. Tarvainen, H. Clark, J. Brinkley, and J. Ärje	439

Improvement of voltage holding and high current beam acceleration by MeV accelerator for ITER NB	
M. Taniguchi, M. Kashiwagi, T. Inoue, N. Umeda, K. Watanabe, H. Tobar, M. Dairaku, H. Yamanaka, K. Tsuchida, A. Kojima, M. Hanada, and K. Sakamoto	449
Study of beamlet deflection and its compensations in a MeV accelerator	
Mieko Kashiwagi, Takashi Inoue, Masaki Taniguchi, Naotaka Umeda, Larry R. Grisham, Masayuki Dairaku, Jumpei Takemoto, Hiroyuki Tobar, Kazuki Tsuchida, Kazuhiro Watanabe, Haruhiko Yamanaka, and Keishi Sakamoto	457
Acceleration of 500 keV negative ion beams by tuning vacuum insulation distance on JT-60 negative ion source	
A. Kojima, M. Hanada, Y. Tanaka, M. Taniguchi, M. Kashiwagi, T. Inoue, N. Umeda, K. Watanabe, H. Tobar, S. Kobayashi, Y. Yamano, L. R. Grisham, and JT-60 NBI Group	466
Magnetic insulation for electrostatic accelerators	
L. R. Grisham	476
Space charge neutralization of DEMO relevant negative ion beams at low gas density	
Elizabeth Surrey and Michael Porton	482
SIPHORE: Conceptual study of a high efficiency neutral beam injector based on photo-detachment for future fusion reactors	
A. Simonin, L. Christin, H. de Esch, P. Garibaldi, C. Grand, F. Villecroze, C. Blondel, C. Delsart, C. Drag, M. Vandevraye, A. Brillet, and W. Chaibi	494
Improving negative ion beam quality and purity with a RF quadrupole cooler	
Y. Liu	505
BEAMLINES AND FACILITIES	
Stability of high power beam injection in negative-ion-based LHD-NBI	
K. Tsumori, O. Kaneko, Y. Takeiri, M. Osakabe, K. Ikeda, K. Nagaoka, H. Nakano, M. Shibuya, E. Asano, T. Kondo, M. Sato, S. Komada, and H. Sekiguchi	517
Modeling activities on the negative-ion-based neutral beam injectors of the large helical device	
P. Agostinetti, V. Antoni, M. Cavenago, G. Chitarin, H. Nakano, N. Pisan, G. Serianni, P. Veltri, Y. Takeiri, and K. Tsumori	526
Development of the JT-60SA neutral beam injectors	
M. Hanada, A. Kojima, T. Inoue, K. Watanabe, M. Taniguchi, M. Kashiwagi, H. Tobar, N. Umeda, N. Akino, M. Kazawa, K. Oasa, M. Komata, K. Usui, K. Mogaki, S. Sasaki, K. Kikuchi, S. Nemoto, K. Ohshima, Y. Endo, T. Simizu, N. Kubo, M. Kawai, and L. R. Grisham	536
Status of the 1 MeV accelerator design for ITER NBI	
M. Kuriyama, D. Boilson, R. Hemsworth, L. Svensson, J. Graceffa, B. Schunke, H. Decamps, M. Tanaka, T. Bonicelli, A. Masiello, M. Bigi, G. Chitarin, A. Luchetta, D. Marcuzzi, R. Pasqualotto, N. Pomaro, G. Serianni, P. Sonato, V. Toigo, P. Zaccaria, W. Kraus, P. Franzen, B. Heinemann, T. Inoue, K. Watanabe, M. Kashiwagi, M. Taniguchi, H. Tobar, and H. De Esch	545

Design and overview of 100 kV bushing for the DNB injector of ITER	
Sejal Shah, S. Rajesh, S. Nishad, B. Srusti, M. Bandyopadhyay, C. Rotti, M. J. Singh, G. Roopesh, A. K. Chakraborty, B. Schunke, R. Hemsworth, J. Chareyre, and L. Svensson	555
RAMI analyses of heating neutral beam and diagnostic neutral beam systems for ITER	
D. H. Chang, S. Lee, R. Hemsworth, D. van Houtte, K. Okayama, F. Sagot, B. Schunke, and L. Svensson	567
Physics and engineering studies on the MITICA accelerator: Comparison among possible design solutions	
P. Agostinetti, V. Antoni, M. Cavenago, G. Chitarin, N. Pilan, D. Marcuzzi, G. Serianni, and P. Veltri	574
Numerical assessment of the diagnostic capabilities of the instrumented calorimeter for SPIDER (STRIKE)	
M. Dalla Palma, M. De Muri, R. Pasqualotto, A. Rizzolo, G. Serianni, and P. Veltri	584
Sensitivity analysis of the off-normal conditions of the SPIDER accelerator	
P. Veltri, P. Agostinetti, V. Antoni, M. Cavenago, G. Chitarin, N. Marconato, N. Pilan, E. Sartori, and G. Serianni	594
RF - plasma source commissioning in Indian negative ion facility	
M. J. Singh, M. Bandyopadhyay, G. Bansal, A. Gahlaut, J. Soni, Sunil Kumar, K. Pandya, K. G. Parmar, J. Sonara, Ratnakar Yadava, A. K. Chakraborty, W. Kraus, B. Heinemann, R. Riedl, S. Obermayer, C. Martens, P. Franzen, and U. Fantz	604
Cesium delivery system for negative ion source at IPR	
G. Bansal, K. Pandya, M. Bandyopadhyay, A. Chakraborty, M. J. Singh, J. Soni, A. Gahlaut, and K. G. Parmar	614
Conceptual design, implementation and commissioning of data acquisition and control system for negative ion source at IPR	
Jignesh Soni, Ratnakar Yadav, A. Gahlaut, G. Bansal, M. J. Singh, M. Bandyopadhyay, K. G. Parmar, K. Pandya, and A. Chakraborty	624
Computer system for unattended control of negative ion source	
P. V. Zubarev, A. D. Khilchenko, A. N. Kvashnin, D. V. Moiseev, E. A. Puriga, A. L. Sanin, and V. Ya. Savkin	634
Status of NIO1 construction	
M. Cavenago, E. Fagotti, M. Poggi, G. Serianni, V. Antoni, M. Bigi, F. Fellin, E. Gazza, M. Recchia, P. Veltri, S. Petrenko, and T. Kulevoy	640
Simulation and design of a reflection magnet for the EAST neutral beam system	
Liang Li Zhen and Hu Chun Dong	650

NEW APPROACHES AND APPLICATIONS

Negative ions for emerging interdisciplinary applications	
Samar K. Guharay	661

Extraction and acceleration of ions from an ion-ion plasma Lara Popelier, Ane Aanesland, and Pascal Chabert	668
Development of a negative hydrogen ion source for spatial beam profile measurement of a high intensity positive ion beam Katsuhiro Shinto, Motoi Wada, Tomoaki Nishida, Yasuhiro Demura, Daichi Sasaki, Katsuyoshi Tsumori, Masaki Nishiura, Osamu Kaneko, Masashi Kasaki, and Mamiko Sasao	675
Electron strippers for compact neutron generators K. Terai, N. Tanaka, M. Kasaki, K. Tsugawa, A. Okamoto, S. Kitajima, M. Sasao, T. Takeno, A. J. Antolak, K. N. Leung, and M. Wada	684
Extraction of low-energy negative oxygen ions for thin film formation M. Vasquez, Jr., D. Sasaki, T. Kasuya, S. Maeno, and M. Wada	692
Author Index	701