



## **PART THREE**

### **Bulk and Thin Film**

- Superconducting properties and structures in Bi-2212 oxide synthesized by a diffusion process 1427  
*Y. Yamada, Y. Hishinuma, F. Yamashita, K. Wada and K. Tachikawa*
- Influence of composition on microstructures and formation of the (Bi,Pb)-2223 phase in the partial-melting and sintering process 1431  
*X. Y. Lu, A. Nagata, M. Yasuda, K. Sugawara and S. Kamada*
- Effect of silver addition on superconducting properties of Bi-2223 1435  
*K. Kawasaki, H. Ikeda, R. Yoshizaki and K. Yoshikawa*

The effect of the nominal composition on seeded melt grown Y-Ba-Cu-O crystals <i>S. Takebayashi, I.-Y. Sang and M. Murakami</i>	1439
Effect of Pt addition on Y-Ba-Cu-F-O superconductors <i>T. Akune, K. Mizusaki, S. Iwaski, N. Sakamoto, T. Hamada and T. Ogushi</i>	1443
Kinetics of $\text{YBa}_2\text{Cu}_3\text{O}_x$ formation and crystal defects in PMP-processed superconductor <i>L.-A. Zhou, K.-G. Wang, P.-X. Zhang, P. Ji, X.-Z. Wu, S.-K. Cheng</i>	1447
Synthesis of 90 K superconductor $\text{Y}_{0.9}\text{Ca}_{0.1}\text{Ba}_2\text{Cu}_4\text{O}_8$ at ambient pressure <i>X. G. Zheng, H. Kuriyaki, M. Suzuki, M. Taira, C. Xu and K. Hirakawa</i>	1451
New process to control critical currents of $\text{NdBa}_2\text{Cu}_3\text{O}_{7-\Delta}$ <i>Y. Shiohara, M. Nakamura, T. Hirayama, Y. Yamada and Y. Ikuhara</i>	1455
Microstructure and superconductive properties of $\text{NdBa}_2\text{Cu}_3\text{O}_x$ superconductor prepared by floating zone melting method <i>S. Matsuoka, M. Sumida, T. Umeda and Y. Shiohara</i>	1459
Critical-current densities of twin-free $\text{Nd}(\text{Ba}_{1-x}\text{Nd}_x)_2\text{Cu}_3\text{O}_{7-\Delta}$ single crystals grown by the traveling-solvent floating-zone method <i>T. Egi, J.-G. Wen, T. Machi, K. Kuroda, H. Unoki and N. Koshizuka</i>	1463
$\text{NdBa}_2\text{Cu}_3\text{O}_{7-\Delta}$ single crystal growth by the traveling-solvent floating-zone method <i>K. Kuroda, I.-H. Choi, T. Egi, H. Unoki and N. Koshizuka</i>	1467
Improvement in $I_c$ - $B$ performance of Tl-base high- $T_c$ oxides prepared by a diffusion process <i>K. Tachikawa, A. Kikuchi and M. Ogasawara</i>	1471
The effects of $\text{V}_2\text{O}_5$ addition on the superconducting properties of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\Delta}$ <i>Z.-Q. Yang, X.-Z. Su, H. Tang, D. Zeng, C. Zhang, Y.-Z. Wang and G.-W. Qiao</i>	1475
Influence of the substrate on the anisotropy of the critical current in sputtered YBCO films <i>O. Sarrhini, J. Baixeras and A. Kreisler</i>	1479
Effect of early stage deposition conditions on properties of Y-Ba-Cu-O thick films prepared by laser ablation <i>K. Shingai, Y. Yamagata, T. Ikegami and K. Ebihara</i>	1483
Significant improvement in the surface morphology of off-center magnetron sputtered $\text{EuBa}_2\text{Cu}_3\text{O}_{7-\Delta}$ films on MgO <i>K. Tsuru, S. Karimoto, S. Kubo and M. Suzuki</i>	1487
Fabrication of Hg-Ba-(Ca)-Cu-O thin films by DC sputtering <i>S. Koba, T. Ogushi, S. Higo, Y. Hakuraku and I. Kawano</i>	1491
Preparation of BiSrCaCuO thin films on $R$ -plane sapphire substrates with MgO buffer layer <i>Y. Hakuraku, K. Maezono, H. Ueda, S. Koba, S. Higo and T. Ogushi</i>	1495
Improvement of magnetic shielding effect for an YBCO thick-film cylinder by using a hybrid ferromagnetic cylinder <i>M. Itoh, F. Pavese, M. Bianco, M. Vanolo, K. Mori and T. Minemoto</i>	1499
<b>Magnetic Properties</b>	
Flux pinning and flux dynamics in high- $T_c$ superconductors <i>T. Fujiyoshi, T. Sueyoshi, T. Yatsuda and R. Nishihara</i>	1505
Entrapment of Y211 particles and $J_c$ properties in melt-processed Y123 crystals <i>A. Endo, H. S. Chauhan and Y. Shiohara</i>	1509

Thermomagnetic behaviors related to pulse excitation for HTS permanent magnets <i>M. Qiu, S. Han and L.-Z. Lin</i>	1513
Effect of crossed flux on magnetization and magnetization dynamics in melt-textured $Y_1Ba_2Cu_3O_{7-\Delta}$ <i>S. Manzoor and S. K. Hasanain</i>	1517
Electronic structure calculations of impurities pinning magnetic flux lines in oxide superconductors <i>K. Fukushima</i>	1521
Flux-line depinning of vibrating ceramic $YBa_2Cu_3O_{7-\Delta}$ <i>Y. Fujii, H. Hamada, K. Takahashi, Y. Yamamoto, T. Shigematsu, M. Nakamura, M. Yamaguchi and T. Shigi</i>	1525
Critical state and magnetization property of thin YBCO films in perpendicular magnetic fields <i>Y. Mawatari, A. Sawa, H. Obara and H. Yamasaki</i>	1529
Surface morphology of oxygen-deficient $YBa_2Cu_3O_{7-\Delta}$ thin films <i>G. Samadi Hosseinali, Y. Meslmani, H. W. Weber, E. Stangl, S. Proyer and D. Bäuerle</i>	1533
Magnetic response of a single-crystal $YBa_2Cu_3O_y$ thin film <i>H. Yasuoka, S. Tochihara, H. Mazaki, M. Komatsu and M. Nagano</i>	1537
Intergranular coupling and secondary phases in $(Bi_{2-x},Pb_x)Sr_2Ca_2Cu_3O_{10\pm\Delta}/Ag$ tapes <i>C. M. Friend, L. Le Lay, T. P. Beales, M. Penny and C. Beduz</i>	1541
Intergranular magnetization of $Pb-Bi-Sr-Ca-Cu-O/Ag$ tapes <i>C. Andrikidis, K.-H. Müller, H. K. Liu and S. X. Dou</i>	1545
Intergranular and intragranular AC hysteresis losses in monofilamentary $Pb-Bi-Sr-Ca-Cu-O/Ag$ tapes <i>K.-H. Müller, C. Andrikidis, H. K. Liu and S. X. Dou</i>	1549
Flux flow and flux creep for circulating current in $Bi(2223)$ and $Bi(2212)$ cylindrical bulk superconductors <i>T. Yasunaga and D. Ito</i>	1553
Critical currents and irreversibility in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$ tape <i>K. Zadro, E. Babić, I. Kúsević, J. Horvat, H. K. Liu and S. X. Dou</i>	1557
Reversible fluxoid motion in superconducting fullerene $Rb_3C_{60}$ <i>N. Sakamoto, Y. Ide, T. Akune, M. Baenitz and K. Lüders</i>	1561
<b>Transport Properties</b>	
On the scaling of the transport characteristics in high $T_c$ superconductors from the view point of pin-fluctuation <i>T. Kiss, T. Nakamura, M. Takeo, F. Irie and K. Yamafuji</i>	1567
Transport properties of $Bi-2212$ single crystals <i>T. Tsukamoto, H. Andoh, T. Sugiura, G. Triscone, J.-Y. Genoud, E. Walker and N. Hase</i>	1571
Electrical properties of $Ag$ sheathed $Bi-2223$ tapes <i>H. Ii, A. Kimura, M. Mimura, N. Uno, Y. Tanaka, H. Ishii, S. Honjo and T. Hara</i>	1575
Irreversible properties of $Tl$ -based high- $T_c$ superconductors <i>G. Brandstätter, G. Samadi Hosseinali, K. Kundzins, Y. Meslmani, F. M. Sauerzopf, W. Straif, B. Starchl and H. W. Weber</i>	1579

Scaling behavior of current-voltage characteristics in single- and poly-crystalline YBCO films <i>H. Ishii, S. Singo, S. Harada, S. Hirano, N. Yoshida, K. Fujino, K. Sato and T. Hara</i>	1583
Temperature and magnetic-field scaling of transport characteristics in high quality $Y_1Ba_2Cu_3O_{7-\Delta}$ thin films <i>T. Nakamura, T. Kiss, M. Takeo and K. Yamafuji</i>	1587
Superconductivity of $YBa_2Cu_3O_x$ on $La_{0.7}Ca_{0.3}MnO_3$ <i>T. Yotsuya, Y. Kakehi and S. Ogawa</i>	1591
<b>AC Loss</b>	
Self field AC transport properties and losses in high-Tc superconducting wires <i>H. Ishii, J. Fujikami, S. Hirano, N. Yoshida, K. Sato and T. Hara</i>	1597
AC losses in silver sheathed Bi-2223 wires <i>M. Nakagawa, S. Nagaya, T. Shimonosono, A. Kume, N. Futaki, N. Sadakata, T. Saitoh and O. Kohno</i>	1601
AC loss characteristics of Ag-sheathed Bi-2223 tapes in transverse external magnetic field <i>M. Sugimoto, A. Kimura, M. Mimura, Y. Tanaka, H. Ishii, S. Honjo and T. Hara</i>	1605
Eddy current and creep-based losses in CTFE-type Bi:2223/Ag multifilamentary tapes <i>M. D. Sumption, N. V. Vo, S. X. Dou and E. W. Collings</i>	1609
AC power loss of Bi-2223 tapes in self-field <i>S. Fleshler</i>	1613
Analysis of AC losses in high Tc superconducting wires <i>N. Amemiya, T. Yamazumi and O. Tsukamoto</i>	1617
A sensitive calorimetric AC-loss measurement technique for high-Tc superconducting wires <i>J. R. Cave, P. Dolez, M. Aubin, D. W. A. Willén and R. Nadi</i>	1621
<b>Other Properties</b>	
Electronic properties of Hg-1201 oxide superconductors determined by NMR and STM investigations <i>W. Hoffmann, H. Breitzke, M. Baenitz, M. Heinze, K. Lüders, A. A. Gippius, E. V. Antipov, P. Jess, U. Hubler, H. P. Lang and H.-J. Güntherodt</i>	1627
Characterization of femtosecond time-transient nonequilibrium state in YBCO thin films <i>M. Tonouchi, M. Tani, Z. Wang, K. Sakai, S. Tomozawa, M. Hangyo and Y. Murakami</i>	1631
The research of thermal expansion of high-Tc-superconductors <i>L. Xu, S.-L. Zhou, J. Ye and J.-M. Xu</i>	1635
Tunneling spectroscopy in high $T_c$ Y-system ceramic superconductor <i>M. Suzuki, M. Taira, X.-G. Zheng and T. Hoshino</i>	1639
Characterization of intrinsic Josephson junction made of 60 K phase YBCO thin films <i>M. Tonouchi, A. Itoh, T. Yasuda, H. Shimakage, Z. Wang and S. Takano</i>	1643
Reentrant transport behavior in $CaLaBaCu_3O_y$ <i>M. Akinaga</i>	1647
Application of 3D-Josephson junction array model to critical temperature of high $T_c$ oxide superconducting under uniaxial pressure and under hydrostatic pressure <i>C. Kawabata</i>	1651

Flexural strength and fracture toughness of YBaCuO superconductors <i>H. Fujimoto and T. Ban</i>	1655
<b>Metallic Superconductors</b>	
<b>Nb<sub>3</sub>Al</b>	
Effect of static and cyclic strain on $J_c$ of Nb <sub>3</sub> Al CIC conductors: A comparison with Nb <sub>3</sub> Sn <i>W. Specking, T. Ando, H. Tsuji, A. Mikumo and Y. Yamada</i>	1661
Experimental result of 13T-46kA Nb <sub>3</sub> Al conductor in SULTAN <i>Y. Nunoya, M. Oshikiri, T. Ando, Y. Takahashi, H. Nakajima, M. Sugimoto, H. Tsuji, S. Shimamoto, Y. Yamada, M. Konno, B. Blau, I. Rohleder, G. Vecsey, S. Shen and H. Katheder</i>	1665
Critical current density of Nb <sub>3</sub> Al superconducting wire for high field magnet by rapid-quenching process <i>K. Fukuda, G. Iwaki, M. Kimura, S. Sakai, Y. Iijima, T. Takeuchi, K. Inoue, N. Kobayashi, K. Watanabe and S. Awaji</i>	1669
Development of practical Nb <sub>3</sub> Al/Cu multifilamentary superconducting strand <i>A. Mikumo, N. Ayai, Y. Yamada, K. Takahashi, K. Sato, N. Koizumi, M. Sugimoto, T. Ando, H. Tsuji and S. Shimamoto</i>	1673
Improvement of critical current density and residual resistivity on jelly-roll processed Nb <sub>3</sub> Al superconducting wires <i>N. Ayai, A. Mikumo, Y. Yamada, K. Takahashi, K. Sato, N. Koizumi, T. Ando, M. Sugimoto, H. Tsuji and S. Shimamoto</i>	1677
Fabrication and superconducting properties of Nb <sub>3</sub> Al composite wire using the jelly roll process <i>Y. Sakagami, T. Yamazaki, N. Aoki, M. Ichihara, T. Masegi, S. Murase, K. Matsui, K. Ushigusa, M. Kikuchi and Y. Takahashi</i>	1681
Development of multifilamentary Nb <sub>3</sub> Al superconducting wires by the jelly-roll method <i>K. Aihara, Y. Hanaoka, T. Suzuki, T. Nabatame, G. Iwaki, K. Fukuda, S. Sakai, K. Sasaki and K. Kikuchi</i>	1685
Superconducting properties and microstructure of Nb <sub>3</sub> Al wire fabricated by the jelly-roll method <i>Y. W. Hanaoka, T. Suzuki, T. Nabatame, K. Aihara, G. Iwaki, S. Sakai and K. Kikuchi</i>	1689
Superconducting properties of Nb <sub>3</sub> Al by reaction between $\sigma$ -phase Nb <sub>2</sub> Al and Nb powders <i>N. Harada, Y. Fukuda, H. Ichikohara, K. Osaki, N. Tada, S. Sakai and K. Watanabe</i>	1693
Critical current density characteristics of Nb <sub>3</sub> Al multifilamentary wires continuously fabricated by rapid-quenching <i>Y. Iijima, M. Kosuge, T. Takeuchi and K. Inoue</i>	1697
Nb <sub>3</sub> Al thin films made by RF magnetron sputtering process with a single target <i>K. Agatsuma, H. Tateishi, K. Arai, T. Saitoh, N. Sadakata and M. Nakagawa</i>	1701

**Nb<sub>3</sub>Sn**

Development of the alumina-copper reinforced Nb <sub>3</sub> Sn wire for coil fabrication <i>S. Murase, S. Nakayama, K. Koyanagi, T. Masegi, S. Nomura, M. Urata, K. Shimamura, K. Amano, N. Shiga, K. Watanabe and N. Kobayashi</i>	1707
---	------

Effects of the strain on the critical current of the powder metallurgy processed Nb <sub>3</sub> Sn superconducting wires	1711
<i>N. Matsukura, T. Miyazaki, Y. Inoue, T. Miyatake, M. Shimada, R. Ogawa and M. Chiba</i>	
Improvements in the properties of internal-tin Nb <sub>3</sub> Sn strands	1715
<i>E. Gregory, E. Gulko, T. Pyon and L. F. Goodrich</i>	
Critical current density at high fields for bronze-processed (Nb·Ti·Ta) <sub>3</sub> Sn superconducting wires	1719
<i>G. Iwaki, M. Kimura, S. Sakai, N. Kobayashi, K. Watanabe and S. Awaji</i>	
Mechanical and superconducting properties of multifilamentary Nb <sub>3</sub> Sn wires with CuNb reinforcing stabilizer	1723
<i>S. Iwasaki, K. Goto, N. Sadakata, T. Saito, O. Kohno, S. Awaji and K. Watanabe</i>	
The effects of coated film on (NbTi) <sub>3</sub> Sn wire on friction and electric contact resistance	1727
<i>A. Iwabuchi, H. Funayama, T. Shimizu, M. Ono and T. Hamashima</i>	
Manufacture of Nb <sub>3</sub> Sn strands for ITER by internal tin diffusion process	1731
<i>K. Egawa, Y. Kubo, T. Nagai, M. Wakata, F. Uchikawa, O. Taguchi, K. Wakamoto, M. Morita, T. Isono, Y. Nunoya, K. Yoshida, M. Nishi and H. Tsuji</i>	
Development of NbTi and Nb <sub>3</sub> Sn conductors for 1 GHz NMR spectrometer	1735
<i>K. Itoh, M. Yuyama, T. Kiyoshi, T. Takeuchi, K. Inoue, H. Maeda, T. Miyatake and M. Shimada</i>	
Comparison of properties between bronze-processed Nb <sub>3</sub> Sn wires with different tin content	1739
<i>T. Miyazaki, T. Miyatake, M. Shimada, H. Kurahashi, I. Tatara and N. Kobayashi</i>	
Reduction of critical current in Nb <sub>3</sub> Sn cables as a function of transverse pressure — A comparison with a finite element model	1743
<i>J. M. van Oort, R. M. Scanlan and H. H. J. ten Kate</i>	
<b>Other Materials</b>	
Superconductivity of reactively sputtered TaN film for ULSI process	1749
<i>H. Kubota, K. Wakasugi, M. Tokunaga, T. Sumita and M. Nagata</i>	
Preparation of 1 m long superconducting NbN tapes by DC magnetron sputtering	1753
<i>M. Suzuki, T. Kiboshi and K. Sugawara</i>	
SN-interface flux pinning in bronze processed V <sub>3</sub> Si conductor	1757
<i>Y. Nemoto, T. Takeuchi, H. Maeda and K. Togano</i>	
<b>AC Loss and Electromagnetic Properties</b>	
AC losses of proximity-induced superconducting Cu in NbTi filamentary composite	1763
<i>T. Moriya, H. Kubota, K. Yasohama, Y. Kubota and T. Ogasawara</i>	
Suppression of eddy current loss in bare-copper Rutherford cables using stainless steel cores of various thicknesses	1767
<i>E. W. Collings, M. D. Sumption, S. W. Kim, M. Wake, T. Shintomi and R. M. Scanlan</i>	
Improvement of hysteresis-losses in internal tin diffusion processed Nb <sub>3</sub> Sn wires	1771
<i>Y. Kubo, K. Egawa, T. Nagai, M. Wakata, F. Uchikawa, O. Taguchi, K. Wakamoto, M. Morita, T. Isono, Y. Nunoya, K. Yoshida, M. Nishi and H. Tsuji</i>	
AC losses of Nb <sub>3</sub> Sn AC multifilamentary superconducting wires due to transport current	1775
<i>S. Fukui, M. Ito, N. Amemiya, O. Tsukamoto and M. Hakamata</i>	

Proximity-effect-induced filament coupling in NbTi wires <i>K. Yasohama, N. Azuma, Y. Kubota and T. Ogasawara</i>	1779
Exploration of micro-bridging effect in Nb <sub>3</sub> Sn superconductors <i>D. Mao, M. Yuyama, K. Itoh, H. Wada and Y. Murakami</i>	1783
Round robin test for the method for critical current measurement of Nb <sub>3</sub> Sn composite superconductors <i>K. Itoh, Y. Tanaka and K. Osamura</i>	1787
Standardization of the method for the room temperature tensile test of Cu/Nb-Ti composite superconductors <i>S. Sakai, K. Osamura, M. Hojo, T. Ogata and M. Shimada</i>	1791
Standardization of the method for the determination of the residual resistance ratio (RRR) of Cu/Nb-Ti composite superconductors <i>S. Murase, T. Saitoh, T. Matsushita and K. Osamura</i>	1795
Standardization of the test method for critical current measurement of Cu/Cu-Ni/Nb-Ti composite superconductors <i>R. Ogawa, Y. Kubo, Y. Tanaka, K. Itoh, K. Ohmatsu, T. Kumano, S. Sakai and K. Osamura</i>	1799
Third harmonic AC susceptibility in multifilamentary wires <i>E. S. Otabe, R. Kitamura and T. Matsushita</i>	1803
RRR evaluation of niobium using AC susceptibility measurement <i>M. Wake and K. Saito</i>	1807
<b>Pinning and Stability</b>	
Orientalional dependence of critical current density of NbTi thin film in a magnetic field <i>M. Takeda, K. Nishigaki and H. Toda</i>	1813
Computer simulations of vortex pinning properties by line pins <i>O. Ichimaru and E. Kusayanagi</i>	1817
Flux pinning properties of ultrafine multifilamentary NbTi superconducting wires with Nb island-type artificial pins <i>O. Miura, C. Tei, D. Ito and S. Endo</i>	1821
Evaluation of recovery current of the helical coil for LHD <i>S. Imagawa, N. Yanagi, T. Mito, T. Satow, J. Yamamoto, O. Motojima and the LHD Group</i>	1825
Delayed ramps in composites described in a two-layer model <i>A. Akhmetov, M. Takeo and T. Imayoshi</i>	1829
Normal zone at the edge of a flat two-layer superconducting cable <i>A. A. Akhmetov, K. Kuroda, H. Tanaka and M. Takeo</i>	1833
Statistical analysis of scattering in quench current of ac superconducting wires <i>N. Hayakawa, M. Wakita, M. Hikita and H. Okubo</i>	1837
Minimum quench energy and normal zone propagation velocity of bronze processed (Nb,Ti) <sub>3</sub> Sn superconducting wire with CuNb reinforcing stabilizer <i>T. Onodera, K. Watanabe, K. Noto, T. Sugiura, M. Matsukawa, S. Awaji, K. Goto, S. Iwasaki, N. Sadakata, O. Kohno and J. Yamamoto</i>	1841

**Applications**

- R&D on NbTi and Nb<sub>3</sub>Sn superconductors for AC use in the super-GM 1847  
*M. Chiba, M. Hakamata, H. Chiba, N. Yoshida and T. Ichikawa*
- Nb-Ti superconducting strands with Cu-Ni-Mn matrix and 2kA-class cables for AC use 1851  
*K. Miyashita, K. Sugiyama, S. Sakai, K. Kamata and H. Chiba*
- Stability and AC losses of 1kA class multifilamentary Nb<sub>3</sub>Sn superconducting cables for AC applications 1855  
*K. Ohmatsu, H. Yumura, K. Takahashi, K. Sato and N. Yoshida*
- Development of kA class multifilamentary Nb-Ti superconducting cables for AC applications 1859  
*K. Ohmatsu, H. Yumura, K. Takahashi, K. Sato and N. Yoshida*
- Some properties of bronze process Nb<sub>3</sub>Sn superconducting wires with Cu-Sn-Ge matrix and Nb-Ta cores for AC use 1863  
*S. Sakai, K. Miyashita, K. Sugiyama, K. Kamata, K. Tachikawa and H. Chiba*
- Development of in-situ Nb<sub>3</sub>Sn wires for AC use 1867  
*H. Fuji, K. Goto, N. Sadakata, T. Saito, O. Kohno and J. Yoshitomi*
- Development of industrially produced composite quench heaters for the LHC superconducting lattice magnets 1871  
*B. Szeless, F. Calvone and F. Rodriguez Mateos*

**Metallic Materials****Mechanical Properties**

- Fracture toughness of SUS 316 and weld joint at cryogenic temperature 1877  
*A. Nishimura, R. L. Tobler and J. Yamamoto*
- Effects of pre-cracking condition on fracture toughness of SUS 304L steel in an 8 tesla magnetic field at 4K 1883  
*K. Shibata, T. Shimonosono and T. Tanaka*
- Cryogenic effects on the fracture behavior of forged JJ1 type austenitic stainless steel plate 1887  
*Y. Shindo, K. Horiguchi, K. Sanada, T. Kobori, H. Nakajima and H. Tsuji*
- The 4 K tensile and fracture toughness properties of a modified 316LN conduit alloy 1891  
*R. P. Walsh, L. T. Summers and J. R. Miller*
- 4 K mechanical properties of pure titanium for the jacket of Nb<sub>3</sub>Sn superconductors 1895  
*H. Nakajima, Y. Nunoya, K. Takano, T. Ando, H. Tsuji, S. Konosu, O. Ivano, T. Nakaniwa, T. Horiya and S. Ohkita*
- Load-control tensile test of steels and alloys in liquid helium 1899  
*T. Ogata and T. Yuri*
- Residual stresses in superconducting jackets after compaction 1903  
*F. M. G. Wong, N. A. Mitchell, M. M. Morra, P. H. Titus and R. N. Randall*
- Vickers hardness properties of metals at cryogenic temperatures 1907  
*Y. Yoshino, T. Abe, A. Iwabuchi, A. Chiba and T. Shimizu*
- An aluminium alloy for the coil clamping collars of the prototype LHC dipole magnets 1911  
*T. Kurtyka, M. Bona, S. Sgobba, S. Marque and B. Skoczen*

Evaluation tests of structural materials used for liquid hydrogen storage and transportation system (Study on low temperature materials used in WE-NET, 1)	1915
<i>T. Horiya, N. Yamamoto, T. Iida, A. Yamamoto, S. Okaguchi, N. Yaegashi, T. Doko, M. Saito, K. Yokogawa and T. Ogata</i>	
Development of materials testing equipment in high-pressure hydrogen at cryogenic temperatures and effect of temperature on hydrogen environment embrittlement of steels	1919
<i>G. Han, J.-H. He, S. Fukuyama and K. Yokogawa</i>	
Hydrogen embrittlement of austenitic stainless steels at low temperature (Study on low temperature materials used in WE-NET 2)	1923
<i>S. Okaguchi, T. Horiya, K. Ishige, M. Saito, N. Yaegashi, A. Yamamoto, H. Nakagawa, K. Yokokawa and T. Ogata</i>	
<b>Physical Properties</b>	
Absolute measurements of linear thermal expansion coefficients of copper SRM 736 and some commercially available coppers in the temperature range 20 - 300 K	1929
<i>M. Okaji, N. Yamada, H. Kato and K. Nara</i>	
Possibility of AC applications of composite high-purity aluminum wires	1933
<i>L. I. Chubraeva, S. N. Pylinina, V. E. Sigaev and V. A. Tutayev</i>	
Development and investigation of composite high-purity aluminum wires	1937
<i>L. I. Chubraeva, V. E. Sigaev, E. A. Plashkin, N. I. Salunin and E. N. Aksenova</i>	
Temperature structures at high Hall drift in aluminum	1941
<i>V. R. Sobol, O. N. Mazurenko and A. A. Drozd</i>	
Inhomogeneity and local negative magnetoresistance of aluminum	1945
<i>V. R. Sobol, O. N. Mazurenko and A. A. Drozd</i>	
Magnetic field of cyclic current in cylinder conductors	1949
<i>B. B. Boiko, V. R. Sobol and O. N. Mazurenko</i>	
Magnetism due to Hall current in aluminum and copper conductors	1953
<i>B. B. Boiko, V. R. Sobol, O. N. Mazurenko and A. A. Drozd</i>	
Effects of high magnetic field and tensile stress on martensitic transformation behavior and microstructure at 4.2 K in Fe-Ni-C shape memory alloys	1957
<i>H. Ohtsuka, G. Ghosh, K. Nagai, H. Kitaguchi and M. Uehara</i>	
Analysis of temperature rises in point and line contact slidings in liquid helium	1961
<i>I. Nitta, A. Iwabuchi, T. Takao and M. Minami</i>	
Round robin tests on frictional characteristics of cryogenic materials	1965
<i>T. Takao, A. Iwabuchi, M. Minami and I. Nitta</i>	
Galvanic chrome coating of copper wire for the ITER program	1969
<i>Y. Ipatov, V. Sytnikov, A. Rychagov and G. Svalov</i>	

## Non Metallic Materials

### Mechanical Properties

Overview of the fatigue behaviour of fiber composites at low temperatures	1977
<i>G. Hartwig and R. Hübner</i>	

Nonlinear fracture behavior of G-10 woven glass-epoxy laminates at liquid nitrogen temperature <i>K. Sanada, Y. Shindo and K. Horiguchi</i>	1981
Effects of friction on shear/compressive strength of high-density GFRP at low temperature <i>T. Suzuki, S. Usami, H. Tsukamoto and M. Otsuka</i>	1985
Effect of contiguity of glass bundles on the inter-laminar shear strength changed of ILSS induced by low-temperature electron irradiation <i>Y. Tsukazaki, S. Nishijima, T. Nishiura, T. Okada and K. Asano</i>	1989
Frictional characteristics of high strength polyethylene fiber reinforced plastics <i>T. Takao, T. Nemoto, H. Konda, T. Kashima and A. Yamanaka</i>	1993
Cryogenic material properties in tension and shear of reactor irradiated GFRPs <i>K. Humer, S. M. Spießberger, H. W. Weber, E. K. Tschegg, N. A. Munshi and P. E. Fabian</i>	1997
Shear compression strength of organic insulation systems after reactor irradiation at 4 K <i>H. Gerstenberg, E. Krähling, H. Katheder, R. Maix and M. Söll</i>	2001
Scaling experiments and mechanical properties of CFRPs at 293 K and 77 K after room temperature reactor irradiation <i>S. M. Spießberger, K. Humer, E. K. Tschegg, H. W. Weber, S. Valthe, K. Noma and Y. Iwasaki</i>	2005
Properties of candidate insulation systems for ITER CS model coils at low temperatures <i>H. Mitsui, H. Hirai, H. Moriyama, Y. Sumiyoshi, T. Sasaki, M. Sugimoto, T. Ando, H. Tsuji and R. Vieira</i>	2009
Enhanced creep of epoxy-resin during electron beam irradiation <i>T. Nishiura, S. Nishijima, T. Okada and Y. Tsukasaki</i>	2013
Possible hazards following irradiation of superconducting magnet insulation <i>D. Evans, R. P. Reed and N. J. Simon</i>	2017
<b>Physical Properties</b>	
Low-temperature thermal properties of amorphous Polycarbonat and Polystyrene <i>M. Jäckel, F. von Schoenebeck, U. Escher and A. Gladun</i>	2023
Experimental measurement on the specific heat of highly porous materials <i>W. Shi, J.-Y. Wu, R.-Z. Wang and Z.-M. Tang</i>	2027
Low-temperature thermal conductivity of amorphous Polycarbonat under high pressure <i>M. Jäckel, F. Weise and R. Geilenkeuser</i>	2031
Composite matrix for low thermal contraction down to cryogenic temperature <i>K. Nojima, T. Ueki, K. Asano, S. Nishijima and T. Okada</i>	2035
<b>Functional Materials</b>	
Mechanical and thermal properties of zirconia at cryogenic temperature <i>S. Ueno, S. Nishijima, A. Nakahira, T. Sekino, T. Okada and K. Niihara</i>	2041
Strength characteristics of alumina ceramics at cryogenic temperatures <i>N. Suzuki, K. Suzuki, T. Murakami and T. Uchida</i>	2045
Residual strain of pipes composed with high strength polyethylene fiber reinforced plastics at cryogenic temperature <i>T. Kashima, A. Yamanaka, S. Nishijima and T. Okada</i>	2049

Advanced composite materials for cryogenic support structures <i>R. K. Giesey</i>	2053
Fracture toughness of epoxy filled with nano-scale silica at cryogenic temperature <i>S. Ueno, S. Nishijima, M. Hussain, A. Nakahira, F. Sawa, T. Okada and K. Niihara</i>	2057
Improvement of fracture toughness of epoxy resin for cryogenic use <i>T. Ueki, K. Nojima, K. Asano, S. Nishijima and T. Okada</i>	2061
Magneto-thermal properties of amorphous $Gd_{70}Cu_{30}$ and $Dy_{70}Cu_{30}$ alloys <i>X.-Y. Liu, J. A. Barclay, R. B. Gopal, M. Földeàki, R. Chahine and T. K. Bose</i>	2065
Crystal axis dependence of magneto-thermal properties in $RAIO_3$ (R: Dy, Ho and Er) single crystals using for magnetic refrigeration <i>H. Kimura, T. Numazawa, M. Sato, T. Ikeya, T. Fukuda and K. Fujioka</i>	2069
Magnetic field dependence of thermal conductivity in rare-earth oxides for heat switch application <i>T. Numazawa, H. Kimura, M. Sato, A. Sato, K. Shimamura and T. Fukuda</i>	2073
Author Index	II