

CONTENTS

CHAPTER 1 THE CASE FOR FUSION

| | | |
|----------|---|----|
| 1.1. | INTRODUCTION..... | 1 |
| 1.2. | ENERGY SCENARIOS | 3 |
| 1.2.1. | Near term energy scenario..... | 5 |
| 1.2.2. | Long term energy scenario and the role of fusion | 7 |
| 1.3. | FUSION BASICS..... | 14 |
| 1.3.1. | What is fusion?..... | 14 |
| 1.3.2. | Fusion power gain Q | 17 |
| 1.3.3. | Fusion reactions..... | 20 |
| 1.3.4. | Fusion fuels | 23 |
| 1.3.5. | Direct conversion to electricity..... | 26 |
| 1.4. | APPROACHES TO FUSION..... | 26 |
| 1.4.1. | Magnetic confinement fusion..... | 27 |
| 1.4.1.1. | Progress in tokamak based magnetic confinement fusion research..... | 32 |
| 1.4.2. | Inertial confinement fusion | 35 |
| 1.4.2.1. | Progress in inertial confinement fusion research..... | 38 |
| 1.5. | SOCIOECONOMIC PERSPECTIVES | 40 |
| 1.5.1. | Environment, safety and non-proliferation | 40 |
| 1.5.1.1. | Emissions in normal operation | 40 |
| 1.5.1.2. | Possible accidents..... | 41 |
| 1.5.1.3. | Waste..... | 41 |
| 1.5.2. | Cost comparison with other sources of energy..... | 42 |
| 1.5.2.1. | Direct costs of fusion power production..... | 42 |
| 1.5.2.2. | External costs of fusion power production..... | 45 |
| 1.5.3. | Public acceptance of fusion | 46 |
| 1.5.4. | Spin-offs of fusion research | 47 |
| 1.6. | CONCLUSION | 51 |

CHAPTER 2 PHYSICS OF CONFINEMENT

| | | |
|--------|---------------------------------|----|
| 2.1. | INTRODUCTION AND OVERVIEW | 59 |
| 2.2. | NEOCLASSICAL TRANSPORT | 63 |
| 2.2.1. | Introduction | 63 |

| | | | | | |
|----------|---|-----|--|--|-----|
| 2.2.2. | Toroidal magnetic configuration | 65 | 2.5.2.2. | Neutral transport | 149 |
| 2.2.3. | Guiding centre motion | 66 | 2.5.2.3. | RF heating and current drive models | 150 |
| 2.2.4. | The drift kinetic equation | 71 | 2.5.2.4. | Current drive models | 152 |
| 2.2.5. | Bootstrap current | 75 | 2.5.3. | Perturbative transport | 155 |
| 2.2.6. | Magnetic field ripple | 78 | 2.5.4. | Profile stiffness | 160 |
| 2.2.7. | Transport in a stochastic field | 82 | 2.5.5. | Transport barriers | 163 |
| 2.3. | TURBULENT TRANSPORT | 83 | 2.5.5.1. | Core | 163 |
| 2.3.1. | Introduction | 83 | 2.5.5.2. | Edge | 169 |
| 2.3.2. | Examples of basic microinstabilities | 86 | 2.5.6. | Comparison with theoretical models | 173 |
| 2.3.2.1. | Electron drift instabilities | 86 | 2.6. | TURBULENCE MEASUREMENTS | 176 |
| 2.3.2.2. | Ion temperature gradient instabilities | 89 | 2.6.1. | Measurement techniques | 177 |
| 2.3.3. | Non-linear gyrokinetic equations for tokamak turbulence | 91 | 2.6.1.1. | Probe techniques | 177 |
| 2.3.4. | Kinetic description of microinstabilities | 95 | 2.6.1.2. | Electromagnetic wave scattering | 178 |
| 2.3.4.1. | Linear onset condition for ion temperature gradient mode .. | 96 | 2.6.1.3. | Electromagnetic wave reflectometry | 179 |
| 2.3.4.2. | Electron temperature gradient instability | 99 | 2.6.1.4. | Electromagnetic wave Doppler backscattering (DBS) | 180 |
| 2.3.4.3. | Trapped particle instabilities | 99 | 2.6.1.5. | Phase contrast imaging (PCI) | 181 |
| 2.3.5. | Spatial structure of microturbulence | 103 | 2.6.1.6. | Heavy ion beam probe (HIBP) | 181 |
| 2.3.5.1. | Role of magnetic shear: Sheared slab geometry | 104 | 2.6.1.7. | Beam emission spectroscopy (BES) | 182 |
| 2.3.5.2. | Role of toroidal geometry: Ballooning representation | 106 | 2.6.1.8. | High frequency charge exchange spectroscopy (HF CHERS) | 183 |
| 2.3.5.3. | Role of zonal flow shear | 108 | 2.6.1.9. | Correlated electron cyclotron emission (CECE) | 183 |
| 2.3.6. | Different channels of turbulence transport | 110 | 2.6.1.10. | Analysis techniques | 184 |
| 2.3.6.1. | Ion thermal transport | 111 | 2.6.2. | Experimental results | 185 |
| 2.3.6.2. | Electron thermal transport | 113 | 2.6.2.1. | Wavenumber spectra | 185 |
| 2.3.6.3. | Particle transport | 114 | 2.6.2.2. | Frequency spectra | 187 |
| 2.3.6.4. | Momentum transport | 116 | 2.6.2.3. | Radial profiles | 189 |
| 2.3.7. | Physics of transport barriers | 118 | 2.6.3.3. | Ion and electron temperature fluctuations | 191 |
| 2.4. | GLOBAL ENERGY CONFINEMENT SCALING STUDIES | 123 | 2.6.3.4. | Zonal flows and geodesic acoustic modes | 192 |
| 2.4.1. | Introduction | 123 | 2.6.3.5. | Core turbulence suppression | 194 |
| 2.4.2. | Energy confinement scalings: Dimensional parameters | 124 | 2.6.3.6. | Evidence for non-local effects | 195 |
| 2.4.2.1. | Ohmic and L-mode plasma confinement trends | 124 | | | |
| 2.4.2.2. | H-mode confinement trends and scalings | 128 | | | |
| 2.4.2.3. | Advanced statistical methods and error analysis | 133 | | | |
| 2.4.3. | Dimensionless analysis | 136 | | | |
| 2.4.3.1. | Basics | 136 | | | |
| 2.4.3.2. | Scalings | 139 | | | |
| 2.4.4. | L-H threshold scalings | 140 | | | |
| 2.4.5. | Implications relative to theoretical models | 144 | | | |
| 2.5. | LOCAL TRANSPORT | 145 | CHAPTER 3 | | |
| 2.5.1. | Basics | 145 | EQUILIBRIUM AND MACROSCOPIC STABILITY | | |
| 2.5.2. | Models | 147 | OF TOKAMAKS | | |
| 2.5.2.1. | Neutral beam models | 147 | 3.1. | INTRODUCTION | 225 |
| | | | 3.1.1. | Basic tokamak configuration | 227 |
| | | | 3.1.2. | Timescales of tokamak dynamics | 228 |
| | | | 3.2. | TOKAMAK EQUILIBRIUM | 230 |
| | | | 3.2.1. | The straight cylinder | 231 |
| | | | 3.2.2. | Toroidal plasma equilibrium | 232 |
| | | | 3.2.2.1. | The large aspect ratio approximation | 234 |

| | | |
|----------|---|-----|
| 3.2.2.2. | Formulations of the Grad–Shafranov equation | 236 |
| 3.2.2.3. | Dimensionless parameters characterizing the plasma equilibrium | 239 |
| 3.2.2.4. | Shaping of plasma cross-section and the tokamak poloidal field system..... | 242 |
| 3.2.2.5. | Axisymmetric stability of tokamak equilibria | 244 |
| 3.3. | THEORY OF MACROSCOPIC INSTABILITIES IN TOKAMAKS | 246 |
| 3.3.1. | One-fluid MHD stability theory | 246 |
| 3.3.1.1. | Ideal MHD stability | 246 |
| 3.3.1.2. | Effects of dissipation on linear stability of global modes..... | 269 |
| 3.3.1.3. | Finite amplitude perturbations | 281 |
| 3.3.2. | Extensions to the MHD model | 287 |
| 3.3.2.1. | Introduction | 287 |
| 3.3.2.2. | Derivation example: reduced (low frequency) MHD..... | 291 |
| 3.3.2.3. | Derivation example: two-fluid equations..... | 296 |
| 3.3.2.4. | Relation to kinetic models | 299 |
| 3.3.2.5. | Qualitative two-fluid effects on MHD instabilities..... | 300 |
| 3.3.3. | Energetic particle physics and kinetic MHD | 302 |
| 3.3.3.1. | Introduction | 302 |
| 3.3.3.2. | Models | 303 |
| 3.3.3.3. | Global modes in toroidal geometry..... | 306 |
| 3.4. | EXPERIMENTAL OBSERVATIONS OF MHD MODES | 316 |
| 3.4.1. | Internal kink modes | 317 |
| 3.4.2. | Classical tearing modes..... | 322 |
| 3.4.3. | Neoclassical tearing modes (NTMs)..... | 325 |
| 3.4.4. | Edge localized modes (ELMs)..... | 327 |
| 3.4.5. | Ideal pressure limiting modes..... | 331 |
| 3.4.6. | Wall effects on MHD modes..... | 334 |
| 3.4.7. | Alfvén and energetic particle modes (EPMs)..... | 337 |
| 3.5. | DISRUPTIVE INSTABILITIES | 342 |
| 3.5.1. | Introduction | 342 |
| 3.5.2. | Classification by causes..... | 343 |
| 3.5.2.1. | Density limit disruptions..... | 343 |
| 3.5.2.2. | Beta limit..... | 344 |
| 3.5.2.3. | Limit on q | 344 |
| 3.5.3. | Phases of disruptions | 345 |
| 3.5.3.1. | Thermal quench | 345 |
| 3.5.3.2. | Current quench..... | 347 |
| 3.5.4. | Damage potential..... | 349 |
| 3.5.4.1. | Heat pulse | 349 |
| 3.5.4.2. | Electromagnetic forces..... | 350 |

| | | |
|----------|--------------------------|-----|
| 3.5.4.3. | Runaway generation | 352 |
| 3.5.5. | Mitigation methods | 353 |

CHAPTER 4 PLASMA DIAGNOSTICS

| | | |
|----------|---|-----|
| 4.1. | INTRODUCTION..... | 360 |
| 4.2. | PASSIVE DIAGNOSTIC METHODS | 362 |
| 4.2.1. | Magnetic measurements | 362 |
| 4.2.2. | Electrical probes (Langmuir probes)..... | 368 |
| 4.2.2.1. | Introduction to electrical probes..... | 368 |
| 4.2.2.2. | Langmuir probes..... | 368 |
| 4.2.3. | Visible and UV spectroscopy..... | 375 |
| 4.2.4. | Bolometry | 378 |
| 4.2.4.1. | Thermal devices..... | 378 |
| 4.2.4.2. | AXUV detectors | 382 |
| 4.2.5. | Methods based on electron cyclotron emission measurements..... | 384 |
| 4.2.6. | Passive neutral particle analysis..... | 393 |
| 4.2.7. | Methods based on X ray radiation | 400 |
| 4.2.7.1. | Soft X ray radiation | 400 |
| 4.2.7.2. | High resolution X ray spectroscopy..... | 404 |
| 4.2.8. | Experimental nuclear physics methods..... | 412 |
| 4.2.8.1. | Neutrons, charged fusion products, hard X rays | 412 |
| 4.2.8.2. | Gamma ray spectrometry..... | 421 |
| 4.3. | ACTIVE DIAGNOSTIC METHODS..... | 426 |
| 4.3.1. | Probing by laser beams | 426 |
| 4.3.1.1. | Thomson scattering..... | 426 |
| 4.3.1.2. | Laser induced fluorescence technique..... | 432 |
| 4.3.2. | Probing by particles | 435 |
| 4.3.2.1. | Diagnostic neutral beams for plasma studies in magnetic fusion devices..... | 435 |
| 4.3.2.2. | Active charge exchange recombination spectroscopy diagnostic..... | 438 |
| 4.3.2.3. | Motional Stark effect | 443 |
| 4.3.2.4. | Active charge exchange and Rutherford scattering | 445 |
| 4.3.2.5. | Heavy ion beam probe diagnostics | 449 |
| 4.3.3. | Probing by microwaves and laser beam: interferometry, polarimetry, reflectometry | 452 |
| 4.3.3.1. | Introduction | 452 |
| 4.3.3.2. | Interferometry and polarimetry..... | 454 |
| 4.3.3.3. | Plasma reflectometry for electron concentration profile measurements..... | 473 |

| | | |
|----------|---|-----|
| 4.3.3.4. | Application of reflectometry to density fluctuation measurements..... | 482 |
| 4.4. | ENGINEERING PROBLEMS..... | 485 |
| 4.4.1. | Changing of mechanical properties..... | 486 |
| 4.4.2. | Changing in electrical properties..... | 486 |
| 4.4.3. | Changes in optical properties..... | 487 |
| 4.5. | CONCLUSION..... | 489 |

CHAPTER 5

PLASMA HEATING AND CURRENT DRIVE BY NEUTRAL BEAM AND ALPHA PARTICLES

| | | |
|----------|---|-----|
| 5.1. | HEATING AND CURRENT DRIVE PHYSICS BY NEUTRAL BEAM AND ALPHA PARTICLES | 535 |
| 5.1.1. | Basic processes of neutral beam injection..... | 535 |
| 5.1.2. | Physics of ionization of injected neutral beam | 537 |
| 5.1.3. | Multi-step ionization and Lorenz ionization..... | 540 |
| 5.1.4. | Energy transfer to electrons and ions by neutral beam injection | 543 |
| 5.1.5. | Energetic particle orbits on the axisymmetric magnetic surfaces | 546 |
| 5.1.6. | Fast ion behaviour and high temperature production with NB injection | 549 |
| 5.1.7. | Physics of neutral beam current drive: fast ion distribution function | 551 |
| 5.1.7.1. | Rayleigh–Ritz method..... | 553 |
| 5.1.8. | Physics of neutral beam current drive: shielding current and NBCD efficiency..... | 554 |
| 5.1.9. | Experimental observation of beam-driven current | 558 |
| 5.1.10. | Physics of ripple loss of fast ions: banana drift and ripple trapped losses..... | 560 |
| 5.1.11. | Physics of particle trajectories in non-axisymmetric fields..... | 563 |
| 5.1.12. | Alpha heating..... | 565 |
| 5.1.13. | D-T experiments in large tokamaks (TFTR and JET)..... | 568 |
| 5.2. | NEUTRAL BEAM HEATING..... | 571 |
| 5.2.1. | Introduction..... | 571 |
| 5.2.2. | Ion source..... | 575 |
| 5.2.2.1. | Plasma generator | 575 |
| 5.2.2.2. | Multicusp source | 576 |
| 5.2.2.3. | Radiofrequency plasma source..... | 578 |
| 5.2.3. | Extraction and acceleration | 579 |
| 5.2.3.1. | Child–Langmuir Law | 579 |
| 5.2.3.2. | Multi-stage acceleration..... | 581 |
| 5.2.3.3. | Beamlet steering..... | 582 |
| 5.2.4. | Positive-ion-based NBI..... | 584 |

| | | |
|----------|--|-----|
| 5.2.5. | Negative ion source..... | 587 |
| 5.2.5.1. | Negative ion production..... | 588 |
| 5.2.5.2. | Advantages of volume production | 590 |
| 5.2.5.3. | Caesium seeding..... | 592 |
| 5.2.6. | Negative ion extraction/acceleration | 594 |
| 5.2.7. | Negative-ion-based NBI | 595 |
| 5.2.7.1. | N-NBI for JT-60 | 595 |
| 5.2.7.2. | N-NBI for LHD | 596 |
| 5.2.7.3. | N-NBI for ITER..... | 597 |
| 5.2.8. | MV power supply..... | 599 |
| 5.2.9. | Remarks on future NBI technology..... | 600 |

CHAPTER 6

RADIOFREQUENCY WAVES, HEATING AND CURRENT DRIVE IN MAGNETICALLY CONFINED PLASMAS

| | | |
|----------|---|-----|
| 6.1. | INTRODUCTION..... | 609 |
| 6.2. | THEORY OF RF WAVE PROPAGATION IN A MAGNETIZED PLASMA | 611 |
| 6.2.1. | Electron cyclotron waves..... | 620 |
| 6.2.2. | Lower hybrid wave propagation and accessibility..... | 624 |
| 6.2.3. | Ion cyclotron wave propagation and accessibility | 630 |
| 6.2.4. | ICRF wave absorption in a hot plasma | 633 |
| 6.2.4.1. | Absorption on electrons | 634 |
| 6.2.4.2. | Absorption of ICRF waves on ion cyclotron harmonics | 635 |
| 6.2.4.3. | Minority ion cyclotron absorption | 637 |
| 6.2.5. | Quasi-linear absorption of ICRF waves on ions | 638 |
| 6.2.6. | Quasi-linear absorption on electrons..... | 642 |
| 6.2.6.1. | Lower hybrid current drive..... | 642 |
| 6.2.6.2. | Electron cyclotron current drive..... | 645 |
| 6.2.6.3. | Current drive by the fast ICRF waves | 647 |
| 6.2.7. | Wave propagation in toroidal geometry, geometric optics | 648 |
| 6.2.7.1. | Geometric optics and the ray equations | 649 |
| 6.2.7.2. | Modifications to wave accessibility and absorption in toroidal geometry..... | 651 |
| 6.2.7.3. | Numerical simulations of lower hybrid current drive using coupled Fokker–Planck and ray tracing calculations .. | 652 |
| 6.2.8. | Wave propagation in toroidal geometry, full-wave treatment | 653 |
| 6.2.8.1. | Full-wave simulations of minority heating in the ICRF | 653 |
| 6.2.8.2. | Full-wave simulations of mode conversion in the ICRF | 656 |
| 6.2.8.3. | Full-wave simulations of lower hybrid waves | 657 |

| | | |
|----------|---|-----|
| 6.3. | EXPERIMENTAL RESULTS ON RF HEATING AND CURRENT DRIVE..... | 658 |
| 6.3.1. | ICRF heating and current drive experiments..... | 659 |
| 6.3.2. | ICRF antenna and transmission line design..... | 666 |
| 6.3.2.1. | ICRF transmission line architecture..... | 666 |
| 6.3.2.2. | ICRF source technology..... | 667 |
| 6.3.2.3. | ICRF transmission line design..... | 669 |
| 6.3.2.4. | ICRF wave launchers..... | 671 |
| 6.3.3. | Lower hybrid heating and current drive experiments..... | 677 |
| 6.3.4. | Lower hybrid wave launchers..... | 682 |
| 6.3.4.1. | RF coupling theory..... | 685 |
| 6.3.4.2. | Numerical coupling codes..... | 687 |
| 6.3.4.3. | Evolution of LH launchers in tokamaks..... | 690 |
| 6.3.5. | Applications of electron cyclotron heating and current drive..... | 694 |
| 6.3.5.1. | Wave propagation and absorption experiments..... | 695 |
| 6.3.5.2. | Electron cyclotron current drive (ECCD) experiments..... | 703 |
| 6.3.6. | Electron cyclotron transmission line and antenna design..... | 710 |
| 6.4. | GYROTRONS FOR ECR HEATING AND CURRENT DRIVE..... | 714 |
| 6.4.1. | Introduction to gyrotrons..... | 714 |
| 6.4.2. | Physical principles of the gyrotron..... | 716 |
| 6.4.3. | Overview of gyrotron theory..... | 717 |
| 6.4.4. | Engineering features of the gyrotron..... | 722 |
| 6.4.4.1. | Electron gun and beam tunnel..... | 722 |
| 6.4.4.2. | Gyrotron cavity..... | 723 |
| 6.4.4.3. | Internal mode converter (IMC)..... | 723 |
| 6.4.4.4. | Phase correcting mirrors and output window..... | 724 |
| 6.4.4.5. | Depressed collector..... | 724 |
| 6.4.4.6. | Auxiliary components..... | 726 |
| 6.4.5. | State of the art gyrotrons..... | 726 |
| 6.4.6. | Prospects and future directions..... | 730 |
| 6.4.6.1. | Multi-megawatt gyrotrons..... | 730 |
| 6.4.6.2. | Frequency tuneable gyrotrons..... | 731 |
| 6.4.6.3. | Improvement of gyrotron efficiency..... | 732 |
| 6.4.6.4. | Gyrotrons for DEMO..... | 732 |

CHAPTER 7

PLASMA–WALL INTERACTIONS

| | | |
|--------|---|-----|
| 7.1. | INTRODUCTION..... | 756 |
| 7.2. | BASIC PHYSICAL PROCESSES AND UNDERLYING THEORY..... | 758 |
| 7.2.1. | Basic concepts..... | 758 |

| | | |
|----------|---|-----|
| 7.2.1.1. | Boundary layer..... | 758 |
| 7.2.1.2. | The plasma sheath..... | 760 |
| 7.2.1.3. | The scrape-off layer..... | 762 |
| 7.2.2. | Recycling..... | 764 |
| 7.2.3. | Atomic and molecular processes..... | 767 |
| 7.2.4. | Erosion processes..... | 772 |
| 7.2.4.1. | Physical sputtering..... | 772 |
| 7.2.4.2. | Chemical sputtering..... | 774 |
| 7.2.4.3. | Arcing..... | 777 |
| 7.3. | DEVELOPMENT OF PLASMA FACING MATERIALS..... | 779 |
| 7.3.1. | Carbon containing materials..... | 779 |
| 7.3.2. | Beryllium..... | 782 |
| 7.3.3. | High-Z materials..... | 784 |
| 7.3.4. | Mixed materials..... | 784 |
| 7.4. | PRESENT PROGRESS OF PLASMA–WALL INTERACTIONS IN TOKAMAKS..... | 786 |
| 7.4.1. | Wall conditioning..... | 786 |
| 7.4.1.1. | Surface cleaning..... | 787 |
| 7.4.1.2. | Plasma assisted coating of thin films..... | 789 |
| 7.4.2. | Impurities and dusts..... | 791 |
| 7.4.2.1. | Impurities..... | 791 |
| 7.4.2.2. | Dusts..... | 793 |
| 7.4.3. | Erosion and re-deposition..... | 794 |
| 7.4.3.1. | Divertor erosion and re-deposition..... | 794 |
| 7.4.3.2. | Limiter erosion and re-deposition..... | 795 |
| 7.4.3.3. | Main chamber wall erosion and re-deposition..... | 795 |
| 7.4.4. | Hydrogen isotope retention and removal..... | 796 |
| 7.5. | CONTROL OF PLASMA–WALL INTERACTIONS..... | 798 |
| 7.5.1. | Divertors..... | 798 |
| 7.5.1.1. | Introduction..... | 798 |
| 7.5.1.2. | Divertor operation regimes..... | 799 |
| 7.5.1.3. | Effect of divertor geometry..... | 806 |
| 7.5.2. | Particle transport in the divertor SOL..... | 810 |
| 7.5.2.1. | Plasma flow and drift effects..... | 810 |
| 7.5.2.2. | Recent advances on cross-field particle transport..... | 819 |
| 7.5.3. | Energy deposition..... | 823 |
| 7.5.3.1. | Steady state power load on the divertor..... | 823 |
| 7.5.3.2. | Transient energy deposition during ELMs..... | 827 |
| 7.5.3.3. | Active control of peak heat fluxes..... | 831 |

| | | |
|--------|---|-----|
| 7.6. | ISSUES OF PLASMA–WALL INTERACTIONS FOR NEXT STEP TOKAMAKS | 831 |
| 7.6.1. | Power handling and particle exhaust..... | 832 |
| 7.6.2. | Transient heat loads | 833 |
| 7.6.3. | Material migration..... | 835 |
| 7.6.4. | Control of in-vessel tritium inventory..... | 835 |
| 7.6.5. | Integrated PWI issues for steady state operation | 836 |

CHAPTER 8 HELICAL CONFINEMENT CONCEPTS

| | | |
|----------|--|-----|
| 8.1. | INTRODUCTION..... | 847 |
| 8.2. | HELICAL CONFINEMENT CONCEPTS | 849 |
| 8.2.1. | Production of 3-D toroidal flux surfaces..... | 849 |
| 8.2.2. | Helical confinement devices | 852 |
| 8.2.2.1. | Classical stellarators | 853 |
| 8.2.2.2. | Torsatrons/Heliotrons | 855 |
| 8.2.2.3. | Heliacs | 858 |
| 8.2.2.4. | Modular stellarators | 859 |
| 8.3. | THE PHYSICS OF HELICAL SYSTEMS..... | 861 |
| 8.3.1. | Heating and particle–wave interaction..... | 861 |
| 8.3.1.1. | Electron cyclotron heating and current drive..... | 861 |
| 8.3.1.2. | Electron Bernstein wave heating in stellarators | 866 |
| 8.3.1.3. | Ion cyclotron heating in helical systems..... | 868 |
| 8.3.2. | Plasma equilibrium | 870 |
| 8.3.2.1. | Basic equilibrium properties | 870 |
| 8.3.2.2. | Optimized stellarators | 871 |
| 8.3.2.3. | Computation of 3-D equilibria..... | 873 |
| 8.3.2.4. | Experimental equilibrium identification | 874 |
| 8.3.3. | Plasma stability..... | 877 |
| 8.3.3.1. | Introduction and theoretical background..... | 877 |
| 8.3.3.2. | Ballooning modes..... | 881 |
| 8.3.3.3. | Global pressure driven modes..... | 882 |
| 8.3.3.4. | Energetic particle driven Alfvén instabilities..... | 885 |
| 8.3.4. | Bounce-averaged particle orbits | 894 |
| 8.3.5. | Neoclassical transport models | 896 |
| 8.3.5.1. | Neoclassical modelling | 896 |
| 8.3.5.2. | Classical and advanced stellarator configurations..... | 898 |
| 8.3.5.3. | Radial electric field | 899 |
| 8.3.5.4. | Bootstrap current | 900 |
| 8.3.5.5. | Parallel resistivity..... | 900 |

| | | |
|----------|--|-----|
| 8.3.5.6. | Optimization of neoclassical transport..... | 901 |
| 8.3.6. | 3-D features of transport and confinement | 903 |
| 8.3.6.1. | Role of neoclassical transport | 904 |
| 8.3.6.2. | Characterization of turbulent transport | 906 |
| 8.3.6.3. | Particle transport..... | 909 |
| 8.3.6.4. | Electron temperature evolution..... | 911 |
| 8.3.6.5. | Isotopic effect | 912 |
| 8.3.6.6. | Magnetic configuration effects on confinement | 913 |
| 8.3.6.7. | Improved confinement regimes | 915 |
| 8.3.6.8. | Impurity transport..... | 918 |
| 8.3.7. | Boundary layer and divertor physics..... | 923 |
| 8.3.7.1. | Island divertor concepts | 923 |
| 8.3.7.2. | Transport features of helical SOLs | 924 |
| 8.3.7.3. | Detachment regime | 928 |
| 8.4. | OPERATIONAL LIMITS | 930 |
| 8.4.1. | Density limit | 930 |
| 8.4.2. | Beta limit | 933 |
| 8.5. | STELLARATOR OPTIMIZATION | 936 |
| 8.5.1. | Equilibrium..... | 936 |
| 8.5.2. | Particle drift..... | 936 |
| 8.5.3. | Stability | 938 |
| 8.5.4. | Integrated optimization concepts | 938 |
| 8.6. | HELICAL REACTOR CONCEPTS | 941 |
| 8.6.1. | Heliotron reactors | 941 |
| 8.6.2. | Modular stellarator reactors | 942 |
| 8.6.2.1. | US compact stellarator power plant study (SPPS)..... | 943 |
| 8.6.2.2. | The Helias reactor | 944 |
| 8.6.3. | Concluding remarks..... | 945 |

CHAPTER 9 THE BROADER SPECTRUM OF MAGNETIC CONFIGURATIONS FOR FUSION

| | | |
|----------|---|-----|
| 9.1. | INTRODUCTION..... | 958 |
| 9.2. | REVERSED FIELD PINCH: TOROIDAL CONFINEMENT AT WEAK MAGNETIC FIELD | 959 |
| 9.2.1. | The configuration: ideal MHD equilibrium and stability | 961 |
| 9.2.1.1. | Current driven instability | 964 |
| 9.2.1.2. | Pressure driven instability..... | 964 |
| 9.2.2. | Reversal of magnetic field: minimum energy state and reconnection ... | 965 |
| 9.2.2.1. | Minimum energy state..... | 965 |

| | | |
|----------|--|------|
| 9.2.2.2. | Standard model of RFP dynamics: non-linear tearing modes and magnetic reconnection | 967 |
| 9.2.3. | Confinement: effects of magnetic stochasticity | 972 |
| 9.2.4. | Improved confinement | 976 |
| 9.2.4.1. | Eliminating the free energy source | 976 |
| 9.2.4.2. | Single helicity states | 979 |
| 9.2.5. | Beta limits in the RFP | 982 |
| 9.2.6. | Resistive wall instabilities and their control | 984 |
| 9.2.6.1. | Characteristics of resistive wall instabilities in the RFP..... | 984 |
| 9.2.6.2. | Feedback suppression of resistive wall instabilities | 985 |
| 9.2.7. | Sustaining the plasma | 986 |
| 9.3. | COMPACT TORI: ELIMINATING THE HOLE IN THE TORUS..... | 990 |
| 9.3.1. | Spheromaks | 990 |
| 9.3.1.1. | Magnetic surfaces..... | 990 |
| 9.3.1.2. | Spheromak formation | 991 |
| 9.3.1.3. | Sustainment phase and helicity injection..... | 994 |
| 9.3.1.4. | Current amplification..... | 997 |
| 9.3.1.5. | Regular versus stochastic magnetic field..... | 998 |
| 9.3.1.6. | Spheromak: a flexible configuration..... | 998 |
| 9.3.2. | Field reversed configuration (FRC)..... | 1000 |
| 9.3.2.1. | Field geometry | 1000 |
| 9.3.2.2. | FRC formation | 1002 |
| 9.3.2.3. | FRC equilibrium..... | 1003 |
| 9.3.2.4. | Plasma rotation and stability | 1005 |
| 9.3.2.5. | Steady state FRCs..... | 1006 |
| 9.4. | OPEN CONFINEMENT SYSTEMS..... | 1008 |
| 9.4.1. | Confining a plasma on the open field lines | 1008 |
| 9.4.2. | Mirror confinement..... | 1008 |
| 9.4.3. | Role of ion collisions..... | 1010 |
| 9.4.4. | Electron axial confinement..... | 1011 |
| 9.4.5. | Velocity-space microinstabilities..... | 1012 |
| 9.4.6. | MHD stability | 1014 |
| 9.4.7. | Suppression of end losses | 1015 |
| 9.4.7.1. | Tandem mirrors..... | 1015 |
| 9.4.7.2. | Plasma rotation | 1018 |
| 9.4.7.3. | Gas-dynamic trap | 1019 |
| 9.5. | OTHER FUSION CONFIGURATIONS: A BROAD RANGE OF IDEAS..... | 1020 |
| 9.5.1. | Levitated dipoles | 1020 |
| 9.5.2. | Cusps | 1022 |
| 9.5.3. | Magneto-electrostatic confinement and electrostatic confinement..... | 1023 |

| | | |
|--------|--------------------------------|------|
| 9.5.4. | Pinches | 1023 |
| 9.5.5. | Magnetized target fusion | 1024 |
| 9.5.6. | Other concepts | 1025 |
| 9.6. | SUMMARY..... | 1026 |

CHAPTER 10 INERTIAL FUSION ENERGY

| | | |
|-----------|--|------|
| 10.1. | BRIEF HISTORY | 1043 |
| 10.2. | INTRODUCTION..... | 1044 |
| 10.3. | BASIC CONCEPT OF INERTIAL FUSION ENERGY | 1044 |
| 10.4. | REQUIREMENT ON FUSION GAIN | 1046 |
| 10.5. | IMPLOSION CONCEPT | 1048 |
| 10.5.1. | Why compression?..... | 1048 |
| 10.5.2. | Gain scaling of implosion ignition..... | 1050 |
| 10.6. | IMPLOSION PHYSICS | 1051 |
| 10.6.1. | Ablative acceleration and laser-throughout plasma interaction in direct drive implosion..... | 1053 |
| 10.6.2. | Classical absorption | 1054 |
| 10.6.3. | Collective laser plasma interactions | 1055 |
| 10.6.3.1. | Resonant mode conversion | 1056 |
| 10.6.3.2. | Density profile modifications | 1058 |
| 10.6.3.3. | Electron-ion decay and oscillating two stream instabilities | 1058 |
| 10.6.3.4. | Two-plasmon decay instability | 1059 |
| 10.6.3.5. | Stimulated Raman scattering..... | 1060 |
| 10.6.3.6. | Stimulated Brillouin scattering | 1061 |
| 10.6.3.7. | Filamentation instability: self-focusing | 1062 |
| 10.7. | ABLATION PRESSURE AND DIRECT DRIVE IMPLOSION HYDRODYNAMICS | 1063 |
| 10.7.1. | Ablation pressure..... | 1063 |
| 10.7.2. | Rocket model and hydrodynamic efficiency..... | 1065 |
| 10.7.3. | Implosion non-uniformity and stability | 1065 |
| 10.7.4. | Implosion instabilities | 1068 |
| 10.8. | FAST IGNITION: PRESENT STATUS AND FUTURE PROSPECTS ... | 1069 |
| 10.8.1. | Why fast ignition?..... | 1069 |
| 10.8.2. | Ignition conditions | 1070 |
| 10.8.3. | Fast ignition integrated experiments | 1074 |
| 10.8.3.1. | Direct plasma heating..... | 1074 |
| 10.8.3.2. | Cone-shell target..... | 1076 |

| | | |
|--------------|--|------|
| 10.8.4. | Fast ignition simulation..... | 1077 |
| 10.8.4.1. | Integrated simulation | 1077 |
| 10.8.4.2. | Radiation hydrodynamic simulation..... | 1078 |
| 10.8.5. | Relativistic electron generation, transport and heating physics | 1080 |
| 10.8.6. | Petawatt laser and future Fast Ignition Facility | 1082 |
| 10.9. | INDIRECT DRIVE FUSION | 1085 |
| 10.9.1. | Concept of indirect drive implosion | 1085 |
| 10.9.2. | Status of indirect drive implosion experiments..... | 1088 |
| 10.9.3. | Recent progress in indirect drive experiments..... | 1090 |
| 10.9.4. | Other drivers for indirect drive implosion..... | 1093 |
| 10.10. | IFE POWER PLANT DEVELOPMENT | 1095 |
| 10.10.1. | IFE power plant systems | 1095 |
| 10.10.2. | Driver development | 1097 |
| 10.10.3. | Reaction chamber | 1099 |
| 10.10.4. | Fuel pellet | 1101 |
| 10.10.5. | Recent progress in inertial fusion technologies..... | 1102 |
| 10.10.5.1. | LIFE project at LLNL | 1102 |
| 10.10.5.2. | HiPER project in the EU..... | 1103 |
| 10.10.5.3. | Recent progress in laser technology | 1104 |
| 10.10.5.4. | Recent progress of target fabrication and injection technology..... | 1105 |
| INDEX | | 1119 |