

Contents

1 Low-Order Harmonic Generation of Laser Radiation in Various Media	1
1.1 Nonlinear Crystals	3
1.1.1 Efficient Fifth Harmonic Generation	4
1.1.2 Laser Pulse Compression During Second Harmonic Generation in KDP	5
1.1.3 Parametric Waves Generation	6
1.2 Fullerene-Doped Polyimide Films, Fe- and Zn-Doped Polyvinylpyrrolidone, Colloidal Metals Solutions and Organic Dyes	7
1.3 Plasma and Ionic Media	11
1.3.1 Laser-Ablated Targets	11
1.3.2 Gallium Ion Beams	15
1.3.3 Generation of Backscattered 2ω and $3\omega/2$ Harmonics of Femtosecond Radiation from the Plasmas with Different Atomic Number	17
1.4 Gases	21
1.4.1 Third Harmonic Generation in Conditions of Negative and Positive Dispersion in Rare Gases and Tuneable Radiation Generation in 113.5–17.0 nm and 117.8–119.2 nm Ranges	21
1.4.2 Third Harmonic Generation in Air Using Femtosecond Radiation at Tight Focusing Conditions	25
1.4.3 Fourth Harmonic Generation During Parametric Four-Wave Mixing in the Filaments in Ambient Air	30
1.5 Low-Order Harmonic Generation During Interaction of Laser Radiation with Surfaces	37
1.5.1 Picosecond Radiation	38
1.5.2 Femtosecond Radiation	39
References	40

2 High-Order Harmonic Generation from Laser Ablation of Various Surfaces	43
2.1 Current Status of Plasma Harmonic Studies	45
2.2 Harmonic Generation of Picosecond Nd:YAG Laser Radiation in Ablation-Produced Plasmas	48
2.3 Stable Generation of High-Order Harmonics of Femtosecond Laser Radiation from Laser Produced Plasma Plumes at 1 kHz Pulse Repetition Rate	57
2.4 High-Order Harmonic Generation in Graphite Plasma Plumes Using Ultrashort Laser Pulses: A Systematic Analysis of Harmonic Radiation and Plasma Conditions	61
2.4.1 HHG in Carbon Plasma at Different Conditions	63
2.4.2 Characterization of Optimal Plasma Conditions	67
2.4.3 Analysis of HHG and Plasma Characterization	72
2.5 Harmonic Generation in Fullerenes Using Few- and Multi-Cycle Pulses of Different Wavelengths	74
2.6 Isolated Sub-Femtosecond XUV Pulse Generation in Mn Plasma Ablation	79
References	85
3 Nonlinear Optical Refraction and Absorption of Media	89
3.1 Basic Relations and Experimental Methods and Schemes for Analysis of Nonlinear Optical Parameters of Media by the z-Scan Method	93
3.2 Crystals	98
3.2.1 Photorefractive Crystals	98
3.2.2 Nonlinear Crystals for Harmonics Generation	101
3.3 Fullerenes	104
3.4 Dyes	105
3.5 Metals	109
3.5.1 Organometallic Structures	109
3.5.2 Colloidal Metal Solutions	111
3.5.3 Solid Dielectric Matrices Doped with Metals	112
3.6 Plasma	112
3.7 Liquids	117
3.7.1 Calibration Measurements of Optical Nonlinearities Using a Standard Medium (Liquid Carbon Disulfide)	117
3.7.2 Optical Nonlinearities of Carbon Disulfide at 795 nm	119
3.7.3 Optical Nonlinearities of Carbon Disulfide at 1064 nm	125
3.8 Measurements of Nonlinear Optical Parameters of Transparent and Nontransparent Materials Using Single-Shot Techniques	128

3.8.1 Single-Shot Reflection z-Scan for Measurements of the Nonlinear Refraction of Non-Transparent Materials	128
3.8.2 Single-Shot y-Scan for Characterization of the Nonlinear Optical Parameters of Transparent Materials	133
3.9 Optical Limiting in Various Media	138
3.9.1 Optical Limiting in Fullerenes	140
3.9.2 Optical Limiting in Colloidal Solutions	141
3.9.3 Optical Limiting in Semiconductors	143
References	145
4 Laser Ablation Induced Cluster Formation	151
4.1 Methods of Laser-Induced Nanoparticle Formation	151
4.2 Characterization of the Nanoparticles Synthesized During Laser Ablation of Indium and GaAs in Various Liquids	153
4.2.1 Structural and Optical Properties of Indium Nanoparticles Prepared by Laser Ablation in Liquids	153
4.2.2 Laser Ablation of GaAs in Liquids: Structural and Optical Characteristics of Colloidal Suspensions	156
4.3 Synthesis and Analysis of Nanostructured Thin Films Prepared by Laser Ablation of Metals in Vacuum	160
4.4 Characterization of Nanoparticles During Laser Ablation of Nanoparticle-Containing Targets	167
4.5 Nanoparticle Formation During Laser Ablation of Metals at Different Pressures of Surrounding Noble Gases	171
References	179
5 Low-Order Nonlinear Optical Characterization of Clusters	181
5.1 Nonlinear Optical Properties of Indium and Gallium Arsenide Nanoparticles Prepared by Laser Ablation in Liquids	184
5.2 Low-Order Optical Nonlinearities of Silver Clusters	192
5.2.1 Low-Order Nonlinearities of Silver Nanoparticles Embedded in Solid Transparent Matrices	192
5.2.2 Characterization of Optical and Nonlinear Optical Properties of Silver Nanoparticles Prepared by Laser Ablation in Various Liquids	203
5.2.3 Role of Aggregation in Variations of Nonlinear Optical Parameters of Silver Nanoparticle Suspensions	210
5.3 Influence of Laser Ablation Parameters on the Optical and Nonlinear Optical Characteristics of Colloidal Suspensions of Semiconductor Nanoparticles	213

5.4 Studies of Low-Order Nonlinear Optical Properties of BaTiO ₃ and SrTiO ₃ Nanoparticles	219
References	225
6 Applications of Nanoparticle-Containing Plasmas for High-Order Harmonic Generation of Laser Radiation	231
6.1 Experimental Arrangements for Cluster-Containing Plasma Formation and High-Order Harmonic Generation	232
6.2 High-Order Harmonic Generation in the Plasmas Containing <i>In-Situ</i> Produced Nanoparticles and Fullerenes	233
6.3 Application of Silver Nanoparticle-Containing Laser Plasmas for HHG.	235
6.3.1 Harmonic Generation of Laser Radiation in the Plasma Plumes Containing Large-Sized Silver Nanoparticles.	235
6.4 Improvements in High-Order Harmonic Generation from Silver Nanoparticles.	239
References	243