

| | |
|--|--|
| <p>PART B</p> <p>INSTRUMENTATION II</p> <p>Numerical optimization of monofilamentary MgB₂ wires with different metal sheath materials for liquid hydrogen level sensor Kazuhiro Kajikawa, Takuro Inoue, Kazuki Watanabe, Yutaka Yamada, and Itsuo Aoki 905</p> <p>Design, development and calibration of HTS wire based LOX level sensor probe R. Karunanithi, S. Jacob, D. S. Nadig, M. V. N. Prasad, A. S. Gour, M. Gowthaman, P. Deckshith, and V. Shrivastava 913</p> <p>Basic study on hot-wire flow meter in forced flow of liquid hydrogen Y. Oura, Y. Shirai, M. Shiotsu, K. Murakami, H. Tatsumoto, Y. Naruo, S. Nonaka, H. Kobayashi, Y. Inatani, and N. Narita 920</p> <p>Development of an instrument providing visual monitoring in cryogenics Kenjiro Hashi, Takashi Noguchi, Tadashi Shimizu, and Shinobu Ohki 928</p> <p>Superconducting phase transition thermometers for the CRESST-experiment B. J. Luo, P. Huff, J. Schmaler, D. Hauff, F. Pröbst, and J. Wang 932</p> <p>A two-stage thermal control method for cryocoolers cooling infrared optics Tao Yan, Yali Li, Jianguo Li, and Guotong Hong 937</p> | <p>Overview of Air Liquide refrigeration systems between 1.8 K and 200 K C. Gondrand, F. Durand, F. Delcayre, S. Crispel, and G. M. Gistau Baguer 949</p> <p>Improvement of Linde Kryotechnik's internal purifier Lutz Decker, Albert Meier, and Hanspeter Wilhelm 957</p> <p>Commissioning of helium compression system for the 12 GeV refrigerator P. Knudsen, V. Ganni, K. Dixon, R. Norton, J. Creel, and D. Arenius 962</p> <p>Exergy analysis of large-scale helium liquefiers: Evaluating design trade-offs Rijo Jacob Thomas, Parthasarathi Ghosh, and Kanchan Chowdhury 968</p> <p>Spiral 2 cryogenic system overview: Design, construction and performance test C. Deschildre, J. Bernhardt, G. Flavien, S. Crispel, M. Souli, and C. Commeaux 976</p> <p>PULSE TUBES</p> <p>Research of Stirling-type multi-bypass pulse tube cryocoolers with temperatures below 20 K Chen Liubiao, Zhou Qiang, Zhu Wenxiu, Xue Xiaodai, Wang Junjie, and Zhou Yuan 982</p> <p>An air-cooled pulse tube cryocooler with 50 W cooling capacity at 77 K Jianying Hu, Xiaotao Wang, Jian Zhu, Shuai Chen, Ercang Luo, and Haibin Li 988</p> <p>Comparison of three adjustable inertance tubes Wenjie Zhou, John M. Pfotenhauer, and Gregory F. Nellis 994</p> <p>Investigation of gravitational effects in pulse tube cryocoolers using 3-D CFD T. I. Mulcahey, T. J. Conrad, S. M. Ghiaasiaan, and M. G. Pathak 1002</p> <p>Low temperature high frequency coaxial pulse tube for space application Aurelia Charrier, Ivan Charles, Bernard Rousset, Jean-Marc Duval, and Christophe Daniel 1010</p> <p>CRYOGENIC POWER CABLES, LEADS AND FAULT CURRENT LIMITERS I</p> <p>Design of N₂ cooled Bi-2223 HTS current leads for use in 0.4T field for the NHMFL series-connected hybrid magnet W. Scott Marshall, Hongyu Bai, Mark D. Bird, Iain R. Dixon, Andrew V. Gavrilin, George E. Miller, Sarah E. Napier, Patrick D. Noyes, Hubertus W. Weijers, and J. Michael White 1018</p> <p>LARGE SCALE REFRIGERATION AND LIQUEFACTION III</p> <p>Commissioning of helium refrigeration system at JLab for 12 GeV upgrade V. Ganni, P. Knudsen, K. Dixon, R. Norton, J. Creel, and D. Arenius 944</p> <p>Non-destructive qualification tests for ITER cryogenic axial insulating breaks Jacek Kosek, Roberto Lopez, Felix Rodriguez-Mateos, and Davide Tommasini 1026</p> |
|--|--|

| | | | |
|---|------|---|------|
| Efficient and lightweight current leads L. Bromberg, A. J. Dietz, P. C. Michael, C. Gold, and M. Cheadle | 1034 | Experimental investigation of CO₂ condensation process using cryogen Cheonkyu Lee, Junghyun Yoo, Jisung Lee, Hana Park, and Sangkwon Jeong | 1115 |
| Saturated iron-core superconductive fault current limiter developed at Innopower Y. Xin, W. Z. Gong, H. Hong, X. Y. Niu, J. Y. Zhang, A. R. Ren, and B. Tian | 1042 | Operation characteristic of a heat pump of mechanical vapor recompression propelled by fans and its performance analysis applied to waste-water treatment Pang Weike, Lin Wenju, Pan Qilin, Lin Wenye, Dai Qunte, Yang Luwei, and Zhang Zhentao | 1122 |
| MAGNETIC, SORPTION, AND OTHER COOLERS | | | |
| Mixed refrigerant Joule-Thomson sorption cryocoolers Nir Tzabar and Gershon Grossman | 1049 | Medical protein separation system using high gradient magnetic separation by superconducting magnet Y. Kamioka, K. Agatsuma, K. Kajikawa, H. Ueda, M. Furuse, S. Fuchino, T. Iitsuka, and S. Nakamura | 1129 |
| Design and development of a four-cell sorption compressor based J-T cooler using R134a as working fluid R. N. Mehta, S. L. Bapat, and M. D. Atrey | 1055 | Safety aspects of cryochamber operation M. Chorowski, A. Piotrowska, A. Sieron, and A. Stanek | 1135 |
| Joule-Thomson cryocooler with neon and nitrogen mixture using commercial air-conditioning compressors Jisung Lee, Haejin Oh, Seungwhan Baek, Cheonkyu Lee, and Sangkwon Jeong | 1063 | GM CRYOCOOLERS | |
| | | Numerical simulation of the second stage regenerator in a 4K GM cryocooler Mingyao Xu and Takaaki Morie | 1143 |
| FLUID MECHANICS AND HEAT TRANSFER III | | | |
| Experiments on thermal contact conductance between metals below 100 K Yeon Suk Choi and Myung Su Kim | 1070 | A GM cryocooler with cold helium circulation for remote cooling Chao Wang and Ethan Brown | 1149 |
| Managing parallel cryogenic flows to the thermal intercepts in the Cornell ERL R. Eichhorn, A. Holmes, S. Markham, D. Sabol, and E. Smith | 1078 | Experimental investigation of 4.2 K high efficiency G-M refrigerators X. H. Hao and S. H. Yao | 1157 |
| Retrofit of a Rubotherm ISOSORP® 2000 for PVT-x and sorption measurements at cryogenic temperatures I. A. Richardson, J. W. Leachman, T. M. Blackham, and S. G. Penoncello | 1086 | Magnetic regenerator material economizing method for 4K Gifford-McMahon cryocoolers using bakelite rod S. Masuyama, T. Nagao, and T. Numazawa | 1162 |
| New flow boiling heat transfer model for hydrocarbons evaporating inside horizontal tubes G. F. Chen, M. Q. Gong, S. Wang, J. F. Wu, and X. Zou | 1092 | LARGE SCALE SYSTEMS, FACILITIES AND TESTING II | |
| INDUSTRIAL AND MEDICAL APPLICATIONS | | | |
| Ultra-high heat flux cooling characteristics of cryogenic micro-solid nitrogen particles and its application to semiconductor wafer cleaning technology Jun Ishimoto, U Oh, Zhao Guanghan, Tomoki Koike, and Naoya Ochiai | 1099 | Extreme argon purity in a large, non-evacuated cryostat Terry Tope, Mark Adamowski, B. Carls, A. Hahn, W. Jaskierny, H. Jostlein, C. Kendziora, S. Lockwitz, B. Pahlka, R. Plunkett, S. Pordes, B. Rebel, R. Schmitt, E. Skup, M. Stancari, and T. Yang | 1169 |
| A preliminary investigation of cryogenic CO₂ capture utilizing a reverse Brayton Cycle L. C. Yuan, J. M. Pfotenhauer, and L. M. Qiu | 1107 | A study of cooling time reduction of interferometric cryogenic gravitational wave detectors using a high-emissivity coating Y. Sakakibara, N. Kimura, T. Suzuki, K. Yamamoto, D. Chen, S. Koike, C. Tokoku, T. Uchiyama, M. Ohashi, and K. Kuroda | 1176 |
| | | Cryogenic test of the 4 K / 2 K insert for the ARIEL e-Linac cryomodule R. E. Laxdal, Y. Ma, P. Harmer, D. Kishi, A. Koveshnikov, N. Muller, A. Vrielink, M. O'Brien, and M. Ahammed | 1184 |

| | | | |
|---|------|---|------|
| Commissioning of 14 T/ 16 T Rutherford cable test facility with bifilar sample and superconducting transformer | 1192 | Cryogenic experiences during W7-X HTS-current lead tests | 1262 |
| E. Barzi, V. V. Kashikhin, V. Lombardo, D. Turri, A. Rusy, and A. V. Zlobin | | Thomas Richter and Ralph Lietzow | |
| Cryogenic supply for accelerators and experiments at FAIR | 1200 | 1000-ton testing machine for cyclic fatigue tests of materials at liquid nitrogen temperatures | 1269 |
| M. Kauschke, Y. Xiang, C. H. Schroeder, B. Streicher, and H. Kollmus | | A. A. Khitruk, Yu. A. Klimchenko, O. A. Kovalchuk, E. L. Marushin, A. A. Mednikov, S. N. Nasluzov, E. K. Privalova, I. Yu. Rodin, D. B. Stepanov, and M. V. Sukhanova | |
| Studies of adsorption characteristics of activated carbons down to 4.5 K for the development of cryosorption pumps for fusion systems | 1206 | Design of a horizontal test cryostat for superconducting RF cavities for the FREIA facility at Uppsala University | 1277 |
| S. Kasthurieng, U. Behera, G. A. Vivek, V. Krishnamoorthy, R. Gangradey, S. S. Udgata, and V. S. Tripati | | N. R. Chevalier, J.-P. Thermeau, P. Bujard, T. Junquera, L. Hermansson, R. Santiago Kern, and R. Ruber | |
| Design and commissioning of vertical test cryostats for XFEL superconducting cavities measurements | 1214 | Design progress of cryogenic hydrogen system for China Spallation Neutron Source | 1285 |
| J. Polinski, M. Chorowski, P. Duda, Y. Bozhko, B. Petersen, and J. Schaffran | | G. P. Wang, Y. Zhang, J. Xiao, C. C. He, M. Y. Ding, Y. Q. Wang, N. Li, and K. He | |
| EXPANDERS, PUMPS, AND COMPRESSORS I | | | |
| The development of a cryogenic over-pressure pump | 1222 | AEROSPACE APPLICATIONS | |
| M. Alvarez, H. Cease, B. Flaugher, R. Flores, J. Garcia, A. Lathrop, and F. Ruiz | | Analysis, testing, and operation of the MAGI thermal control system | 1291 |
| Cryogenic hydrogen circulation system of neutron source | 1230 | Sonny Yi, Jeffrey L. Hall, and Brian P. Kasper | |
| Y. N. Qiu, Z. J. Hu, J. H. Wu, Q. Li, Y. Zhang, P. Zhang, and G. P. Wang | | Design of a reconfigurable liquid hydrogen fuel tank for use in the Genii unmanned aerial vehicle | 1299 |
| Development of a turbine-compressor for 10 kW class neon turbo-Brayton refrigerator | 1236 | Patrick Adam and Jacob Leachman | |
| Hirokazu Hirai, Masaki Hirokawa, Shigeru Yoshida, Tomonobu Sano, and Shinsuke Ozaki | | Physics based model for online fault detection in autonomous cryogenic loading system | 1305 |
| High efficiency, low frequency linear compressor proposed for Gifford-McMahon and pulse tube cryocoolers | 1242 | Ali Kashani, Ekaterina Ponizhovskaya, Dmitry Luchinsky, Vadim Smelyanskiy, Jared Sass, Barbara Brown, and Anna Patterson-Hine | |
| Jens Höhne | | The latest developments and outlook for hydrogen liquefaction technology | 1311 |
| LARGE SCALE REFRIGERATION AND LIQUEFACTION IV | | | |
| Sub-cooled liquid nitrogen cryogenic system with neon turbo-refrigerator for HTS power equipment | 1246 | Raytheon low temperature RSP2 cryocooler airborne testing | 1318 |
| S. Yoshida, H. Hirai, N. Nara, S. Ozaki, M. Hirokawa, T. Eguchi, H. Hayashi, M. Iwakuma, and Y. Shiohara | | B. R. Schaefer, L. Bellis, M. J. Ellis, and T. J. Conrad | |
| Cryogenic system for the interferometric cryogenic gravitational wave telescope, KAGRA - design, fabrication, and performance test - | 1254 | SRF SYSTEMS II | |
| C. Tokoku, N. Kimura, S. Koike, T. Kume, Y. Sakakibara, T. Suzuki, K. Yamamoto, D. Chen, S. Goto, M. Tanaka, S. Ioka, K. Nakamoto, H. Nezuka, T. Uchiyama, M. Ohashi, and K. Kuroda | | Cryogenic systems for proof of the principle experiment of coherent electron cooling at RHIC | 1325 |
| | | Yuenian Huang, Sergey Belomestnykh, Jean Clifford Brutus, Dewey Lederle, Paul Orfin, John Skaritka, Victor Soria, Thomas Tallerico, and Roberto Than | |
| Cooling for SC devices of test cryomodule for ADS Injector II at IMP | | Thermal and mechanical analysis on the cold mass support assembly of test cryomodule for IMP ADS-injector-II | 1333 |
| L. Wang, S. Y. Wang, S. Sun, X. L. Guo, S. H. Wang, and Y. Y. Liu | | X. L. Guo, L. Wang, J. Wang, S. Y. Wang, Y. Y. Liu, and S. Sun | |
| | | | 1341 |

| | |
|---|--|
| Superfluid helium cryogenic systems for superconducting RF cavities at KEK | EXPANDERS, PUMPS, AND COMPRESSORS II |
| H. Nakai, K. Hara, T. Honma, K. Hosoyama, Y. Kojima, K. Nakanishi, T. Kanekiyo, and S. Morita | 1349 |
| LIQUEFACTION, STORAGE, AND USE OF CRYOFUELS | |
| Development of 1 L hr⁻¹ scale hydrogen liquefier using Gifford-McMahon (GM) cryocooler | 30 kW metal diaphragm pressure wave generator |
| J. H. Baik, S. W. Karng, N. Garceau, Y. H. Jang, C. M. Lim, S. Y. Kim, and I. H. Oh | 1424 |
| Integrated heat exchanger design for a cryogenic storage tank | Demonstration of a high-capacity turboalternator for a 20 K, 20 W space-borne Brayton cryocooler |
| J. E. Fesmire, T. M. Tomsik, T. Bonner, J. M. Oliveira, H. J. Conyers, W. L. Johnson, and W. U. Notardonato | 1432 |
| Comparative analysis of cryogenic and PTSA technologies for systems of oxygen production | Design of a valved moving magnet type linear compressor for a Joule-Thomson cryocooler |
| T. Banaszkiewicz, M. Chorowski, and W. Gizicki | 1438 |
| Exergy of LNG regasification – possible utilization method. Case study of LNG - ANG coupling | How to match an acoustical load to a thermoacoustic heat engine? |
| E. A. Roszak and M. Chorowski | 1445 |
| BELOW 4 K CRYOCOOLERS | CRYOGENIC SYSTEMS |
| A vibration free closed-cycle 1 K cryostat with a 4 K pulse tube cryocooler | Performance of the dark energy camera liquid nitrogen cooling system |
| Chao Wang and Ben Lichtenwalter | 1387 |
| Dry dilution refrigerator with He-4 precool loop | 1379 |
| Kurt Uhlig | 1453 |
| STIRLING TYPE PULSE TUBE CRYOCOOLERS | |
| Large co-axial pulse tube preliminary results | High capacity 30 K remote helium cooling loop |
| N. Emery, A. Caughley, J. Meier, M. Nation, J. Tanchon, T. Trollier, and A. Ravex | 1461 |
| Anomalous temperature and amplitude-dependent performance characteristic of a 1000W/80K coldfinger | Development of a vacuum compatible rotary dynamic seal for cryogenic liquids |
| P. S. Spoor | 1467 |
| Investigation of a Stirling-type pulse tube cryocooler with 100 W-class cooling power at 77 K | Cryogenic pellet production developments for long-pulse plasma operation |
| L. M. Zhang, J. Y. Hu, Y. Y. Chen, E. C. Luo, and W. Dai | 1475 |
| A cascade pulse tube cooler with work recovery | FLUID MECHANICS AND HEAT TRANSFER IV |
| J. K. Zhu, Y. J. Song, L. Y. Wang, X. Q. Huang, and Z. H. Gan | Helium I heat transfer in a small natural circulation loop with self-sustaining recondensation |
| | 1483 |
| Transient boiling in two-phase helium natural circulation loops | Free convection oxygen vaporizer heat transfer as a function of relative humidity and frost buildup |
| | 1490 |
| G. E. McIntosh, K. L. Haaf, and J. A. Moyers | 1498 |

MODELING I

| | | | |
|---|------|---|------|
| Natural convection in inclined pipes - A new correlation for heat transfer estimations R. Langebach and Ch. Haberstroh | 1504 | Verification of the predictive capabilities of the 4C code cryogenic circuit model R. Zanino, R. Bonifetto, C. Hoa, and L. Savoldi Richard | 1586 |
| Flow boiling heat transfer characteristics of methane in a horizontal tube S. Wang, M. Q. Gong, G. F. Chen, Z. H. Sun, and J. F. Wu | 1512 | Physical control oriented model of large scale refrigerators to synthesize advanced control schemes. Design, validation, and first control results François Bonne, Mazen Alamir, and Patrick Bonnay | 1594 |
| LTS MAGNET SYSTEMS II | | | |
| Cryo-technical design aspects of the superconducting SIS100 quadrupole doublet modules J. P. Meier, A. Bleile, E. Fischer, G. Hess, J. Macavei, and P. Spiller | 1519 | Experimental validation of advanced regulations for superconducting magnet cooling undergoing periodic heat loads B. Lagier, B. Rousset, C. Hoa, and P. Bonnay | 1602 |
| Cryogenic performance of a cryocooler-cooled superconducting undulator J. D. Fuerst, C. Doose, Q. Hasse, Y. Ivanyushenkov, M. Kasa, and Y. Shiroyanagi | 1527 | Model based multivariable controller for large scale compression stations. Design and experimental validation on the LHC 18KW cryorefrigerator François Bonne, Mazen Alamir, Patrick Bonnay, and Benjamin Bradu | 1610 |
| Construction challenges and solutions in TAMU3, a 14 T stress-managed Nb₃Sn dipole E. F. Holik, R. Garrison, N. Diacenko, T. Elliott, A. Jaisle, A. D. McInturff, P. McIntyre, and A. Sattarov | 1535 | Control mechanism for attenuation of thermal energy pulses using cold circulators in the cryogenic distribution system of fusion devices in tokamak configuration R. Bhattacharya, B. Sarkar, H. Vaghela, and N. Shah | 1618 |
| Design limitations on a thermal siphon 4 K helium loop for cooling-down the cyclotron gas stopper magnet coils M. A. Green, S. S. Chouhan, and A. F. Zeller | 1543 | STIRLING AND GM CRYOCOOLERS | |
| Changes made on a 2.7-m long superconducting solenoid magnet cryogenic system that allowed the magnet to be kept cold using 4 K pulse tube coolers M. A. Green, H. Pan, and R. M. Preece | 1551 | Investigation on a free piston stirling cryocooler with large cooling capacity G. Y. Yu, K. Li, W. Dai, E. C. Luo, and Z. H. Wu | 1626 |
| New superconducting toroidal magnet system for IAXO, the international AXion observatory I. Shilon, A. Dudarev, H. Silva, U. Wagner, and H. H. J. ten Kate | 1559 | Study on a pneumatically driven split stirling cryocooler operating above 100 Hz L. Y. Wang, Y. Yuan, Z. G. Ge, Y. J. Song, Z. H. Gan, and Y. N. Wu | 1633 |
| CRYOGENIC SAFETY AND RELIABILITY | | | |
| Thermodynamic processes associated with frostbite in the handling of liquid nitrogen W. L. Johnson and C. R. Cook | 1567 | LARGE SCALE REFRIGERATION AND LIQUEFACTION IV | |
| Modeling the pressure increase in liquid helium cryostats after failure of the insulating vacuum C. Heidt, S. Grohmann, and M. Süßer | 1574 | Operational and troubleshooting experiences in the SST-1 cryogenic system G. Mahesuria, P. Panchal, R. Panchal, R. Patel, D. Sonara, N. C. Gupta, G. L. N. Srikanth, D. Christian, A. Garg, N. Bairagi, K. Patel, P. Shah, H. Nimavat, R. Sharma, J. C. Patel, J. Tank, V. L. Tanna, and S. Pradhan | 1645 |
| Conceptual design of pressure relief systems for cryogenic application S. Grohmann and M. Süßer | 1581 | Nitrogen expander cycles for large capacity liquefaction of natural gas Ho-Myung Chang, Jae Hoon Park, Kyung Hyun Gwak, and Kun Hyung Choe | 1652 |
| Residual oil aerosol measurements on refrigerators and liquefiers D. Pflueckhahn, W. Anders, A. Hellwig, J. Knobloch, and S. Rotterdam | | | |
| | | | 1658 |

| | | |
|---|------|--|
| First scientific application of the membrane cryostat technology David Montanari, Mark Adamowski, Bruce R. Baller, Robert K. Barger, Edward C. Chi, Ronald P. Davis, Bryan D. Johnson, Bob M. Kubinski, Ryan Mahoney, Elaine G. McCluskey, John J. Najdzion, Barry L. Norris, Russel A. Rucinski, Rich L. Schmitt, James Stewart, Terry E. Tope, and Daniel J. Watkins | 1664 | Upgrade of the gas flow control system of the resistive current leads of the LHC inner triplet magnets: Simulation and experimental validation A. Perin, M. Almeida, J. Casas-Cubillo, and M. Pezzetti 1735 |
| Development of a test rig for a helium twin-screw compressor B. M. Wang, Z. J. Hu, P. Zhang, and Q. Li | 1672 | Measurement and control system for cryogenic helium gas bearing turbo-expander experimental platform based on Siemens PLC S7-300 J. Li, L. Y. Xiong, N. Peng, B. Dong, P. Wang, and L. Q. Liu 1743 |
| CRYOGENIC POWER CABLES AND LEADS II | | |
| Decompression cooling system operation for HTS power cable in the KEPCO power grid H. S. Yang, S. H. Sohn, J. H. Lim, S. W. Yim, H. J. Jeon, S. Y. Jung, S. C. Han, and S. D. Hwang | 1678 | Pipeline design and thermal stress analysis of a 10kW@20K helium refrigerator D. Xu, L. H. Gong, P. Xu, H. M. Liu, L. F. Li, and X. D. Xu 1750 |
| Design of a cryogenic system for a 20m direct current superconducting MgB₂ and YBCO power cable Michael J. Cheadle, Leslie Bromberg, Xiaohua Jiang, Bartek Glowacki, Rong Zeng, Joseph Minervini, and John Brisson | 1685 | Analysis of the cryogenic system behavior for pulsed heat load in EAST L. B. Hu, M. Zhuang, Z. W. Zhou, and G. H. Xia 1756 |
| Current leads and joints for HTS DC cable of 2.5 kA 20 kV Andrey V. Naumov, Dmitry N. Diev, Andrey N. Dinisilov, Oleg P. Anashkin, Victor E. Keilin, Ivan A. Kovalev, Vladimir V. Lobntsev, Vladimir I. Scherbakov, Darya I. Shutova, and Victor E. Sytnykov | 1694 | Dynamic simulation of a reverse Brayton refrigerator N. Peng, L. L. Lei, L. Y. Xiong, J. C. Tang, B. Dong, and L. Q. Liu 1764 |
| Novel cryogenic high voltage insulation breaks with spiral channel A. S. Bursikov, N. M. Voronin, S. M. Gavrilov, V. A. Grinchenko, Yu. A. Klimchenko, V. A. Korsunskiy, O. A. Kovalchuk, A. A. Lancetov, E. L. Marushin, A. A. Mednikov, I. Yu. Rodin, and A. V. Safonov | 1700 | Dynamic simulation of 10 kW Brayton cryocooler for HTS cable Ho-Myung Chang, Chan Woo Park, Hyung Suk Yang, and Si Dole Hwang 1770 |
| Current leads cooling for the series-connected hybrid magnets Hongyu Bai, William S. Marshall, Mark D. Bird, Andrew V. Gavrilin, and Hubertus W. Weijers | 1707 | Development of an efficient thermo-hydraulic modeling tool to assess dynamic response of large-scale magnet systems H. Furci and C. Luongo 1776 |
| INSTRUMENTATION III | | |
| The Fermilab CMTF cryogenic distribution remote control system L. Pei, J. Theilacker, A. Klebaner, A. Martinez, and R. Bossert | 1713 | The Ricor K508 cryocooler operational experience on Mars Dean L. Johnson, Mark J. Lysek, and John Michael Morookian 1792 |
| Concept, implementation and commissioning of the automation system for the accelerator module test facility AMTF Torsten A. Böckmann, Olaf Korth, Matthias Clausen, and Bernd Schoeneburg | 1720 | Thermal performance testing of two Thales 9310 pulse-tube cryocoolers for PHyTIR Christopher G. Paine 1800 |
| Control optimization of the cryoplant warm compressor station for EAST M. Zhuang, L. B. Hu, Z. W. Zhou, and G. H. Xia | 1728 | Integrated testing of the Thales LPT9510 pulse tube cooler and the iris LCCE electronics Dean L. Johnson, Jose I. Rodriguez, Brian A. Carroll, John G. Bustamante, Carl S. Kirkconnell, Thomas T. Luong, J. B. Murphy, and Michael F. Haley 1806 |
| MODELING II | | |
| Pipeline design and thermal stress analysis of a 10kW@20K helium refrigerator D. Xu, L. H. Gong, P. Xu, H. M. Liu, L. F. Li, and X. D. Xu | 1750 | |
| Analysis of the cryogenic system behavior for pulsed heat load in EAST L. B. Hu, M. Zhuang, Z. W. Zhou, and G. H. Xia | 1756 | |
| Dynamic simulation of a reverse Brayton refrigerator N. Peng, L. L. Lei, L. Y. Xiong, J. C. Tang, B. Dong, and L. Q. Liu | 1764 | |
| Dynamic simulation of 10 kW Brayton cryocooler for HTS cable Ho-Myung Chang, Chan Woo Park, Hyung Suk Yang, and Si Dole Hwang | 1770 | |
| Development of an efficient thermo-hydraulic modeling tool to assess dynamic response of large-scale magnet systems H. Furci and C. Luongo | 1776 | |
| TACTICAL CRYOCOOLERS FOR SPACE USE | | |
| Attenuation of cryocooler induced vibration in spaceborne infrared payloads A. Veprik and A. Twitto | 1784 | |
| The Ricor K508 cryocooler operational experience on Mars Dean L. Johnson, Mark J. Lysek, and John Michael Morookian | 1792 | |
| Thermal performance testing of two Thales 9310 pulse-tube cryocoolers for PHyTIR Christopher G. Paine | 1800 | |
| Integrated testing of the Thales LPT9510 pulse tube cooler and the iris LCCE electronics Dean L. Johnson, Jose I. Rodriguez, Brian A. Carroll, John G. Bustamante, Carl S. Kirkconnell, Thomas T. Luong, J. B. Murphy, and Michael F. Haley | 1806 | |

SRF SYSTEMS III

Helium refrigeration considerations for cryomodule design

V. Ganni and P. Knudsen

1814

Results from sudden loss of vacuum on scaled superconducting radio frequency cryomodule experiment

Andrew A. Dalesandro, Ram C. Dhuley, Jay C. Theilacker, and Steven W. Van Sciver

1822

Assembly and commissioning of a new SRF cryomodule for the ATLAS intensity upgrade

Z. A. Conway, A. Barcikowski, G. L. Cherry, R. L. Fischer, J. D. Fuerst, W. G. Jansma,
S. M. Gerbick, M. J. Kedzie, M. P. Kelly, S. H. Kim, S. W. T. MacDonald, R. C. Murphy,
P. N. Ostromov, T. C. Reid, and K. W. Shepard

1829

Design and construction of the main linac module for the superconducting energy recovery linac project at Cornell

R. Eichhorn, B. Bullock, Y. He, G. Hoffstaetter, M. Liepe, T. O'Connell, P. Quigley, D. Sabol,
J. Sears, E. Smith, and V. Veshcherevich

1837

Author Index

1845

Subject Index

1857