

CONTENTS

1. Degenerate Quantum Gases of Strontium	1
<i>Simon Stellmer, Florian Schreck and Thomas C. Killian</i>	
1. Introduction	2
2. Historical Overview	5
2.1. Laser cooling on the broad transition	5
2.2. Laser cooling on the narrow transition	6
2.3. Optical clocks	7
2.4. Struggle to reach quantum degeneracy	8
2.5. Photoassociation measurements	9
2.6. Proposals for quantum many-body simulations	10
3. Two-stage Laser Cooling	10
3.1. The blue MOT	11
3.2. Repumping	12
3.2.1. General considerations	12
3.2.2. Fermions	14
3.2.3. Experimental parameters	14
3.3. The red MOT	15
3.3.1. Bosons	15
3.3.2. Fermions	18
3.4. Design and loading of the dipole trap	18
4. Photoassociation of Atomic Strontium	19
4.1. One-color photoassociation	20
4.2. Two-color photoassociation	21
5. Bose–Einstein Condensation of Strontium	25
5.1. Bose–Einstein condensation of ^{84}Sr	25
5.1.1. First attainment of BEC in strontium	25
5.1.2. BECs of large atom number	28

5.1.3. Short cycle times	30
5.1.4. Laser cooling to quantum degeneracy	31
5.2. Bose–Einstein condensation of ^{86}Sr	35
5.3. Bose–Einstein condensation of ^{88}Sr	36
5.4. Bose–Bose mixtures	38
6. Spin State Control in ^{87}Sr	40
6.1. Optical Stern–Gerlach separation	40
6.2. Experimental demonstration	42
6.3. Spin-state dependent absorption imaging	44
6.4. Preparation of spin-state mixtures	46
6.5. Determination of an upper bound of the spin-relaxation rate	47
7. Degenerate Fermi Gases of ^{87}Sr	48
7.1. A degenerate Fermi gas of 10 spin states	49
7.2. A degenerate Fermi gas of a single spin state	49
7.3. Degenerate Fermi gases of arbitrary spin composition	51
7.4. Bose–Fermi mixtures	53
8. Optical Feshbach Resonances	54
9. Strontium Atoms in a 3D Optical Lattice	59
9.1. Superfluid-to-Mott insulator transition in ^{84}Sr	60
9.2. Fermions on a lattice	61
9.3. A Mott-insulator with impurities	63
10. Sr_2 Molecules	65
11. Outlook	71
Acknowledgments	71
References	72
2. Fermi Gases with Synthetic Spin–Orbit Coupling	81
<i>Jing Zhang, Hui Hu, Xia-Ji Liu and Han Pu</i>	
1. Introduction	82
2. Theory of Spin–Orbit Coupled Fermi Gas	84
2.1. Theoretical framework	85
2.1.1. Functional path-integral approach	85

2.1.2. Two-particle physics from the particle–particle vertex function	89
2.1.3. Many-body T-matrix theory	91
2.1.4. BdG equation for trapped Fermi systems	93
2.1.5. Momentum- or spatially-resolved rf spectrum	94
2.2. 1D equal-weight Rashba–Dresselhaus SOC	96
2.2.1. Single-particle spectrum	98
2.2.2. Two-body physics	100
2.2.3. Momentum-resolved rf spectrum of the superfluid phase	104
2.2.4. FF superfluidity	106
2.2.5. 1D topological superfluidity	108
2.3. 2D Rashba SOC	113
2.3.1. Single-particle spectrum	113
2.3.2. Two-body physics	115
2.3.3. Crossover to rashbon BEC and anisotropic superfluidity	118
2.3.4. 2D Topological superfluidity	121
3. Experiments	124
3.1. The non-interacting spin–orbit coupled Fermi gas	126
3.1.1. Rabi oscillation	126
3.1.2. Momentum distribution	128
3.1.3. Lifshitz transition	128
3.1.4. Momentum-resolved rf spectrum	131
3.2. The strongly interacting spin–orbit coupled Fermi gas	133
3.2.1. Integrated rf spectrum	134
3.2.2. Coherent formation of Feshbach molecules by SOC	136
4. Conclusion	138
Acknowledgments	139
References	140

3. The Mott Transition in a Bose Gas Measured Through Time of Flight	145
<i>K. Jiménez-García and I. B. Spielman</i>	
1. Introduction	145
2. The Bose–Hubbard Hamiltonian	147
2.1. Mean-field description of the SF-MI phase transition	149
2.2. Basic notation	152
2.3. Time-of-flight images and their relation to the momentum distribution	155
2.4. General discussion of the momentum distribution and noise therein	158
2.5. Momentum distribution in the MI and SF regimes	160
2.6. Momentum correlations	161
3. Our experiments	162
3.1. Optical lattices	163
3.2. Basic lattice properties	164
3.3. Applicability of the Bose–Hubbard model	165
3.4. Experimental realization of the 2D BH Hamiltonian	167
3.5. Laser intensity: calibration and control	169
3.6. Detection	169
3.6.1. Projection	170
3.6.2. Bandmapping	170
3.7. Experimental techniques for inhomogeneous systems	170
3.7.1. Bandmapping and extraction of 2D systems from an ensemble	172
3.7.2. Matter-wave focusing	172
3.7.3. Number calibration	174
4. Experiment	174
4.1. The Mott insulating phase	175
4.1.1. The momentum distribution for small t/U	175

4.1.2. Noise correlations in the momentum distribution	178
4.2. Ensemble measurements of a collection of 2D BH systems	180
4.3. Individual-system measurements using MRI extraction	184
4.3.1. Universal state diagram	185
5. Conclusions	187
Acknowledgments	188
References	188
4. One-Dimensional Photonic Band Gaps in Optical Lattices	193
<i>Marina Samoylova, Nicola Piovella, Michael Holynski, Philippe Wilhelm Courteille and Romain Bachelard</i>	
1. Introduction	193
2. Modeling	196
2.1. Scalar microscopic theory	197
2.1.1. Model	197
2.1.2. Radiation field	202
2.1.3. Bragg scattering	204
2.1.4. 1D PBG	205
2.2. Transfer matrix formalism	209
2.3. Vectorial microscopic theory	215
2.3.1. Discrete model	215
2.3.2. Continuous model	216
2.3.3. Scattered field	217
2.3.4. Single-scattering contribution	217
2.4. PBGs for three-level atoms	218
2.4.1. Single-particle dynamics	218
2.4.2. Cooperative emission	221
3. Measurement of a PBG	224
3.1. Description of the experiment	224
3.2. Reaching the thick grating regime	225
3.3. Interpretation of the observations	226

4.	Finite Size Effects	227
4.1.	Applicability of the TM formalism to experiment	227
4.2.	Suppression of absorption	230
4.3.	Modeling finite-size effects	231
5.	Conclusions and Perspectives	234
	Acknowledgments	235
	Appendix A. Derivation of the Transfer Matrix T	235
	Appendix B. Vectorial Model	239
	Appendix C. Vectorial Field	246
	References	247
5.	Cold and Hot Atomic Vapors: A Testbed for Astrophysics?	251
	<i>Q. Baudouin, W. Guerin and R. Kaiser</i>	
1.	Introduction	251
2.	Light Transport in Atomic Vapors	253
2.1.	Resonant scattering in cold atoms	254
2.2.	Normal diffusion in cold atoms	255
2.2.1.	Diffuse transmission and reflection	256
2.2.2.	Radiation trapping with two-level atoms	257
2.2.3.	Radiation trapping with multilevel atoms	258
2.3.	Lévy flights in hot atomic vapors	261
2.3.1.	Qualitative analysis	263
2.3.2.	Microscopic evidence of Lévy flights	264
2.3.3.	Macroscopic evidence of Lévy flights	265
2.4.	Summary and outlook	267
3.	Gain, Lasing, and Random Lasing in Atomic Vapors	269
3.1.	Astrophysical lasers	270
3.2.	Gain and lasing with cold atoms	271
3.2.1.	Mollow gain	272
3.2.2.	Raman gain using Zeeman sublevels	273
3.2.3.	Raman gain using hyperfine levels	274
3.2.4.	Parametric gain: Four-wave mixing (FWM)	275
3.2.5.	Other gain mechanisms	276

3.3.	Combining gain and scattering: Threshold of a random laser in cold atoms	277
3.3.1.	Threshold of a random laser in the diffusive approximation	277
3.3.2.	Threshold of a random laser using the radiative transfer equation	278
3.3.3.	Application to cold atoms	280
3.3.4.	Comparison between different gain mechanisms	282
3.4.	Experimental evidence of random lasing	285
3.5.	Summary and outlook	288
4.	Light-Induced Long-Range Forces	289
4.1.	Scaling laws for MOT sizes	291
4.2.	MOT instabilities	293
4.3.	Plasma physics with MOTs	298
4.4.	Opto-mechanical instabilities	300
4.5.	Outlook	301
5.	Conclusion	303
	Acknowledgments	304
	References	304
6.	Nonlinear Dynamics of Atom–Molecule Conversion	313
	<i>Li-Bin Fu and Jie Liu</i>	
1.	Molecule Production via Feshbach Resonance (FR) in Bosonic Systems	314
1.1.	FR using linear sweeping magnetic field	314
1.2.	Comparison with experiment	319
2.	FR Using Oscillating Magnetic Field	322
2.1.	Theoretical model	322
2.2.	Comparison with experiment	325
3.	Linear Instability and Adiabatic Fidelity for the Dark State in a Nonlinear Atom–Trimer Conversion System	328
3.1.	Model, dark state	330
3.2.	Linear instability of the dark state	332
3.3.	Adiabatic fidelity of the dark state	337

4.	Formation of N -Body Cluster Molecules through Generalized STIRAP	341
4.1.	Model and dark state	343
4.2.	Homonuclear cluster	343
4.3.	Heteronuclear cluster	345
4.4.	Linear instability and adiabatic fidelity of dark state	348
5.	Role of Particle Interactions in the Feshbach Conversion of Fermionic Atoms to BMs	352
5.1.	Two channel model including two-body interactions	353
5.2.	Adiabatic conversion process and comparing with experiment results	356
6.	Summary	360
	References	361
7.	Quantum Metrology with Cold Atoms	365
	<i>Jiahao Huang, Shuyuan Wu, Honghua Zhong and Chaohong Lee</i>	
1.	Introduction	365
2.	Quantum Metrology	366
2.1.	Measurement in quantum mechanics	366
2.2.	General procedure of measurements	367
2.3.	Parameter estimation	369
2.3.1.	Parameter estimation in classical statistics	369
2.3.2.	Parameter estimation in quantum mechanics	373
3.	Quantum Interferometry with Single-Particle States	377
3.1.	Mach–Zehnder interferometry	377
3.2.	Ramsey interferometry	379
4.	Quantum Interferometry with Multiparticle States	382
4.1.	Spin coherent states	382
4.2.	Spin squeezed states	386
4.3.	NOON states	389
4.4.	Entangled coherent states	390
4.5.	Twin Fock states	391

5.	Experimental Progresses	393
5.1.	Bose–Einstein condensed atoms	394
5.1.1.	Nonlinear interferometry with SSSs	394
5.1.1.1.	The experiment with optical lattices	398
5.1.1.2.	The experiment with an atomic chip	399
5.1.2.	Twin matter-wave interferometry	401
5.2.	Ultracold trapped ions	402
5.3.	Cold atomic ensembles	404
6.	Summary and Discussion	406
	Acknowledgment	407
	References	408
	Index	417