

Contents

| | |
|---|------------------|
| <i>Preface</i> | <i>page xvii</i> |
| Part I Plasma Physics Preliminaries | 1 |
| 1 Introduction | 3 |
| 1.1 Motivation | 3 |
| 1.2 Thermonuclear fusion and plasma confinement | 4 |
| 1.2.1 Fusion reactions | 4 |
| 1.2.2 Conditions for fusion | 6 |
| 1.2.3 Magnetic confinement and tokamaks | 9 |
| 1.3 Astrophysical plasmas | 11 |
| 1.3.1 Celestial mechanics | 11 |
| 1.3.2 Astrophysics | 13 |
| 1.3.3 Plasmas enter the stage | 15 |
| 1.3.4 The standard view of nature | 17 |
| 1.4 Definitions of the plasma state | 19 |
| 1.4.1 Microscopic definition of plasma | 19 |
| 1.4.2 Macroscopic approach to plasma | 23 |
| 1.5 Literature and exercises | 24 |
| 2 Elements of plasma physics | 27 |
| 2.1 Theoretical models | 27 |
| 2.2 Single particle motion | 27 |
| 2.2.1 Cyclotron motion | 27 |
| 2.2.2 Excursion: Basic equations of electrodynamics and mechanics | 30 |
| 2.2.3 Drifts, adiabatic invariants | 33 |
| 2.3 Kinetic plasma theory | 38 |
| 2.3.1 Boltzmann equation and moment reduction | 38 |
| 2.3.2 Collective phenomena: plasma oscillations | 43 |
| 2.3.3 Landau damping | 46 |
| 2.4 Fluid description | 52 |
| 2.4.1 From the two-fluid to the MHD description of plasmas | 53 |
| 2.4.2 Alfvén waves | 57 |
| 2.4.3 Equilibrium and stability | 59 |

| | | |
|----------|---|-----|
| 2.5 | In conclusion | 63 |
| 2.6 | Literature and exercises | 64 |
| 3 | 'Derivation' of the macroscopic equations* | 66 |
| 3.1 | Two approaches* | 66 |
| 3.2 | Kinetic equations* | 67 |
| 3.2.1 | Boltzmann equation* | 67 |
| 3.2.2 | Moments of the Boltzmann equation* | 70 |
| 3.2.3 | Thermal fluctuations and transport* | 72 |
| 3.2.4 | Collisions and closure* | 75 |
| 3.3 | Two-fluid equations* | 78 |
| 3.3.1 | Electron-ion plasma* | 78 |
| 3.3.2 | The classical transport coefficients* | 79 |
| 3.3.3 | Dissipative versus ideal fluids* | 83 |
| 3.3.4 | Excursion: waves in two-fluid plasmas* | 86 |
| 3.4 | One-fluid equations* | 95 |
| 3.4.1 | Maximal ordering for MHD* | 95 |
| 3.4.2 | Resistive and ideal MHD equations* | 99 |
| 3.5 | Literature and exercises* | 101 |
| | Part II Basic Magnetohydrodynamics | 103 |
| 4 | The MHD model | 105 |
| 4.1 | The ideal MHD equations | 105 |
| 4.1.1 | Postulating the basic equations | 105 |
| 4.1.2 | Scale independence | 110 |
| 4.1.3 | A crucial question | 112 |
| 4.2 | Magnetic flux | 113 |
| 4.2.1 | Flux tubes | 113 |
| 4.2.2 | Global magnetic flux conservation | 114 |
| 4.3 | Conservation laws | 116 |
| 4.3.1 | Conservation form of the MHD equations | 116 |
| 4.3.2 | Global conservation laws | 118 |
| 4.3.3 | Local conservation of magnetic flux | 121 |
| 4.3.4 | Magnetic helicity | 124 |
| 4.4 | Dissipative magnetohydrodynamics | 128 |
| 4.4.1 | Resistive MHD | 128 |
| 4.4.2 | (Non-)conservation form of the dissipative equations* | 131 |
| 4.5 | Discontinuities | 133 |
| 4.5.1 | Shocks and jump conditions | 133 |
| 4.5.2 | Boundary conditions for plasmas with an interface | 136 |
| 4.6 | Model problems | 138 |
| 4.6.1 | Laboratory plasmas (models I–III) | 138 |
| 4.6.2 | Energy conservation for interface plasmas | 141 |
| 4.6.3 | Astrophysical plasmas (models IV–VI) | 143 |

| | | |
|----------|--|-----|
| 4.7 | Literature and exercises | 144 |
| 5 | Waves and characteristics | 147 |
| 5.1 | Physics and accounting | 147 |
| 5.1.1 | Introduction | 147 |
| 5.1.2 | Sound waves | 147 |
| 5.2 | MHD waves | 150 |
| 5.2.1 | Symmetric representation in primitive variables | 150 |
| 5.2.2 | Entropy wave and magnetic field constraint | 152 |
| 5.2.3 | Reduction to velocity representation: three waves | 155 |
| 5.2.4 | Dispersion diagrams | 157 |
| 5.3 | Phase and group diagrams | 159 |
| 5.3.1 | Basic concepts | 159 |
| 5.3.2 | Application to the MHD waves | 161 |
| 5.3.3 | Asymptotic properties | 165 |
| 5.3.4 | Self-gravity and contraction in homogeneous media* | 166 |
| 5.4 | Characteristics* | 169 |
| 5.4.1 | The method of characteristics* | 169 |
| 5.4.2 | Classification of partial differential equations* | 171 |
| 5.4.3 | Characteristics in ideal MHD* | 173 |
| 5.5 | Literature and exercises | 179 |
| 6 | Spectral theory | 181 |
| 6.1 | Stability: intuitive approach | 181 |
| 6.1.1 | Two viewpoints | 181 |
| 6.1.2 | Linearization and Lagrangian reduction | 183 |
| 6.2 | Force operator formalism | 186 |
| 6.2.1 | Equation of motion | 186 |
| 6.2.2 | Hilbert space | 190 |
| 6.2.3 | Proof of self-adjointness of the force operator | 191 |
| 6.3 | Spectral alternatives* | 196 |
| 6.3.1 | Mathematical intermezzo* | 196 |
| 6.3.2 | Initial value problem in MHD* | 198 |
| 6.4 | Quadratic forms and variational principles | 200 |
| 6.4.1 | Expressions for the potential energy | 200 |
| 6.4.2 | Hamilton's principle | 202 |
| 6.4.3 | Rayleigh–Ritz spectral variational principle | 203 |
| 6.4.4 | Energy principle | 204 |
| 6.5 | Further spectral issues | 206 |
| 6.5.1 | Normal modes and the energy principle* | 206 |
| 6.5.2 | Proof of the energy principle* | 207 |
| 6.5.3 | σ -stability | 209 |
| 6.5.4 | Returning to the two viewpoints | 210 |
| 6.6 | Extension to interface plasmas | 213 |
| 6.6.1 | Boundary conditions at the interface | 215 |

| | | |
|---|---|-----|
| 6.6.2 | Self-adjointness for interface plasmas | 218 |
| 6.6.3 | Extended variational principles | 219 |
| 6.6.4 | Application to the Rayleigh–Taylor instability | 221 |
| 6.7 | Literature and exercises | 229 |
| Part III Standard Model Applications | | 231 |
| 7 | Waves and instabilities of inhomogeneous plasmas | 233 |
| 7.1 | Hydrodynamics of the solar interior | 233 |
| 7.1.1 | Radiative equilibrium model | 234 |
| 7.1.2 | Convection zone | 237 |
| 7.2 | Hydrodynamic waves and instabilities of a gravitating slab | 239 |
| 7.2.1 | Hydrodynamic wave equation | 239 |
| 7.2.2 | Convective instabilities | 241 |
| 7.2.3 | Gravito-acoustic waves | 242 |
| 7.2.4 | Helioseismology and MHD spectroscopy | 245 |
| 7.3 | MHD wave equation for a gravitating magnetized plasma slab | 248 |
| 7.3.1 | Preliminaries | 248 |
| 7.3.2 | MHD wave equation for a gravitating slab | 252 |
| 7.3.3 | Gravito-MHD waves | 258 |
| 7.4 | Continuous spectrum and spectral structure | 265 |
| 7.4.1 | Singular differential equations | 265 |
| 7.4.2 | Alfvén and slow continua | 269 |
| 7.4.3 | Oscillation theorems | 273 |
| 7.4.4 | Cluster spectra* | 278 |
| 7.5 | Gravitational instabilities of a magnetized plasma slab | 279 |
| 7.5.1 | Energy principle for a gravitating plasma slab | 280 |
| 7.5.2 | Interchanges in shearless magnetic fields | 283 |
| 7.5.3 | Interchange instabilities in sheared magnetic fields | 285 |
| 7.6 | Literature and exercises | 289 |
| 8 | Magnetic structures and dynamics of the solar system | 292 |
| 8.1 | Plasma dynamics in laboratory and nature | 292 |
| 8.2 | Solar magnetism | 293 |
| 8.2.1 | The solar cycle | 294 |
| 8.2.2 | Magnetic structures in the solar atmosphere | 300 |
| 8.2.3 | Inspiration from solar magnetism | 309 |
| 8.2.4 | Solar wind and heliosphere | 309 |
| 8.3 | Space weather | 313 |
| 8.3.1 | Technological and economic implications | 313 |
| 8.3.2 | Coronal mass ejections | 314 |
| 8.3.3 | Numerical modelling of space weather | 317 |
| 8.3.4 | Solar wind and planetary magnetospheres | 320 |
| 8.4 | Perspective | 321 |
| 8.5 | Literature and exercises | 322 |

| | | |
|-----------|--|-----|
| 9 | Cylindrical plasmas | 325 |
| 9.1 | Equilibrium of cylindrical plasmas | 325 |
| 9.1.1 | Diffuse plasmas | 325 |
| 9.1.2 | Interface plasmas | 329 |
| 9.2 | MHD wave equation for cylindrical plasmas | 330 |
| 9.2.1 | Derivation of the MHD wave equation for a cylinder | 330 |
| 9.2.2 | Boundary conditions for cylindrical interfaces | 336 |
| 9.3 | Spectral structure | 339 |
| 9.3.1 | One-dimensional inhomogeneity | 339 |
| 9.3.2 | Cylindrical model problems | 341 |
| 9.3.3 | Cluster spectra* | 347 |
| 9.4 | Stability of cylindrical plasmas | 348 |
| 9.4.1 | Oscillation theorems for stability | 348 |
| 9.4.2 | Stability of plasmas with shearless magnetic fields | 353 |
| 9.4.3 | Stability of force-free magnetic fields* | 357 |
| 9.4.4 | Stability of the ‘straight tokamak’ | 361 |
| 9.5 | Literature and exercises | 369 |
| 10 | Initial value problem and wave damping* | 372 |
| 10.1 | Implications of the continuous spectrum* | 372 |
| 10.2 | Initial value problem* | 373 |
| 10.2.1 | Reduction to a one-dimensional representation* | 373 |
| 10.2.2 | Restoring the three-dimensional picture* | 376 |
| 10.3 | Damping of Alfvén waves* | 380 |
| 10.3.1 | Green’s function* | 381 |
| 10.3.2 | Spectral cuts* | 384 |
| 10.4 | Quasi-modes* | 386 |
| 10.5 | Leaky modes* | 392 |
| 10.6 | Literature and exercises* | 397 |
| 11 | Resonant absorption and wave heating | 399 |
| 11.1 | Ideal MHD theory of resonant absorption | 399 |
| 11.1.1 | Analytical solution of a simple model problem | 399 |
| 11.1.2 | Role of the singularity | 405 |
| 11.1.3 | Resonant ‘absorption’ versus resonant ‘dissipation’ | 414 |
| 11.2 | Heating and wave damping in tokamaks and coronal loops | 417 |
| 11.2.1 | Tokamaks | 417 |
| 11.2.2 | Coronal loops and arcades | 418 |
| 11.2.3 | Numerical analysis of resonant absorption | 419 |
| 11.3 | Alternative excitation mechanisms | 423 |
| 11.3.1 | Foot point driving | 424 |
| 11.3.2 | Phase mixing | 427 |
| 11.3.3 | Applications to solar and magnetospheric plasmas | 428 |
| 11.4 | Literature and exercises | 432 |

| | |
|--|-----|
| Part IV Flow and Dissipation | 435 |
| 12 Waves and instabilities of stationary plasmas | 437 |
| 12.1 Laboratory and astrophysical plasmas | 437 |
| 12.1.1 Grand vision: magnetized plasma on all scales! | 437 |
| 12.1.2 Laboratory and astrophysical plasmas | 440 |
| 12.1.3 Interchanges and the Parker instability | 441 |
| 12.2 Spectral theory of stationary plasmas | 445 |
| 12.2.1 Plasmas with background flow | 445 |
| 12.2.2 Frieman–Rotenberg formulation | 448 |
| 12.2.3 Self-adjointness of the generalized force operator* | 453 |
| 12.2.4 Energy conservation and stability | 456 |
| 12.3 The Spectral Web | 462 |
| 12.3.1 Opening up the boundaries | 462 |
| 12.3.2 Oscillation theorems in the complex plane | 466 |
| 12.4 Literature and exercises | 471 |
| 13 Shear flow and rotation | 473 |
| 13.1 Spectral theory of plane plasmas with shear flow | 473 |
| 13.1.1 Gravito-MHD wave equation for plane plasma flow | 473 |
| 13.1.2 Kelvin–Helmholtz instabilities in interface plasmas | 478 |
| 13.1.3 Continua and the real oscillation theorem | 480 |
| 13.1.4 Spectral Web and the complex oscillation theorem | 484 |
| 13.2 Analysis of flow-driven instabilities in plane plasmas | 486 |
| 13.2.1 Rayleigh–Taylor instabilities of magnetized plasmas | 488 |
| 13.2.2 Kelvin–Helmholtz instabilities of ordinary fluids | 489 |
| 13.2.3 Combined instabilities of magnetized plasmas | 494 |
| 13.3 Spectral theory of rotating plasmas | 498 |
| 13.3.1 MHD wave equation for cylindrical flow in 3D | 498 |
| 13.3.2 Reduction to a second order differential equation | 500 |
| 13.3.3 Singular expansions* | 502 |
| 13.3.4 Doppler–Coriolis shift and solution path | 505 |
| 13.4 Rayleigh–Taylor instabilities in rotating theta-pinches | 506 |
| 13.4.1 Hydrodynamic modes ($k = 0$) | 507 |
| 13.4.2 Magnetohydrodynamic modifications ($k \neq 0$) | 511 |
| 13.5 Magneto-rotational instability in accretion discs | 513 |
| 13.5.1 Analytical preliminaries | 514 |
| 13.5.2 Numerical Spectral Web solutions | 518 |
| 13.6 Literature and exercises | 523 |
| 14 Resistive plasma dynamics | 525 |
| 14.1 Plasmas with dissipation | 525 |
| 14.1.1 Conservative versus dissipative dynamical systems | 525 |
| 14.1.2 Stability of force-free magnetic fields: a trap | 525 |
| 14.2 Resistive instabilities | 532 |
| 14.2.1 Basic equations | 532 |

| | |
|--|-----|
| 14.2.2 Tearing modes | 534 |
| 14.2.3 Resistive interchange modes | 543 |
| 14.3 Resistive spectrum | 544 |
| 14.3.1 Resistive wall mode | 544 |
| 14.3.2 Spectrum of homogeneous plasma | 548 |
| 14.3.3 Spectrum of inhomogeneous plasma | 551 |
| 14.4 Reconnection | 554 |
| 14.4.1 Reconnection in a 2D Harris sheet | 554 |
| 14.4.2 Petschek reconnection | 558 |
| 14.4.3 Kelvin–Helmholtz induced tearing instabilities | 559 |
| 14.4.4 Extended MHD and reconnection | 560 |
| 14.5 Excursion: Hall-MHD wave diagrams | 563 |
| 14.6 Literature and exercises | 566 |
| 15 Computational linear MHD | 569 |
| 15.1 Spatial discretization techniques | 569 |
| 15.1.1 Basic concepts for discrete representations | 571 |
| 15.1.2 Finite difference methods | 572 |
| 15.1.3 Finite element method | 576 |
| 15.1.4 Spectral methods | 583 |
| 15.1.5 Mixed representations | 586 |
| 15.2 Linear MHD: boundary value problems | 588 |
| 15.2.1 Linearized MHD equations | 589 |
| 15.2.2 Steady solutions to linearly driven problems | 590 |
| 15.2.3 MHD eigenvalue problems | 593 |
| 15.2.4 Extended MHD examples | 594 |
| 15.3 Linear MHD: initial value problems | 599 |
| 15.3.1 Temporal discretizations: explicit methods | 599 |
| 15.3.2 Disparateness of MHD time scales | 606 |
| 15.3.3 Temporal discretizations: implicit methods | 606 |
| 15.3.4 Applications: linear MHD evolutions | 608 |
| 15.4 Concluding remarks | 612 |
| 15.5 Literature and exercises | 612 |
| Part V Toroidal Geometry | 615 |
| 16 Static equilibrium of toroidal plasmas | 617 |
| 16.1 Axi-symmetric equilibrium | 617 |
| 16.1.1 Equilibrium in tokamaks | 617 |
| 16.1.2 Magnetic field geometry | 621 |
| 16.1.3 Cylindrical limits | 624 |
| 16.1.4 Global confinement and parameters | 627 |
| 16.2 Grad–Shafranov equation | 635 |
| 16.2.1 Derivation of the Grad–Shafranov equation | 635 |
| 16.2.2 Large aspect ratio expansion: internal solution | 637 |

| | | |
|-----------|---|------------|
| 16.2.3 | Large aspect ratio expansion: external solution | 642 |
| 16.3 | Exact equilibrium solutions | 647 |
| 16.3.1 | Poloidal flux scaling | 647 |
| 16.3.2 | Soloviev equilibrium | 652 |
| 16.3.3 | Numerical equilibria* | 655 |
| 16.4 | Extensions | 660 |
| 16.4.1 | Toroidal rotation | 660 |
| 16.4.2 | Gravitating plasma equilibria* | 662 |
| 16.4.3 | Challenges | 663 |
| 16.5 | Literature and exercises | 664 |
| 17 | Linear dynamics of static toroidal plasmas | 667 |
| 17.1 | “Ad more geometrico” | 667 |
| 17.1.1 | Alfvén wave dynamics in toroidal geometry | 667 |
| 17.1.2 | Coordinates and mapping | 667 |
| 17.1.3 | Geometrical–physical characteristics | 668 |
| 17.2 | Analysis of waves and instabilities in toroidal geometry | 674 |
| 17.2.1 | Spectral wave equation | 674 |
| 17.2.2 | Spectral variational principle | 676 |
| 17.2.3 | Alfvén and slow continuum modes | 677 |
| 17.2.4 | Poloidal mode coupling | 680 |
| 17.2.5 | Alfvén and slow ballooning modes | 683 |
| 17.3 | Computation of waves and instabilities in tokamaks | 690 |
| 17.3.1 | Ideal MHD versus resistive MHD in computations | 690 |
| 17.3.2 | Internal modes | 695 |
| 17.3.3 | Edge localized modes | 697 |
| 17.3.4 | Toroidal Alfvén eigenmodes and MHD spectroscopy | 701 |
| 17.4 | Literature and exercises | 704 |
| 18 | Linear dynamics of toroidal plasmas with flow* | 707 |
| 18.1 | Transonic toroidal plasmas | 707 |
| 18.2 | Axi-symmetric equilibrium of transonic stationary states* | 709 |
| 18.2.1 | Equilibrium flux functions* | 709 |
| 18.2.2 | Equilibrium variational principle and rescaling* | 712 |
| 18.2.3 | Elliptic and hyperbolic flow regimes* | 715 |
| 18.2.4 | Expansion of the equilibrium in small toroidicity* | 716 |
| 18.3 | Equations for the continuous spectrum* | 722 |
| 18.3.1 | Reduction for straight-field-line coordinates* | 722 |
| 18.3.2 | Continua of poloidally and toroidally rotating plasmas* | 725 |
| 18.3.3 | Analysis of trans-slow continua for small toroidicity* | 731 |
| 18.4 | Trans-slow continua in tokamaks and accretion discs* | 737 |
| 18.4.1 | Tokamaks and magnetically dominated accretion discs* | 738 |
| 18.4.2 | Gravity dominated accretion discs* | 740 |
| 18.4.3 | Trans-slow Alfvén continuum instabilities | 742 |
| 18.5 | Literature and exercises* | 744 |

| | | |
|-----------|---|------------|
| | Part VI Nonlinear Dynamics | 747 |
| 19 | Turbulence in incompressible magneto-fluids | 749 |
| 19.1 | Incompressible hydrodynamics preliminaries | 749 |
| 19.1.1 | The incompressible hydro model | 749 |
| 19.1.2 | Two-dimensional formulations | 751 |
| 19.1.3 | ‘Wave’ analysis for incompressible Euler | 751 |
| 19.1.4 | Energy equation and Kolmogorov scaling | 753 |
| 19.1.5 | Selected numerical examples | 756 |
| 19.2 | Incompressible magnetohydrodynamics | 758 |
| 19.2.1 | Governing equations | 758 |
| 19.2.2 | Elsässer formulation | 759 |
| 19.2.3 | Kinematic MHD modelling | 760 |
| 19.2.4 | Dynamo aspects | 761 |
| 19.3 | Waves in incompressible MHD | 764 |
| 19.3.1 | Linear wave analysis | 765 |
| 19.3.2 | Nonlinear wave solutions and conservation laws | 766 |
| 19.3.3 | MHD turbulence scaling laws | 768 |
| 19.4 | Incompressible MHD simulations | 771 |
| 19.4.1 | Structure formation in incompressible MHD studies | 772 |
| 19.4.2 | Dynamo aspects continued | 774 |
| 19.5 | Extension to compressible MHD and concluding remarks | 776 |
| 19.6 | Literature and exercises | 778 |
| 20 | Computational nonlinear MHD | 780 |
| 20.1 | General considerations for nonlinear conservation laws | 780 |
| 20.1.1 | Conservative versus primitive variable formulations | 780 |
| 20.1.2 | Scalar conservation law and the Riemann problem | 786 |
| 20.1.3 | Numerical discretizations for scalar conservation | 790 |
| 20.1.4 | Finite volume treatments | 796 |
| 20.2 | Upwind-like finite volume treatments for one-dimensional MHD | 797 |
| 20.2.1 | The Godunov method | 798 |
| 20.2.2 | A robust shock-capturing method: TVDLF | 802 |
| 20.2.3 | Approximate Riemann solver schemes | 807 |
| 20.2.4 | Simulating 1D MHD Riemann problems | 811 |
| 20.3 | Multi-dimensional MHD computations | 813 |
| 20.3.1 | $\nabla \cdot \mathbf{B} = 0$ condition for shock-capturing schemes | 814 |
| 20.3.2 | Example nonlinear MHD scenarios | 819 |
| 20.3.3 | Alternative numerical methods | 822 |
| 20.4 | Implicit approaches for extended MHD simulations | 827 |
| 20.4.1 | Semi-implicit methods | 828 |
| 20.4.2 | Simulating ideal and resistive instabilities | 832 |
| 20.4.3 | Global simulations for tokamak plasmas | 833 |
| 20.5 | Literature and exercises | 834 |

| | | |
|-----------|--|-----|
| 21 | Transonic MHD flows and shocks | 837 |
| 21.1 | Transonic flows | 837 |
| 21.1.1 | Characteristics and shocks | 838 |
| 21.1.2 | Gas dynamic shocks | 840 |
| 21.1.3 | Misnomers | 845 |
| 21.2 | MHD shock conditions | 846 |
| 21.2.1 | MHD discontinuities without mass flow | 846 |
| 21.2.2 | MHD discontinuities with mass flow | 848 |
| 21.2.3 | Slow, intermediate and fast shocks | 852 |
| 21.3 | Advanced classification of MHD shocks | 854 |
| 21.3.1 | Distilled shock conditions | 854 |
| 21.3.2 | Time reversal duality | 859 |
| 21.3.3 | Angular dependence of MHD shocks* | 865 |
| 21.3.4 | Observational considerations of MHD shocks | 870 |
| 21.4 | Example astrophysical transonic flows | 871 |
| 21.5 | Literature and exercises | 876 |
| 22 | Ideal MHD in special relativity | 879 |
| 22.1 | Four-dimensional space-time: special relativistic concepts | 879 |
| 22.1.1 | Space-time coordinates and Lorentz transformations | 880 |
| 22.1.2 | Four-vectors in flat space-time and invariants | 882 |
| 22.1.3 | Relativistic gas dynamics and stress-energy tensor | 885 |
| 22.1.4 | Sound waves and shock relations in relativistic gases | 889 |
| 22.2 | Electromagnetism and special relativistic MHD | 895 |
| 22.2.1 | Electromagnetic field tensor and Maxwell's equations | 895 |
| 22.2.2 | Ideal MHD in special relativity | 900 |
| 22.2.3 | Wave dynamics in a homogeneous plasma | 902 |
| 22.2.4 | Shock conditions in relativistic MHD | 906 |
| 22.3 | Computing relativistic magnetized plasma dynamics | 908 |
| 22.3.1 | Numerical challenges from relativistic MHD | 910 |
| 22.3.2 | Pulsar Wind Nebulae modelling | 911 |
| 22.4 | Outlook: General relativistic MHD simulations | 915 |
| 22.5 | Literature and exercises | 916 |
| | Appendices | 919 |
| A | Vectors and coordinates | 919 |
| A.1 | Vector identities | 919 |
| A.2 | Vector expressions in orthogonal coordinates | 920 |
| A.3 | Vector expressions in non-orthogonal coordinates | |
| B | Tables of physical quantities | |
| | <i>References</i> | 937 |
| | <i>Index</i> | 964 |