

Contents

| | |
|--|-----------|
| List of Contributors | ix |
| Preface | xi |
| Contents of Volumes 1–27 | xiii |
| 1. Fundamentals of magnetocaloric effect in magnetic shape memory alloys | 1 |
| <i>Volodymyr A. Chernenko, Victor A. L'vov, Eduard Cesari, and Jose M. Barandiaran</i> | |
| 1 Magnetocaloric effect and magnetocaloric materials | 2 |
| 1.1 Magnetocaloric effect in ferromagnetic solids | 2 |
| 1.2 Magnetocaloric materials | 3 |
| 1.3 Magnetocaloric effects exhibited by Heusler-type magnetic shape memory alloys | 5 |
| 2 Traditional thermodynamic description of magnetocaloric effect | 10 |
| 3 Alternative theoretical approach for description of magnetocaloric effect in shape memory alloys | 12 |
| 4 Magnetocaloric effect in metamagnetic shape memory alloy: experiment and theory | 19 |
| 4.1 Representative experimental data | 19 |
| 4.2 Modeling the temperature dependence of magnetization | 21 |
| 4.3 Calculation of field-induced entropy change | 24 |
| 5 Heat capacity of metamagnetic shape memory alloy | 27 |
| 5.1 Problem formulation and preliminary analysis of experimental data | 27 |
| 5.2 Theoretical analysis and computations | 29 |
| 6 Magnetocaloric effect caused by paramagnetic austenite—ferromagnetic martensite phase transformation | 34 |
| Acknowledgments | 40 |
| References | 40 |
| 2. Magnetically ordered compounds of transition elements with nonmetals | 47 |
| <i>Yvonne Andersson and Per Nordblad</i> | |
| 1 Introduction | 47 |
| 2 TX Compounds | 48 |
| 2.1 X: Group III: B and Al | 48 |
| 2.2 X: Group IV: Ge, Si | 50 |

| | | |
|-----------|--|------------|
| 2.3 | X: Group V: P, As, Sb and Bi | 54 |
| 2.4 | X: Group VI: S, Se and Te | 60 |
| 3 | T₂X compounds | 61 |
| 3.1 | X: Group III; B | 61 |
| 3.2 | X: Group V: P, As, Sb | 62 |
| 4 | T₃X | 65 |
| 4.1 | Mn ₃ X | 65 |
| 4.2 | Fe ₃ X | 69 |
| 5 | (Fe_{1-x}T_x)₂P | 72 |
| 5.1 | T = Cr; (Fe _{1-x} Cr _x) ₂ P | 72 |
| 5.2 | T = Mn; (Fe _{1-x} Mn _x) ₂ P | 73 |
| 5.3 | T = Co; (Fe _{1-x} Co _x) ₂ P | 73 |
| 5.4 | T = Ni; (Fe _{1-x} Ni _x) ₂ P | 74 |
| 5.5 | (Fe _{1-x} Co _x) ₂ As | 74 |
| 5.6 | (Fe _{1-x} Mn _x) ₂ (P _{1-y} X _y) | 74 |
| 6 | Other systems | 75 |
| 6.1 | MnFe _{0.35} Co _{0.65} P (orthorhombic) | 75 |
| 6.2 | IrMnSi | 76 |
| 6.3 | Mn ₃ TX (T = Co, Ir; X = Si, Ge) ordered β-Mn type structures | 76 |
| | References | 77 |
| 3. | Magnetic properties of ternary rare-earth transition-metal compounds | 87 |
| | <i>Hong-Shuo Li and J.M.D. Coey</i> | |
| 1 | Introduction | 87 |
| 2 | Compounds with structures related to NaZn₁₃ | 89 |
| 3 | Compounds with structures related to ThMn₁₂ | 91 |
| 3.1 | Crystal structure | 91 |
| 3.2 | Alloys rich in Fe or Co | 93 |
| 3.3 | Alloys rich in Al | 128 |
| 4 | Compounds with structures related to BaCd₁₁ | 140 |
| 4.1 | RT ₉ Si ₂ | 140 |
| 4.2 | RT ₁₀ SiC _{0.5} | 141 |
| 5 | Compounds with structures related to Th₂Zn₁₇ or Th₂Ni₁₇ | 144 |
| 5.1 | R ₂ T ₁₇ C _{3-δ} | 144 |
| 5.2 | R ₂ T ₁₇ N _{3-δ} | 147 |
| 6 | Compounds with structures related to CaCu₅ | 150 |
| 6.1 | RT ₄ B | 151 |
| 6.2 | R ₃ Co ₁₁ B ₄ , R ₂ Co ₇ B ₃ and RCo ₃ B ₂ | 156 |
| 6.3 | CeT ₄ (T = Cu, Ga, Rh, Pd or Pt) | 158 |
| 7 | Compounds with structures related to CeNi₃ | 158 |
| 8 | Compounds with ternary structure types | 159 |
| 8.1 | R ₃ Fe ₆₂ B ₁₄ | 159 |
| 8.2 | RCO ₁₂ B ₆ | 159 |
| 8.3 | R ₂ T ₂₃ B ₃ | 161 |
| 8.4 | R ₂ T ₁₄ C | 162 |
| 8.5 | RT ₆ Sn ₆ | 170 |

| | | |
|----------|--|------------|
| 8.6 | R _{1+ε} T ₄ B ₄ | 171 |
| 8.7 | R ₆ T ₁₁ Ga ₃ and Nd ₆ Fe ₁₃ Si | 173 |
| 8.8 | R ₂ T ₁₂ P ₇ and RCo ₈ P ₅ | 175 |
| 8.9 | RAuNi ₄ and Ce _{1+x} In _{1-x} Pt ₄ | 179 |
| 9 | Conclusions | 179 |
| | References | 186 |
| | Further reading | 196 |
| | Author Index | 197 |
| | Subject Index | 211 |
| | Material Index | 215 |