

## Contents

Preface	v
Preface to the Third Edition	vii
Preface to the Second Edition	viii
Preface to the First Edition	ix
<b>1 Introduction</b>	<b>1</b>
<b>I GENERAL THEORY OF OPEN QUANTUM SYSTEMS</b>	<b>5</b>
<b>2 Diverse limited approaches: a brief survey</b>	<b>5</b>
2.1 Langevin equation for a damped classical system . . . . .	5
2.2 New schemes of quantization . . . . .	7
2.3 Traditional system-plus-reservoir methods . . . . .	8
2.3.1 Quantum-mechanical master equations for weak coupling . . . . .	8
2.3.2 Lindblad theory . . . . .	11
2.3.3 Operator Langevin equations for weak coupling . . . . .	13
2.3.4 Generalized quantum Langevin equation . . . . .	14
2.3.5 Generalized quasiclassical Langevin equation . . . . .	15
2.3.6 Phenomenological methods . . . . .	16
2.4 Stochastic dynamics in Hilbert space . . . . .	16
<b>3 System-plus-reservoir models</b>	<b>19</b>
3.1 Harmonic oscillator bath with linear coupling . . . . .	20
3.1.1 The Hamiltonian of the global system . . . . .	20
3.1.2 The road to generalized Langevin equations . . . . .	23
3.1.3 Phenomenological modeling of friction . . . . .	24
3.1.4 Quantum statistical properties of the stochastic force . . . . .	26
3.1.5 Displacement correlation function . . . . .	28
3.1.6 Thermal propagator and imaginary-time correlations . . . . .	29
3.1.7 Ohmic and frequency-dependent damping . . . . .	30
3.1.8 Fractional Langevin equation . . . . .	33
3.1.9 Rubin model . . . . .	34
3.1.10 Interaction of a charged particle with the radiation field . . . . .	36

3.2	Ergodicity . . . . .	37
3.3	The spin-boson model . . . . .	40
3.3.1	The model Hamiltonian . . . . .	40
3.3.2	Flux and charge qubits: reduction to the spin-boson model . .	44
3.4	Microscopic models . . . . .	48
3.4.1	Acoustic polaron: one-phonon and two-phonon coupling . . . .	49
3.4.2	Optical polaron . . . . .	51
3.4.3	Interaction with fermions (normal and superconducting) . . .	53
3.4.4	Superconducting tunnel junction . . . . .	56
3.5	Charging and environmental effects in tunnel junctions . . . . .	57
3.5.1	The global system for single electron tunneling . . . . .	58
3.5.2	Resistor, inductor, and transmission lines . . . . .	63
3.5.3	Charging effects in junctions . . . . .	64
3.6	Nonlinear quantum environments . . . . .	65
<b>4</b>	<b>Imaginary-time approach and equilibrium dynamics</b> . . . . .	<b>68</b>
4.1	General concepts . . . . .	68
4.1.1	Density matrix and reduced density matrix . . . . .	68
4.1.2	Imaginary-time path integral . . . . .	70
4.2	Effective action and equilibrium density matrix . . . . .	72
4.2.1	Open system with bilinear coupling to a harmonic reservoir . .	73
4.2.2	State-dependent memory friction . . . . .	78
4.2.3	Spin-boson model . . . . .	78
4.2.4	Acoustic polaron and defect tunneling: one-phonon coupling .	80
4.2.5	Acoustic polaron: two-phonon coupling . . . . .	85
4.2.6	Tunneling between surfaces: one-phonon coupling . . . . .	87
4.2.7	Optical polaron . . . . .	89
4.2.8	Heavy particle in a metal . . . . .	90
4.2.9	Heavy particle in a superconductor . . . . .	96
4.2.10	Effective action of a junction . . . . .	98
4.2.11	Electromagnetic environment . . . . .	105
4.3	Partition function of the open system . . . . .	106
4.3.1	General path integral expression . . . . .	106
4.3.2	Semiclassical approximation . . . . .	106
4.3.3	Partition function of the damped harmonic oscillator . . . . .	108
4.3.4	Functional measure in Fourier space . . . . .	109
4.3.5	Partition function of the damped harmonic oscillator revisited	109
4.4	Quantum statistical expectation values in phase space . . . . .	112
4.4.1	Generalized Weyl correspondence . . . . .	112
4.4.2	Generalized Wigner function and expectation values . . . . .	114

<b>5</b>	<b>Real-time path integrals and nonequilibrium dynamics</b> . . . . .	<b>116</b>
5.1	Statement of the problem and general concepts . . . . .	116
5.2	Feynman-Vernon method for a product initial state . . . . .	118
5.3	Decoherence and friction . . . . .	123
5.4	General initial states and preparation function . . . . .	125
5.5	Complex-time path integral for the propagating function . . . . .	126
5.6	Real-time path integral for the propagating function . . . . .	128
5.7	Closed time contour representation . . . . .	130
5.7.1	Complex-time path . . . . .	131
5.7.2	Real-time path . . . . .	133
5.8	Semiclassical regime . . . . .	133
5.8.1	Extremal paths . . . . .	133
5.8.2	Quasiclassical Langevin equation . . . . .	134
5.9	Stochastic unraveling of influence functionals . . . . .	137
5.10	Non-Markovian dissipative dynamics in the semiclassical limit . . . .	140
5.10.1	Van Vleck and Herman-Kluk propagator . . . . .	140
5.10.2	Semiclassical dissipative dynamics . . . . .	141
5.11	Brief summary and outlook . . . . .	142
<b>II</b>	<b>MISCELLANEOUS APPLICATIONS</b> . . . . .	<b>143</b>
<b>6</b>	<b>Damped linear quantum mechanical oscillator</b> . . . . .	<b>143</b>
6.1	Fluctuation-dissipation theorem . . . . .	144
6.2	Stochastic modeling . . . . .	148
6.3	Susceptibility . . . . .	150
6.3.1	Ohmic friction . . . . .	150
6.3.2	Ohmic friction with Drude cutoff . . . . .	151
6.3.3	Radiation damping . . . . .	152
6.4	The position autocorrelation function . . . . .	153
6.4.1	Ohmic friction . . . . .	154
6.4.2	Non-Ohmic spectral density . . . . .	156
6.4.3	Shiba relation . . . . .	158
6.5	Partition function and implications . . . . .	158
6.5.1	Partition function . . . . .	158
6.5.2	Internal energy, free energy, and entropy . . . . .	159
6.5.3	Specific heat and Wilson ratio . . . . .	162
6.5.4	Spectral density of states . . . . .	163
6.6	Mean square of position and momentum . . . . .	165
6.6.1	General expressions for colored noise . . . . .	165
6.6.2	Ohmic friction . . . . .	167
6.6.3	Ohmic friction with Drude cutoff . . . . .	168
6.7	Equilibrium density matrix . . . . .	170

6.7.1	Derivation of the action . . . . .	170
6.7.2	Purity . . . . .	172
6.8	Quantum master equations for the reduced density matrix . . . . .	174
6.8.1	Thermal initial condition . . . . .	175
6.8.2	Product initial state . . . . .	176
6.8.3	Approximate time-independent Liouville operators . . . . .	177
6.8.4	Connection with Lindblad theory . . . . .	178
<b>7</b>	<b>Quantum Brownian free motion</b>	<b>178</b>
7.1	Spectral density, damping function and mass renormalization . . . . .	179
7.2	Displacement correlation and response function . . . . .	181
7.3	Ohmic friction . . . . .	182
7.3.1	Response function . . . . .	182
7.3.2	Mean square displacement . . . . .	183
7.3.3	Momentum spread . . . . .	184
7.4	Frequency-dependent friction . . . . .	185
7.4.1	Response function and mobility . . . . .	185
7.4.2	Mean square displacement . . . . .	187
7.5	Partition function and thermodynamic properties . . . . .	190
7.5.1	Partition function . . . . .	190
7.5.2	Internal and free energy . . . . .	190
7.5.3	Specific heat . . . . .	192
7.5.4	Spectral density of states . . . . .	194
<b>8</b>	<b>The thermodynamic variational approach</b>	<b>195</b>
8.1	Centroid and the effective classical potential . . . . .	195
8.1.1	Centroid . . . . .	195
8.1.2	The effective classical potential . . . . .	196
8.2	Variational method . . . . .	197
8.2.1	Variational method for the free energy . . . . .	198
8.2.2	Variational method for the effective classical potential . . . . .	198
8.2.3	Variational perturbation theory . . . . .	202
8.2.4	Expectation values in coordinate and phase space . . . . .	204
<b>9</b>	<b>Suppression of quantum coherence</b>	<b>206</b>
9.1	Nondynamical versus dynamical environment . . . . .	207
9.2	Suppression of transversal and longitudinal interferences . . . . .	208
9.3	Decoherence in the semiclassical picture . . . . .	210
9.3.1	A model with localized bath modes . . . . .	210
9.3.2	Dephasing rate formula . . . . .	211
9.3.3	Statistical average of paths . . . . .	213
9.3.4	Ballistic motion . . . . .	213
9.3.5	Diffusive motion . . . . .	215

9.4	Decoherence of electrons . . . . .	216
<b>III</b>	<b>QUANTUM STATISTICAL DECAY</b>	<b>221</b>
<b>10</b>	<b>Introduction</b>	<b>221</b>
<b>11</b>	<b>Classical rate theory: a brief overview</b>	<b>224</b>
11.1	Classical transition state theory . . . . .	224
11.2	Moderate-to-strong-damping regime . . . . .	225
11.3	Strong damping regime . . . . .	227
11.4	Weak-damping regime . . . . .	229
<b>12</b>	<b>Quantum rate theory: basic methods</b>	<b>231</b>
12.1	Formal rate expressions in terms of flux operators . . . . .	232
12.2	Quantum transition state theory . . . . .	233
12.3	Semiclassical limit . . . . .	234
12.4	Quantum tunneling regime . . . . .	237
12.5	Free energy method . . . . .	240
12.6	Centroid method . . . . .	245
<b>13</b>	<b>Multidimensional quantum rate theory</b>	<b>246</b>
13.1	The global metastable potential . . . . .	246
13.2	Periodic orbit and bounce . . . . .	247
<b>14</b>	<b>Crossover from thermal to quantum decay</b>	<b>250</b>
14.1	Normal mode analysis at the barrier top . . . . .	250
14.2	Turnover theory for activated rate processes . . . . .	252
14.3	The crossover temperature . . . . .	256
<b>15</b>	<b>Thermally activated decay</b>	<b>258</b>
15.1	Rate formula above the crossover regime . . . . .	258
15.2	Quantum corrections in the pre-exponential factor . . . . .	260
15.3	The quantum Smoluchowski equation approach . . . . .	262
15.4	Multidimensional quantum transition state theory . . . . .	264
<b>16</b>	<b>The crossover region</b>	<b>267</b>
16.1	Beyond steepest descent above $T_0$ . . . . .	268
16.2	Beyond steepest descent below $T_0$ . . . . .	270
16.3	The scaling region . . . . .	273

<b>17 Dissipative quantum tunneling</b>	<b>275</b>
17.1 The quantum rate formula	275
17.2 Thermal enhancement of macroscopic quantum tunneling	278
17.3 Quantum decay in a cubic potential for Ohmic friction	279
17.3.1 Bounce action and quantum mechanical prefactor	280
17.3.2 Analytic results for strong Ohmic dissipation	281
17.4 Quantum decay in a tilted cosine potential	283
17.4.1 The case of weak bias	288
17.5 Concluding remarks	290
<b>IV THE DISSIPATIVE TWO-STATE SYSTEM</b>	<b>293</b>
<b>18 Introduction</b>	<b>293</b>
18.1 Truncation of the double-well to the two-state system	295
18.1.1 Shifted oscillators and orthogonality catastrophe	295
18.1.2 Adiabatic renormalization	297
18.1.3 Instanton in a double parabolic well	299
18.1.4 Renormalized tunneling matrix element	301
18.1.5 Polaron transformation	303
18.2 Pair interaction in the charge picture	304
18.2.1 Analytic expression for spectral density with any power $s$	304
18.2.2 Ohmic dissipation and universality limit	305
<b>19 Thermodynamics</b>	<b>306</b>
19.1 Partition function and specific heat	306
19.1.1 Exact formal expression for the partition function	306
19.1.2 Static susceptibility and specific heat	308
19.1.3 The self-energy method	309
19.1.4 The limit of high temperatures	311
19.1.5 Noninteracting kink-pair approximation	312
19.1.6 Weak-damping limit	313
19.1.7 The self-energy method revisited: partial resummation	315
19.2 Ohmic dissipation	316
19.2.1 Specific heat and Wilson ratio	316
19.2.2 The special case $K = \frac{1}{2}$	318
19.3 Non-Ohmic spectral densities	322
19.3.1 The sub-Ohmic case	322
19.3.2 The super-Ohmic case	323
19.4 Relation between the Ohmic TSS and the Kondo model	324
19.4.1 Anisotropic Kondo model	324
19.4.2 Resonance level model	326
19.5 Equivalence of the Ohmic TSS with the $1/r^2$ Ising model	327

<b>20 Electron transfer and incoherent tunneling</b>	<b>329</b>
20.1 Electron transfer	329
20.1.1 Adiabatic bath	330
20.1.2 Marcus theory for electron transfer	333
20.2 Incoherent tunneling in the nonadiabatic regime	336
20.2.1 General expressions for the nonadiabatic rate	337
20.2.2 Probability for energy exchange: general results	338
20.2.3 The spectral probability density for absorption at $T = 0$	341
20.2.4 Crossover from quantum-mechanical to classical behavior	343
20.2.5 The Ohmic case	346
20.2.6 Exact nonadiabatic rates for $K = \frac{1}{2}$ and $K = 1$	349
20.2.7 The sub-Ohmic case ( $0 < s < 1$ )	350
20.2.8 The super-Ohmic case ( $s > 1$ )	351
20.2.9 Incoherent defect tunneling in metals	354
20.3 Single charge tunneling	356
20.3.1 Weak-tunneling regime	357
20.3.2 The current-voltage characteristics	361
20.3.3 Weak tunneling of 1D interacting electrons	363
20.3.4 Tunneling of Cooper pairs	364
20.3.5 Tunneling of quasiparticles	366
<b>21 Two-state dynamics: basics and methods</b>	<b>367</b>
21.1 Initial preparation, expectation values, and correlations	368
21.1.1 Product initial state	368
21.1.2 Thermal initial state	371
21.2 Exact formal expressions for the system dynamics	374
21.2.1 Sojourns and blips	374
21.2.2 Conditional propagating functions	377
21.2.3 The expectation values $\langle \sigma_j \rangle_t$ ( $j = x, y, z$ )	378
21.2.4 Correlation and response function of the populations	380
21.2.5 Correlation and response function of the coherences	382
21.2.6 Generalized exact master equation and integral relations	383
21.3 The noninteracting-blip approximation (NIBA)	386
21.3.1 Assumptions	386
21.3.2 Limitations	388
21.4 The interacting-blip chain approximation (IBCA)	389
<b>22 Two-state dynamics: sundry topics</b>	<b>392</b>
22.1 Symmetric TSS in the NIBA	392
22.1.1 Ohmic scaling limit	392
22.1.2 The super-Ohmic case	396
22.2 White-noise regime	399
22.2.1 Power spectrum of the stochastic force	399

22.2.2	Symmetric Ohmic TSS at moderate-to-high temperature . . . . .	400
22.2.3	Biased Ohmic TSS at moderate-to-high temperature . . . . .	402
22.3	Weak quantum noise in the biased TSS . . . . .	406
22.3.1	The one-boson self-energy . . . . .	407
22.3.2	Populations and coherences (super-Ohmic and Ohmic) . . . . .	409
22.4	Pure dephasing . . . . .	411
22.5	$1/f$ noise and decoherence . . . . .	414
22.5.1	$1/f$ noise from fluctuating background charges . . . . .	414
22.5.2	$1/f$ noise from coherent two-level systems . . . . .	415
22.5.3	Decoherence from $1/f$ noise . . . . .	416
22.6	The Ohmic TSS at and close to the Toulouse point . . . . .	417
22.6.1	Grand-canonical sums of collapsed blips and sojourns . . . . .	417
22.6.2	The expectation value $\langle \sigma_z \rangle_t$ for $K = \frac{1}{2}$ . . . . .	419
22.6.3	The case $K = \frac{1}{2} - \kappa$ ; coherent-incoherent crossover . . . . .	420
22.6.4	Equilibrium $\sigma_z$ autocorrelation function . . . . .	421
22.6.5	Equilibrium $\sigma_x$ autocorrelation function . . . . .	426
22.6.6	Correlation functions in the Toulouse model . . . . .	428
22.7	Long-time behavior at $T = 0$ for $K < 1$ : general discussion . . . . .	429
22.7.1	The populations . . . . .	430
22.7.2	The population correlations and Shiba relation . . . . .	430
22.7.3	The coherence correlation function . . . . .	432
22.8	From weak to strong tunneling: relaxation and decoherence . . . . .	433
22.8.1	Incoherent tunneling beyond the nonadiabatic limit . . . . .	433
22.8.2	Decoherence at zero temperature: analytic results . . . . .	436
22.9	Thermodynamics from dynamics . . . . .	438
<b>23</b>	<b>The driven two-state system</b> . . . . .	<b>440</b>
23.1	Time-dependent external fields . . . . .	441
23.1.1	Diagonal and off-diagonal driving . . . . .	441
23.1.2	Exact formal solution . . . . .	442
23.1.3	Linear response . . . . .	444
23.1.4	The Ohmic case with Kondo parameter $K = \frac{1}{2}$ . . . . .	444
23.2	Markovian regime . . . . .	445
23.3	High-frequency regime . . . . .	446
23.4	Quantum stochastic resonance . . . . .	449
23.5	Driving-induced symmetry breaking . . . . .	451
<b>V</b>	<b>THE DISSIPATIVE MULTI-STATE SYSTEM</b> . . . . .	<b>453</b>
<b>24</b>	<b>Quantum Brownian particle in a washboard potential</b> . . . . .	<b>453</b>
24.1	Introduction . . . . .	453
24.2	Weak- and tight-binding representation . . . . .	454

<b>25</b>	<b>Multi-state dynamics</b> . . . . .	<b>456</b>
25.1	Quantum transport and quantum-statistical fluctuations . . . . .	456
25.1.1	Product initial state . . . . .	456
25.1.2	Characteristic functions of moments and cumulants . . . . .	456
25.1.3	Thermal initial state and correlation functions . . . . .	457
25.2	Poissonian quantum transport . . . . .	459
25.2.1	Incoherent nearest-neighbor transitions (weak tunneling) . . . . .	459
25.2.2	The general case (strong tunneling) . . . . .	460
25.3	Exact formal expressions for the system dynamics . . . . .	462
25.3.1	Product initial state . . . . .	464
25.3.2	Thermal initial state . . . . .	466
25.4	Mobility and Diffusion . . . . .	468
25.4.1	Exact formal series expressions for transport coefficients . . . . .	468
25.4.2	Einstein relation . . . . .	470
25.5	The Ohmic case . . . . .	471
25.5.1	Weak-tunneling regime . . . . .	472
25.5.2	Weak-damping limit . . . . .	472
25.6	Exact solution in the Ohmic scaling limit at $K = \frac{1}{2}$ . . . . .	474
25.6.1	Current and mobility . . . . .	475
25.6.2	Diffusion and skewness . . . . .	477
25.7	The effects of a thermal initial state . . . . .	479
25.7.1	Mean position and variance . . . . .	479
25.7.2	Linear response . . . . .	480
25.7.3	The exactly solvable case $K = \frac{1}{2}$ . . . . .	482
<b>26</b>	<b>Duality symmetry</b> . . . . .	<b>483</b>
26.1	Duality for general spectral density . . . . .	483
26.1.1	The map between the TB and WB Hamiltonian . . . . .	484
26.1.2	Frequency-dependent linear mobility . . . . .	487
26.1.3	Nonlinear static mobility . . . . .	488
26.2	Self-duality in the exactly solvable cases $K = \frac{1}{2}$ and $K = 2$ . . . . .	490
26.2.1	Full counting statistics at $K = \frac{1}{2}$ . . . . .	490
26.2.2	Full counting statistics at $K = 2$ . . . . .	492
26.3	Duality and supercurrent in Josephson junctions . . . . .	495
26.3.1	Charge-phase duality . . . . .	495
26.3.2	Supercurrent-voltage characteristics for $\rho \ll 1$ . . . . .	498
26.3.3	Supercurrent-voltage characteristics at $\rho = \frac{1}{2}$ . . . . .	499
26.3.4	Supercurrent-voltage characteristics at $\rho = 2$ . . . . .	499
26.4	Self-duality in the Ohmic scaling limit . . . . .	500
26.4.1	Linear mobility at finite $T$ . . . . .	500
26.4.2	Nonlinear mobility at $T = 0$ . . . . .	502
26.5	Exact scaling function at $T = 0$ for arbitrary $K$ . . . . .	504

26.5.1	Construction of the self-dual scaling solution . . . . .	504
26.5.2	Supercurrent-voltage characteristics at $T = 0$ for arbitrary $\rho$ . . . . .	507
26.5.3	Connection with Seiberg-Witten theory . . . . .	507
26.5.4	Special limits . . . . .	509
26.6	Full counting statistics at zero temperature . . . . .	510
26.7	Low temperature behavior of the characteristic function . . . . .	512
<b>27</b>	<b>Twisted partition function and nonlinear mobility</b>	<b>514</b>
27.1	Solving the imaginary-time Coulomb gas with Jack polynomials . . . . .	514
27.2	Nonlinear mobility . . . . .	517
27.2.1	Strong barrier limit . . . . .	518
27.2.2	The case $K \ll 1$ . . . . .	519
27.2.3	The limit $T \rightarrow 0$ . . . . .	520
<b>28</b>	<b>Charge transport in quantum impurity systems</b>	<b>521</b>
28.1	Generic models for transmission of charge through barriers . . . . .	521
28.1.1	The Tomonaga-Luttinger liquid . . . . .	522
28.1.2	Charge transport through a single weak barrier . . . . .	523
28.1.3	Charge transport through a single strong barrier . . . . .	525
28.1.4	Coherent conductor in an Ohmic environment . . . . .	526
28.1.5	Equivalence with quantum transport in a washboard potential . . . . .	528
28.2	Self-duality between weak and strong tunneling . . . . .	529
28.3	Full counting statistics of charge transfer . . . . .	530
28.3.1	Charge transport at low temperature for arbitrary $g$ . . . . .	530
28.3.2	Full counting statistics at $g = \frac{1}{2}$ and general temperature . . . . .	533
<b>29</b>	<b>Quantum transport for sub- and super-Ohmic friction</b>	<b>533</b>
29.1	Tight-binding representation . . . . .	534
29.1.1	Sub-Ohmic friction . . . . .	536
29.1.2	Super-Ohmic friction . . . . .	537
29.2	Weak-binding representation . . . . .	537
29.2.1	Super-Ohmic friction . . . . .	538
29.2.2	Sub-Ohmic friction . . . . .	538
	<b>Bibliography</b>	<b>539</b>
	<b>Index</b>	<b>561</b>